When To Use

Use when important operations need to inform the user to process the results and the feedback is more complicated.

Examples

Success

```
import React from 'react';
import { Button, Result } from 'antd';

const App: React.FC = () => (
  <Result
    status="success"
    title="Successfully Purchased Cloud Server ECS!"
    subTitle="Order number: 2017182818828182881 Cloud server configuration
takes 1–5 minutes, please wait."
    extra={[
      <Button type="primary" key="console">
        Go Console
      </Button>,
      <Button key="buy">Buy Again</Button>,
    ]}
  />
);

export default App;
```

Info

```
import React from 'react';
import { Button, Result } from 'antd';

const App: React.FC = () => (
  <Result
    title="Your operation has been executed"
    extra={
      <Button type="primary" key="console">
        Go Console
      </Button>
    }
  />
);
```

```
export default App;
```

Warning

```tsx
import React from 'react';
import { Button, Result } from 'antd';

const App: React.FC = () => (
  <Result
    status="warning"
    title="There are some problems with your operation."
    extra={
      <Button type="primary" key="console">
        Go Console
      </Button>
    }
  />
);

export default App;
```

403

```tsx
import React from 'react';
import { Button, Result } from 'antd';

const App: React.FC = () => (
  <Result
    status="403"
    title="403"
    subTitle="Sorry, you are not authorized to access this page."
    extra={<Button type="primary">Back Home</Button>}
  />
);

export default App;
```

404

```tsx
import React from 'react';
import { Button, Result } from 'antd';

const App: React.FC = () => (
```

```
  <Result
    status="404"
    title="404"
    subTitle="Sorry, the page you visited does not exist."
    extra={<Button type="primary">Back Home</Button>}
  />
);

export default App;
```

500

```
import React from 'react';
import { Button, Result } from 'antd';

const App: React.FC = () => (
  <Result
    status="500"
    title="500"
    subTitle="Sorry, something went wrong."
    extra={<Button type="primary">Back Home</Button>}
  />
);

export default App;
```

Error

```
import React from 'react';
import { CloseCircleOutlined } from '@ant-design/icons';
import { Button, Result, Typography } from 'antd';

const { Paragraph, Text } = Typography;

const App: React.FC = () => (
  <Result
    status="error"
    title="Submission Failed"
    subTitle="Please check and modify the following information before
resubmitting."
    extra={[
      <Button type="primary" key="console">
        Go Console
      </Button>,
      <Button key="buy">Buy Again</Button>,
```

```
    ]}
  >
    <div className="desc">
      <Paragraph>
        <Text
          strong
          style={{
            fontSize: 16,
          }}
        >
          The content you submitted has the following error:
        </Text>
      </Paragraph>
      <Paragraph>
        <CloseCircleOutlined className="site-result-demo-error-icon" />
Your account has been
        frozen. <a>Thaw immediately &gt;</a>
      </Paragraph>
      <Paragraph>
        <CloseCircleOutlined className="site-result-demo-error-icon" />
Your account is not yet
        eligible to apply. <a>Apply Unlock &gt;</a>
      </Paragraph>
    </div>
  </Result>
);

export default App;
```

Custom icon

```
import React from 'react';
import { SmileOutlined } from '@ant-design/icons';
import { Button, Result } from 'antd';

const App: React.FC = () => (
  <Result
    icon={<SmileOutlined />}
    title="Great, we have done all the operations!"
    extra={<Button type="primary">Next</Button>}
  />
);

export default App;
```

Component Token

Debug

```jsx
import React from 'react';
import { Button, ConfigProvider, Result } from 'antd';

const App: React.FC = () => (
  <ConfigProvider
    theme={{
      components: {
        Result: {
          titleFontSize: 18,
          subtitleFontSize: 14,
          iconFontSize: 48,
          extraMargin: `12px 0 0 0`,
        },
      },
    }}
  >
    <Result
      status="success"
      title="Successfully Purchased Cloud Server ECS!"
      subTitle="Order number: 2017182818828182881 Cloud server
configuration takes 1–5 minutes, please wait."
      extra={[
        <Button type="primary" key="console">
          Go Console
        </Button>,
        <Button key="buy">Buy Again</Button>,
      ]}
    />
  </ConfigProvider>
);

export default App;
```

API

Common props ref：[Common props](#)

Property	Description	Type	Default
extra	Operating area	ReactNode	–
icon	Custom back icon	ReactNode	–

status	Result status, decide icons and colors	success | error | info | warning | 404 | 403 | 500	info
subTitle	The subTitle	ReactNode	-
title	The title	ReactNode	-

Design Token