# 何时使用 {#when-to-use}

当有重要操作需告知用户处理结果,且反馈内容较为复杂时使用。

## 代码演示

#### Success

```
import React from 'react';
import { Button, Result } from 'antd';
const App: React.FC = () => (
  <Result
    status="success"
    title="Successfully Purchased Cloud Server ECS!"
    subTitle="Order number: 2017182818828182881 Cloud server configuration
takes 1-5 minutes, please wait."
   extra={[
      <Button type="primary" key="console">
        Go Console
      </Button>,
      <Button key="buy">Buy Again</Button>,
   ]}
 />
);
export default App;
```

#### Info

## Warning

#### 

#### 

```
subTitle="Sorry, the page you visited does not exist."
  extra={<Button type="primary">Back Home</Button>}
/>
);
export default App;
```

#### 500

#### **Error**

```
import React from 'react';
import { CloseCircleOutlined } from '@ant-design/icons';
import { Button, Result, Typography } from 'antd';
const { Paragraph, Text } = Typography;
const App: React.FC = () => (
 <Result
    status="error"
    title="Submission Failed"
    subTitle="Please check and modify the following information before
resubmitting."
    extra={[
      <Button type="primary" key="console">
        Go Console
      </Button>,
      <Button key="buy">Buy Again</Button>,
    ]}
    <div className="desc">
```

```
<Paragraph>
        <Text
          strong
          style={{
            fontSize: 16,
          }}
          The content you submitted has the following error:
        </Text>
      </Paragraph>
      <Paragraph>
        <CloseCircleOutlined className="site-result-demo-error-icon" />
Your account has been
        frozen. <a>Thaw immediately &gt;</a>
      </Paragraph>
      <Paragraph>
        <CloseCircleOutlined className="site-result-demo-error-icon" />
Your account is not yet
        eligible to apply. <a>Apply Unlock &gt;</a>
      </Paragraph>
    </div>
 </Result>
);
export default App;
```

#### 自定义 icon

## 组件 Token

Debug

```
import React from 'react';
import { Button, ConfigProvider, Result } from 'antd';
const App: React.FC = () => (
  <ConfigProvider
    theme={{
      components: {
        Result: {
         titleFontSize: 18,
          subtitleFontSize: 14,
         iconFontSize: 48,
         extraMargin: `12px 0 0 0`,
       },
      },
   }}
    <Result
      status="success"
      title="Successfully Purchased Cloud Server ECS!"
      subTitle="Order number: 2017182818828182881 Cloud server
configuration takes 1-5 minutes, please wait."
        <Button type="primary" key="console">
          Go Console
        </Button>,
        <Button key="buy">Buy Again</Button>,
     ]}
 </ConfigProvider>
);
export default App;
```

## API

通用属性参考:通用属性

参数	说明	类型	默认值
extra	操作区	ReactNode	-
icon	自定义 icon	ReactNode	-
status	结果的状态,决定图标和 颜色	success error info warning 404  403 500	info

subTitle	subTitle 文字	ReactNode	-
title	title 文字	ReactNode	-

# 主题变量(Design Token)