Visoka skola strukovnih studija za informacione i komunikacione tehnologije

Dokumentacija

https://pcking.netlify.com/

Predmet:Web programiranje 1

Student: Đorđe Antanasković 35/18

Decembar 2019

SADRŽAJ

SADRŽAJ	2
1. UVOD	3
1.1 Korišćeni programski jezici i okruženja	3
1.2 Opis funkcionalnosti	3
1.3 Template	4
2. Organizacija	5
2.1 Organizaciona šema	5
Mapa sajta	5
2.2 Slike stranica i opisi funkcionalnosti	5
2.2.1 index.html-Home	6
2.2.2 index.html-About	6
2.2.3 index.html-Best Sellers	7
2.2.4 index.html-Products	7
2.2.5 index.html-Contact	8
2.2.6 contact.html	9
3. Kodovi	10
3.1 HTML	10
3.1.1 index.html	10
3.1.2 contact.html	11
3.2 CSS	14
3.2.1 style.scss	14
3.2.2 queries.scss	
3.3 JavaScript i jQuery	
3.3.1 main.js	

1. UVOD

1.1 Korišćeni programski jezici i okruženja

- HTML/HTML5
- CSS/CSS3
- JavaScript
- JQuery
- Visual Studio Code
- PhotoShop

1.2 Opis funkcionalnosti


- Navigacioni meni i footer koji se dinamički ispisuju podacima iz JavaScript-a
- Slider sa slikama koje smenjuju svakih 5 sekundi naprvaljen u JavaScriptu sa dugmicima za kretanje napred ili nazad
- Dinamičko ispisivanje proizvoda i njihovih slika podacima iz JavaScripta-a
- Prelaskom misa preko slike prozivoda pomoću JQuery-ija pojavljuju se dva tastera za dodatne opcije
- Klikom na sliku i proizvoda ili na taster Details prikazuju se detalji datog proizvoda
- Klikom na dugme u donjem desnom uglu vraca se na pocetak stranice uz animaciju koja traje 800ms. Efekat skrola urađen u JQuery-ju
- Mogućnost filtriranja proizvoda na sajtu klikom na ordređenu kategoriju. Urađeno u JavaScript-u
- U delu sajta About us klikom na strelicu ili na naslov pomoću JQuery-ija otvara se dodatni tekst
- U delu sajta Contact pomoću regularnih izraza vrsi se provera unetog maila klikom na dugme Subscribe
- Na stranici contact.html pomoću regularnih izraza vrsi se provera unetog sadržaja

1.3 Template

Za izradu ovog sajta nije korišćen nijedan gotovi template.Listing koda koja kreira stranicu priložen je u nastvaku dokumenta.

2. Organizacija

2.1 Organizaciona šema




Mapa sajta

2.2 Slike stranica i opisi funkcionalnosti


U nastavku će biti prolzeni print screen ekrana I kraktak objašnjenja za sve logičke celine sajta.

2.2.1 index.html-Home



U ovom delu sajta se nalazi navigacioni meni čiji se članovi dinamički ispisuju na osnovu podataka iz JavaScript-a.Ispod menija se nalazi slider sa slikama koje se menjaju na svakih 5 sekundi.

2.2.2 index.html-About



U ovom delu sajta se nalaze tekstovi sa informacijama o temi sajta.Klikom na strelicu na dole ili na neki od naslova pomoću JQuery-ija otvara se dodatni tekst sa još informacija.Klikom na strelicu u uglu vraćamo se na početak strane.

2.2.3 index.html-Best Sellers

Best sellers








9008




U ovom delu sajta se nalaze najprodavaniji proizvodi.Prozivodi se dinamčki ispisuju na osnovu podatak iz JavaScript-a.Prelaskom miša preko slike proizvoda jQuery animacijom se pojavljuju dva tastera:Details i Buy Now.

2.2.4 index.html-Products




U ovom delu sajta se nalaze svi proizvodi u ponudi sajta. Prozivodi se dinamčki ispisuju na osnovu podatak iz JavaScript-a.Iznad se nalaze opcije za filtriranje sadržaja, filtriranje je urađeno pomoću JavaScript-a. Prelaskom miša preko slike proizvoda jQuery animacijom se pojavljuju dva tastera:Details i Buy Now.




Klikom na dugme Details ili klikom na sliku proizvoda preko postojeće strane se otvara prozor gde se dinamički ispisuju detalji I slika datog proizvoda.Klikom na taster Buy Now korisnik se odlazi na stranicu contact.html.

2.2.5 index.html-Contact



U ovom delu sajta se nalaze:forma sa prijavjivanje na obaveštenja sajta,gde se je potrebno uneti svoju email adresu.Email adresa se provera pomoću regularnih izraza.Tu je i footer sa linkovima ka svim delovima sajta i nalozima sajta na društvenim mrežama.

2.2.6 contact.html



Na stranici contact.html se nalazi forma za naručivanje proizvoda gde je potrebno pravilno popuniti formu.Unos korisnika se provera pomoću regularnih izraza u JavaScript-u.Ukoliko nešto nije dobro uneto, klikom na taster Order, oko tih polja se postavlja crvena bordure i u dnu forme se ispisuje upozorenje.Kada je sav sadržaj pravilno unsen crvene bordure se sklanjaju I dnu forme se ispisuje poruka da je porudžbina uspešna.

3. Kodovi

3.1 HTML

3.1.1 index.html

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta http-equiv="X-UA-Compatible" content="ie=edge" />
    <meta name="description" content="PC KING-</pre>
Best PC and Laptops configurations. One of the top rated European suppliers of
computers and laptops.Best for your money." />
    <meta name="keywords" content="pc,computers,king,laptops,best configuratio"</pre>
ns,components,AMD,INTEL" />
    <title>Pc King</title>
    <link rel="stylesheet" href="assets/css/style.css" type="text/css" />
    <link rel="stylesheet" href="assets/css/queries.css" type="text/css" />
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css" />
    <link href="assets/images/ikonica.ico" rel="shortcut icon" />
</head>
<body>
    <header>
        <div id="scrollTop"><i class="fa fa-arrow-up"></i></div>
            <div id="logo">
                <h1><span id="redHeading">pc</span> King</h1>
            </div>
            <div id="responsive"><i class="fa fa-navicon"></i></div>
            <div id="nav">
                </div>
        <section id="slider">
            <span id="next"><i class="fa fa-chevron-right"></i></span>
            <span id="prev"><i class="fa fa-chevron-left"></i></span>
            <div id="slideImg">
                <div class="message">
                    <h1></h1>
                    <h2></h2>
                </div>
            </div>
        </section>
```

```
</header>
       <section id="about">
            <article id="textAbout">
                <h2>About us</h2>
            </article>
        </section>
        <section id="bestSellers">
            <h2>Best sellers</h2>
            <div id="wrapper"></div>
        </section>
        <section id="products">
            <h2>Products</h2>
            <button class="filterbtn filterActive" id="filterAll">All
            <button class="filterbtn" id="filterPc">PC</button>
            <button class="filterbtn" id="filterLaptop">Laptops</putton>
           <div id="wrapperProduct"></div>
        </section>
        <section id="contact">
            <article id="newsletter">
                <h2>Subscribe on our newsletter</h2>
                <form action="" method="GET" name="newsletter">
                    <input type="text" id="mail" name="mail" placeholder="Ente</pre>
r your mail"/><br/>
                    <span id="newsMessage"></span><br/>
                    <input type="button" id="sign" value="Subscribe"/>
                </form>
            </article>
       </section>
   </main>
   <footer>
   </footer>
   <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min</pre>
.js"></script>
   <script src="assets/js/main.js"></script>
</body>
</html>
```

3.1.2 contact.html

```
<meta name="description" content="PC KING-</pre>
Best PC and Laptops configurations. One of the top rated European suppliers of
computers and laptops.Please fill form to order your products." />
    <meta name="keywords" content="order,form,name,pay,contact" />
    <title>Pc King</title>
    <link rel="stylesheet" href="assets/css/style.css" type="text/css" />
    <link rel="stylesheet" href="assets/css/queries.css" type="text/css" />
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css" />
    <link href="assets/images/ikonica.ico" rel="shortcut icon" />
<body>
    <nav>
            <div id="logo">
                <h1><span id="redHeading">pc</span> King</h1>
            </div>
            <div id="responsive"><i class="fa fa-navicon"></i></div>
            <div id="nav">
                ul id="menu">
            </div>
        <main id="order">
            <h2>Order form:</h2>
            <section id="orderForm">
                <form action="" method="GET" name="orderForm" id="form">
                    <div class="personalInfo">
                         <label for="fullname">Name<span class="required">*</sp</pre>
an></label>
                         <input type="text" name="fullName" id="fullname" place</pre>
holder="John Doe"/>
                    </div>
                    <div class="personalInfo">
                        <label for="mail">Email<span class="required">*</span>
</label>
                         <input type="text" name="mail" id="mail" placeholder="</pre>
yourmail@gmail.com"/>
                    </div>
                    <div class="personalInfo">
                         <label for="city">City<span class="required">*</span><</pre>
/label>
                         <input type="text" name="city" id="city" placeholder="</pre>
Your city"/>
                         <label for="zip">Zip</label>
                         <input type="text" name="city" id="zip" placeholder="A</pre>
A99 9A"/>
                    </div>
                    <div class="personalInfo">
```

```
<label for="address">Address<span class="required">*/
span></label>
                         <input type="text" name="address" id="address" placeho</pre>
lder="Your Address" />
                    </div>
                     <div class="personalInfo">
                         <label>Mobile</label>
                         <input type="text" name="mob1" class="mobile" placehol</pre>
der="07X XXXXXXXX"/>
                     </div>
                     <div id="pay">
                         <div>
                             <span>Payment method <span class="required">*</spa</pre>
n></span><br/>
                             <input type="radio" name="paymethod" id="cod" /><1</pre>
abel for="cod">Cash on delivery</label>
                             <input type="radio" name="paymethod" id="card" /><</pre>
label for="card">Online</label>
                         </div>
                         <div id="additional">
                             <select name="creditCard" id="creditCard"></select</pre>
                             <label for="cardNumber">Card number</label>
                             <input type="text" id="cardNumber" name="cardNumbe</pre>
r" placeholder="XXXX XXXX XXXX XXXX"/>
                         </div>
                     </div>
                     <div id="finish">
                         <input type="checkbox" name="terms" id="terms" />
                         <label for="terms">I accept Terms of use</label><br/>>
                         Please accept Terms of use
                         <button type="button" id="submit">Order</button>
                     </div>
                     <div id="finishMessage">
                         <h2></h2>
                     </div>
                </form>
            </section>
        </main>
        <footer>
        </footer>
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min</pre>
.js"></script>
    <script src="assets/js/main.js"></script>
</body>
</html>
```

3.2 CSS

3.2.1 style.scss

```
@import url('https://fonts.googleapis.com/css?family=Abril+Fatface&disp
lay=swap');
$color1:rgb(21,22,29);
$color2:rgb(209,0,36);
$white:#fff;
*{
   margin:0px;
   padding: 0px;
    box-sizing: border-box;
@mixin flex {
   display: flex;
   flex-flow: row wrap;
   justify-content: space-around;
@mixin button {
   font-size: 25px;
   background-color: $color1;
   color:$white;
   width: 100%;
   margin:5px 0px;
   border: none;
   padding:10px;
   &:hover{
        background-color: $color2;
@mixin headingFont {
   font-family: 'Abril Fatface', cursive;
@mixin headingSize{
   font-size:50px;
a{
   text-decoration: none;
ul{
   list-style-type:none;
img{
   width: 100%;
.bodyAcitve{
   background-color: rgba($color1,0.5);
```

```
overflow: hidden;
#scrollTop{
   position: fixed;
   bottom:30px;
    right:30px;
   background: $color2;
    color:$white;
   padding:10px;
   display:none;
    z-index:997;
   font-size:30px;
#coverDiv{
   position: fixed;
   width: 100%;
   height: 100%;
   z-index: 998;
   top:0;
   left:0;
   background-color: rgba($color1,0.5);
nav{
   @include flex;
   width:100%;
   background-color: $color1;
   border-bottom:3px solid $color2;
#nav{
   width:50%;
    text-align: right;
#logo{
   width: 30%;
   padding: 10px;
   color:$white;
   h1{
        @include headingSize;
        @include headingFont;
#redHeading{
   color: $color2;
    text-transform: uppercase;
#menu li{
```

```
display: inline-block;
    padding: 30px;
    position: relative;
    a{
        color: $white;
        font-size:25px;
        font-family: 'Prata', serif;
        &::after{
            content: "";
            display: block;
            width: 0;
            background: $color2;
            height: 2px;
            transition: .5s;
        &:hover::after{
           width:100%;
#responsive{
   color:$white;
    display: none;
   text-align: right;
    padding:10px 0px;
    i{
        font-size:30px;
#podmeni{
   position: absolute;
   width:100%;
   display: none;
   left:0;
   background: $color1;
   text-align: center;
    z-index: 100;
#slider{
   position: relative;
   width: 100%;
   background: $color1;
#next,#prev{
   position: absolute;
```

```
color:$white;
   font-size: 50px;
    z-index: 100;
    top:40%;
#next{
   right:10px;
#prev{
    left:10px;
#slideImg{
   position: relative;
.message{
   @include headingFont;
   background-color: rgba($color1,0.5);
   position: absolute;
   width: 50%;
    top:35%;
    text-align: center;
    left:0;
    color:$white;
    z-index:2;
    right:0;
   margin:0px auto;
   h1{
       font-size:60px;
       margin-bottom: 30px;
        word-spacing: 10px;
   h2{
       font-size: 40px;
.slideFade{
    animation: fade .8s ease-in-out;
.slideMessage{
    animation: slide 1.5s;
@keyframes fade{
   0%{
       opacity: 0;
    100%{
      opacity: 1;
```

```
@keyframes slide{
   0%{
        top:-100%;
   100%{
        top:35%;
#about{
   background-color: $color1;
   color:$white;
    padding:30px 0px;
    #textAbout{
        width: 70%;
        margin:0px auto;
        h2{
        @include headingSize;
        @include headingFont;
         text-align: center;
         margin:20px 0px;
     p{
        font-size:25px;
        padding:20px;
        text-align: justify;
    img{
        display: none;
    .textAbout{
        padding:20px;
        position: relative;
        margin:20px 0px;
        border-bottom:2px solid $color2;
        p{
            font-size:25px;
            text-align: justify;
            display: none;
        }
        h2{
            font-size:35px;
            cursor: pointer;
```

```
.plus{
   text-align: center;
   display: block;
   font-size:35px;
   transition: .5s;
   cursor: pointer;
    -webkit-tap-highlight-color: rgba(0,0,0,0);
.plusActive{
   transform: rotate(-180deg);
.colorHeading{
   color:$color2;
//Best Sellers
#bestSellers{
   text-align: center;
   padding: 20px;
   margin:20px 0px;
   h2{
       @include headingSize;
       @include headingFont;
        color:$color1;
#wrapper{
   @include flex;
   padding:20px;
   margin:20px auto;
   width:70%;
.bestSeler{
   width:20%;
   color:$color1;
   position: relative;
    cursor: pointer;
    padding:20px;
   h3{
        font-size: 30px;
    }
    span{
        color:$color2;
        font-size:30px;
        display: block;
        margin-top:10px;
```

```
a{
        color: $color1;
       display: inline;
.options{
   margin-top:10px;
   opacity: 0;
   padding:10px;
   transition: .5s;
   border-top:1px solid rgba($color1,0.5);
       @include button;
.optionsOpacity{
   opacity: 1;
.buynow{
   @include button;
#products{
   text-align: center;
   margin:30px 0px;
   h2{
       @include headingSize;
       @include headingFont;
#wrapperProduct{
   @extend #wrapper;
.filterbtn{
   display: inline-block;
   padding:20px;
   border:2px solid $color1;
   background-color: transparent;
   outline: none;
   border: 2px solid $color1;
   margin:30px 20px;
   font-size:25px;
   transition: .5s;
   width: 20%;
.filterActive{
   background:$color2;
   color:$white;
```

```
.fixedDiv{
        @include flex;
        position: fixed;
        width: 80%;
        background-color: $white;
        left:0;
        max-height: 100%;
        right:0;
        overflow-y: scroll;
        margin: 0px auto;
        z-index: 999;
        top:5%;
    .product{
        @extend .bestSeler;
        width:22%;
       cursor: pointer;
    .detailImg{
        width:30%;
        padding:30px;
        justify-content: center;
        display: flex;
        align-items: center;
    .detaliName{
        width:50%;
        text-align: center;
        padding:30px 10px;
        margin:30px auto;
        ul li{
            text-align: center;
            margin:20px auto;
            padding:10px 0px;
            &::after{
                content: '';
                display:block;
                width:80%;
                margin:10px auto;
                //background-image: linear-gradient(red, yellow);
                background-image:linear-
gradient(to left,$white,$color1,$white);
                height:2px;
```

```
#contact{
    background: {
        image:url("../images/newsletter.png");
        size:cover;
        position: center;
    };
   padding: 40px;
#newsletter{
   width:60%;
   text-align: center;
   margin:20px auto;
    color:$white;
   h2{
        font-size: 50px;
       @include headingFont;
    input{
        padding:10px;
       width:50%;
       margin:50px auto;
       margin-bottom: 20px;
    }
#sign{
   @include button;
   width:20%;
   background-color: $white;
   color:$color1;
   margin:30px 0px;
#newsMessage{
   font-size:25px;
//Footer
footer{
   @include flex;
   background-color:$color1;
   align-items: center;
#footnav,.social{
   width: 30%;
   color:$white;
   text-align: center;
    padding:20px;
    border: none;
    li{
```

```
display: inline-block;
        padding:20px;
        a{
            color:$white;
            font-size:20px;
//Order form
#order{
    background-color:$color1;
    padding:20px;
    h2{
        font-size:60px;
        text-align: center;
        color:$white;
    select,textarea,input{
        padding:0px 10px;
        outline: none;
#orderForm{
    width:60%;
    background: $white;
    margin: 30px auto;
    border: 2px solid $color2;
    padding: inherit;
.personalInfo{
    margin:0px auto;
    width:80%;
    padding:10px;
    @include flex;
    input{
        font-size: 25px;
        width:80%;
    label{
        font-size:25px;
        padding:10px;
#city{
    width:40%;
#zip{
```

```
width:20%;
#pay{
   width:80%;
   margin:0px auto;
   padding:20px;
   @include flex;
    span{
       font-size:30px;
   label{
     font-size:20px;
    input{
      margin:20px 10px;
.pay{
   border: 2px solid $color2;
#additional{
   padding: 15px 0px;
   select,input{
       padding:10px;
.close{
position: absolute;
top:10px;
cursor: pointer;
font-size:40px;
right:20px;
#add{
   @include button;
   width: 25%;
   margin:0px auto;
.hide{
   visibility: hidden;
#finish{
   text-align: center;
   font-size:25px;
   button{
       @include button;
       width:40%;
      margin-top: 15px;
```

```
p{
        display: none;
        color:$color2;
.inputError{
    border: 3px solid $color2;
.required{
   color:$color2;
   margin-left:5px;
#finishMessage{
    padding:20px;
   h2{
        font-size:30px;
        color: $white;
.finishCorrect{
    background-color:#73ff38;
.finishWrong{
    background-color:$color2;
```

3.2.2 queries.scss

```
@media screen and (min-width:1200px) and (max-width:1600px){
   .bestSeler,.product{
      width: 25%;
}
.personalInfo{
      width:100%;
      margin:10px auto;
}
   #footnav{
      width:40%;
}

@media screen and (min-width:800px) and (max-width:1250px){
   #menu li{
      padding:30px 10px;
      a{
         font-size:22px;
      }
}
```

```
.message{
   width: 80%;
   h1{
        font-size: 50px;
   h2{
        font-size: 40px;
#next,#prev{
   font-size:35px;
//About
.textAbout{
   padding: 10px;
.plus{
   right:10px;
   top:10px;
//Best Sellers
.bestSeler,.product{
   width: 50%;
   h3{
       font-size:22px;
#newsletter{
   width:80%;
   input{
      width: 60%;
   button{
       width: 30%;;
.fixedDiv{
   top:5%;
 .detaliName{
   width:100%;
.detailImg{
   width: 50%;
```

```
//Order form
    #orderForm{
        width:100%;
    .row{
       text-align: center;
       justify-content: center;
    #pay{
        padding:10px;
        width:100%;
       justify-content:center;
        align-items: center;
    #mob1, #mob2{
        width:30%;
    #cod,#card{
        width:5%;
    //Footer
    #footnav,.social{
        li{
           padding: 5px;
    .social{
        margin-left:45px;
@media screen and (max-width:800px){
   #scrollTop{
        right:10px;
        bottom:10px;
    #logo{
        width: 50%;
        h1{
            font-size:30px;
    #responsive{
        display: block;
        width:40%;
        padding-right: 20px;
```

```
#podmeni{
   position: relative;
#menu{
 display: none;
 text-align: center;
 li{
      display: block;
      padding: 10px;
#nav{
   width: 100%;
#next,#prev{
   font-size:25px;
.message{
   width: 100%;
   top:20%;
   h1{
       font-size:35px;
   h2{
       font-size: 25px;
@keyframes slide{
   0%{
       top:-100%;
    100%{
     top:20%;
#textAbout{
   width: 100%;
   order:1;
.textAbout p{
   word-wrap: break-word;
   word-break: keep-all;
   text-align: left;
   font-size:22px;
   //word-spacing: -5px;
```

```
.plus{
    right:10px;
.bestSeler,.product{
   width: 100%;
    h3{
        font-size:22px;
#newsletter{
    width:100%;
    h2{
        font-size:30px;
    input{
      width: 100%;
    button{
       width: 70%;;
.fixedDiv{
   top:5%;
.detaliName{
   width:100%;
.detailImg{
    width: 100%;
#footnav,.social{
    width:100%;
    li{
        padding:10px;
#orderForm{
    width:100%;
#city,#zip{
   width:100%;
#mob1,#mob2{
```

```
width:100%;
    .personalInfo input{
       width: 100%;
    #finish{
        button{
           width:100%;
    #pay{
        width:100%;
        padding:10px;
    #creditCard{
        width:100%;
    #additional span{
        margin:20px 0px;
       text-align: center;
@media screen and (max-width:600px){
    #logo{
        width: 50%;
        h1{
            font-size:30px;
    #responsive{
        display: block;
        width:40%;
        padding-right: 20px;
    #podmeni{
        position: relative;
    #menu{
      display: none;
      text-align: center;
      li{
          display: block;
          padding: 5px;
   #nav{
```

```
width: 100%;
#next,#prev{
   font-size:25px;
.message{
   display: none;
#textAbout{
   h2{
       font-size:30px
.textAbout{
    padding:10px;
   p{
        font-size: 20px;
.plus{
   top:50%;
//Best Sellers
.wrapper{
   width:100%;
.bestSeler,.product{
   width: 100%;
   padding:0px;
   h3{
        font-size:22px;
.options{
   padding:0px;
   button{
       font-size:20px;
#products h2{
   font-size:35px;
.filterbtn{
  width: 70%;
```

```
margin:30px auto;
}
#footnav li{
    display: inline-block;
    padding: 10px;
}
#finishMessage h2{
    font-size: 20px;
}
```

3.3 JavaScript i jQuery

3.3.1 main.js

```
$(document).ready(function(){
    const loc=window.location.href;
    navWrite(menu);
    footWrite(menu);
    socialWrite(additional);
    socialWrite(social);
    $("#menu li").on("click",function(){
        $(this).find("ul").slideToggle();
    });
    $("#responsive").on("click",function(){
     $("#menu").slideToggle();
 });
    //Sprecava da meni prilikom promene velicine browser-a ostane display:none
    $(window).resize(function(){
        if($(this).width()>800 && $("#menu").css("display")=="none"){
            $("#menu").show();
        if($(this).width()<800 && $("#menu").css("display")=="block"){</pre>
            $("#menu").hide();
        }
    })
     //Kod za contact.html stranu
     if(loc.indexOf("contact.html")>-1){
        //Objekti forme
        const cardField=document.querySelector("#cardNumber");
        const paymentRadioButtons=document.getElementsByName("paymethod");
        const nameField=document.querySelector("#fullname");
        const mailField=document.querySelector("#mail");
        const cityField=document.querySelector("#city");
        const termOfUse=document.querySelector("#terms");
        const termsMessage=document.querySelector("#finish p");
        const mobileFields=document.querySelectorAll(".mobile");
```

```
const pay=document.querySelector("#pay");
        const zipField=document.querySelector("#zip");
        const addressField=document.querySelector("#address");
        const cards=["Visa","MasterCard","Discover"];
       $("#cardNumber").addClass("hide");
       $("#creditCard").addClass("hide");
       $("#additional label").addClass("hide");
        for(let i=0;i<paymentRadioButtons.length;i++){</pre>
            paymentRadioButtons[i].addEventListener("click",payMethods);
        }
       $("#submit").click(function(){
            finishOrder();
        });
        $("#add").click(function(event){
            event.preventDefault();
        })
        function nameConstraint(){
            //Regex provera ime i prezime(moguce imati vise prezimena)
            const nameRegex=/^[A-Z][a-z]{2,}(\s[A-Z][a-z]{3,})+$/;
            if(nameRegex.test(nameField.value)){
                nameField.classList.remove("inputError");
                return 1;
            else{
                nameField.classList.add("inputError");
                return 0;
        function emailConstraint(){
            //Regex provera mejlove koji pripadaju gmail-u ili yahoo-u
            const mailRegex=/^[a-z\?\.\,\!\&0-9]{5,}\@(gmail|yahoo)\.com$/;
            if(mailRegex.test(mailField.value)){
                mailField.classList.remove("inputError");
                return 1;
            else{
                mailField.classList.add("inputError");
                return 0;
       function cityConstraint(){
            //Regex dozvoljava unos grada od dve reci sa pocetnim velikim slov
om prve reci
            const cityRegex=/^[A-Z][a-z]{2,}(\s[A-z]{3,})*$/;
            if(cityRegex.test(cityField.value)){
                cityField.classList.remove("inputError");
                return 1;
```

```
else{
                cityField.classList.add("inputError");
                return 0;
        }
        function zipConstraint(){
            //Regex provera da li je kod unet u formatu AA9A 9AA ili A9 9AA
            const zipRegex=/^[A-Z]{1,2}[0-9]{1,2}[A-Z]?\s[0-9][A-Z]{1,2}$/;
            if(zipRegex.test(zipField.value)){
                zipField.classList.remove("inputError");
                return 1;
            else{
                zipField.classList.add("inputError");
                return 0;
        }
        function addressConstraint(){
            const addresspRegex=/^[A-Z][a-z]{3,}(\s[A-z0-9]{1,})*$/;
            if(addresspRegex.test(addressField.value)){
                addressField.classList.remove("inputError");
                return 1;
            else{
                addressField.classList.add("inputError");
                return 0;
            }
        function mobileConstraint(){
            //Regex vrsi prvoeru za brojeve mobilnih telefona vazecih za Ujedi
njeno Kraljevstvo
            const mobileRegex=/^07[1-57-9]\s[0-9]{8,9}$/;
            for(let i=0;i<mobileFields.length;i++){</pre>
                if(mobileRegex.test(mobileFields[i].value)){
                    mobileFields[i].classList.remove("inputError");
                else{
                    mobileFields[i].classList.add("inputError");
                    return 0;
                }
            return 1;
        function payMethods(){
            for(let i=0;i<paymentRadioButtons.length;i++){</pre>
```

```
if(paymentRadioButtons[i].checked){
                    const select=document.querySelector("#creditCard");
                    if(paymentRadioButtons[i].id=="card"){
                        select.innerHTML=`<option value="">Choose your credit
card</option>`
                        for(let i of cards){
                             select.innerHTML+=`<option value=${i.toLowerCase()</pre>
}>${i}</option>`
                        select.addEventListener("change",creditCard);
                        select.classList.remove("hide");
                    else{
                        select.classList.add("hide");
                        document.querySelector("#cardNumber").classList.add("h
ide");
                        document.querySelector("#additional label").classList.
add("hide");
            }
        function payConstraint(){
            const cardNumberRegex=/^([0-9]{4}\s){3}[0-9]{4}$/;
            for(let i=0;i<paymentRadioButtons.length;i++){</pre>
                if(paymentRadioButtons[i].checked){
                if(paymentRadioButtons[i].id=="card"){
                    if(creditCard()){
                        if(cardNumberRegex.test(cardField.value)){
                             cardField.classList.remove("inputError");
                            pay.classList.remove("pay");
                            return 1;
                        else{
                             cardField.classList.add("inputError");
                            return 0;
                    }
                   else{
                    pay.classList.add("pay");
                    return 0;
                pay.classList.remove("pay");
                return 1;
        }
            pay.classList.add("pay");
```

```
return 0;
        function creditCard(){
            const creditCards=document.querySelector("#creditCard");
            if(creditCards.value!=""){
                document.querySelector("#cardNumber").classList.remove("hide")
                document.querySelector("#additional label").classList.remove("
hide");
                return 1;
            else{
                document.querySelector("#cardNumber").classList.add("hide");
                document.querySelector("#additional label").classList.add("hid
e");
                return 0;
        function finishOrder(){
           const finishMessage=document.querySelector("#finishMessage");
           const messageHeading=document.querySelector("#finishMessage h2");
           let ok=1;
           if(!nameConstraint()){
               ok=0;
           if(!emailConstraint()){
            ok=0;
           if(!addressConstraint()){
            ok=0;
           if(!payConstraint()){
            ok=0;
           if(!cityConstraint()){
            ok=0;
           if(!zipConstraint()){
               ok=0;
           if(!mobileConstraint()){
               ok=0;
           if(!termOfUse.checked){
               ok=0;
                $(termsMessage).fadeIn();
           else{
```

```
$(termsMessage).fadeOut();
           if(ok){
                messageHeading.innerHTML="Your order was successfully sent!";
                finishMessage.classList.remove("finishWrong");
                finishMessage.classList.add("finishCorrect");
                return 1;
           else{
                messageHeading.innerHTML="Please,fill out the form correctly!"
                finishMessage.classList.remove("finishCorrect");
                finishMessage.classList.add("finishWrong");
    } //Kraj koda za contact.html
        const bestSellers=[{name:"PC King Energy MAX",price:"700$",img:"assets
/images/bestseller1.png",spec:{Processor:"AMD Ryzen 5 2600",Motherboard:"ASUS
K",GPU: "AMD Radeon RX 590",RAM: "8GB DDR4 2666MHZ",SSD: "512GB",PSU: "FSP HYPER K
500W", Case: "MS SPECTRUM" } },
        {name:"ASUS ROG Strix SCAR II",price:"1300$",img:"assets/images/RogStr
ix.png",spec:{Display:"17.3\" 16:9, 1920 x 1080 pixel",Processor:"INTEL Core i
8750H", Motherboard: "INTEL Cannon Lake HM370", GPU: "NVIDIA GeForce RTX 2070 8GB
GDDR6",RAM:"16GB DDR4 2666MHZ",SSD:"INTEL SSD 512GB NVMe",HDD:"1TB"}},
        {name:"HP Gaming Pavilion",price:"900$",img:"assets/images/bestseller3
.png",spec:{Display:"15.6\" diagonal FHD IPS anti-glare micro-edge WLED-
backlit (1920 x 1080)", Processor: "INTEL Core™ i5 8300H", Motherboard: "INTEL Can
non Lake HM370", GPU: "NVIDIA GeForce GTX 1050TI 4GB GDDR5", RAM: "8GB DDR4 2666MH
Z",HDD:"1TB",PSU:"150 W AC power adapter"}},
        {name:"PC King Prime Pro",price:"950$",img:"assets/images/bestseller4.
png",spec:{Processor:"INTEL Core™ i5-
9400F 2.9 GHz", Motherboard: "GIGABYTE B360M H", GPU: "GeForce RTX 2060 6GB GDDR6"
RAM: "8GB DDR4 2666MHZ", SSD: "512GB", HDD: "1TB 7200RPM", PSU: "IG-
MAX 2650 600W", Case: "Cooler Master MasterBox MB600L"}}];
        const products=[{name:"ACER Predator Helios 300",price:"1000$",img:"as
sets/images/helios300.png",type:"laptop",spec:{Display:"17.3\" diagonal LED IP
S(1920 \times 1080) 144Hz refresh rate", Processor: "INTEL Core i7 8750H / 2.2 GHz", M
otherboard: "Mobile Intel HM370", GPU: "NVIDIA GeForce RTX 2060 6GB GDDR5", RAM: "2
X16GB DDR4 2666MHZ", HDD: "1TB", SSD: "256 GB"}}
        ,{name:"PC King Lider",price:"500$",img:"assets/images/lider.png",type
:"pc", spec:{Processor:"AMD Ryzen 5 2400G with RadeonRX Vega 11", Motherboard:"A
```

```
SUS PRIME A320M-
K",GPU: "NVIDIA GeForce GTX 1650 4GB GDDR5",RAM: "8GB DDR4 2666MHZ",HDD: "1TB",SS
D:"256 GB", Case: "IG-MAX LED STRIPE ", PSU: "500W" } } },
        {name:"PC King Starter",price:"850$",img:"assets/images/starter.png",t
ype:"pc",spec:{Processor:"AMD Ryzen 7 2700",Motherboard:" GIGABYTE B450 GAMING
X",GPU:"NVIDIA GeForce GTX 1660 4GB GDDR5",RAM:"16GB DDR4 3000MHZ",HDD:"1TB",
SSD:"480GB", Case: "NZXT H500 Midi Tower", PSU: "COOLER MASTER 500W ELITE V3"}},
        {name:"PC King Eagle",price:"800$",img:"assets/images/eagle.png",type:
"pc",spec:{Processor:"AMD Ryzen 5 2600",Motherboard:"Biostar AM4 B450MH",GPU:"
AMD Radeon RX 580 4GB GDDR5", RAM: "16GB DDR4 2666MHZ", HDD: "1TB", SSD: "240GB", Cas
e:"Alexander Weiss Serpico", PSU: "750W Falcon Gaming FGC-750"}},
        {name:"HP Gaming Pavilion",price:"900$",img:"assets/images/bestseller3
.png",spec:{Display:"15.6\" diagonal FHD IPS anti-glare micro-edge WLED-
backlit (1920 x 1080)", Processor: "INTEL Core™ i5 8300H", Motherboard: "INTEL Can
non Lake HM370", GPU: "NVIDIA GeForce GTX 1050TI 4GB GDDR5", RAM: "8GB DDR4 2666MH
Z",HDD:"1TB",PSU:"150 W AC power adapter"}},
        {name:"Lenovo Legion Y540",price:"1300$",img:"assets/images/legion.png
",type:"laptop",spec:{Display:"17.3\" FHD (1920 x 1080) IPS anti-
glare 300 nits 144Hz",Processor:"Intel Core™ i5-
9300H Quad Core", GPU: "GeForce GTX GTX 1660Ti 6GB GDDR6", RAM: "16GB DDR4 0MHz", H
DD:"1TB",SSD:"256GB",Battery:"3 Cell 57Wh(up to 5 hours)",OS:"Windows 10 Pro"}
},
        {name:"ASUS TUF FX505DU",price:"1100$",img:"assets/images/tuf.png",typ
e:"laptop", spec:{Display:"15.6\" diagonal LED IPS(1920 x 1080), Anti-
Glare", Processor: "AMD Ryzen R7-
3750H Quad Core 2.3GHz", GPU: "NVIDIA GEForce GTX 1660TI 6GB GDDR5", RAM: "16GB DD
R4 2666MHZ", SSD: "512 GB", Camera: "HD 720p with mic" }},
        {name:"PC King Edge III",price:"1250$",img:"assets/images/edge.png",ty
pe:"pc",spec:{Processor:"Intel Core i7-
8700 3.2GHz", Cooler: "Antec A30 LED", Motherboard: "Biostar LGA1151 B360GT5S", GPU
:"AMD Radeon RX 5700 8GB GDDR6",RAM:"2X16GB DDR4 3200MHz",HDD:"1TB",SSD:"512GB
",Case:"Cooler Master MasterBox K500L LED Window",PSU:"Corsair RM750x 750W"}}]
        const sliderImages=["assets/images/slide1.jpg","assets/images/slide2.j
pg", "assets/images/slide3.jpg", "assets/images/slide4.jpg", "assets/images/slide
5.jpg"];
        const messages=["PC KING","Laptops for all","Reliable components","Bes
t PC configurations", "Rule every game"];
        const submessages=["Pc and laptop vendor","Laptops for all your needs"
,"Components of top tier vendors","High-
end configurations", "Amazing playing experience"];
        const about=[{heading:"Who are we?",text:"PC King is one of the top ra
ted European suppliers of computers and laptops. PC King has one of the best P
C and laptop configurations for all users and purposes. Whether you are a game
r, content creator or just a regular user, PC King will find you the best mach
ine for your need for best price you can find"},
        {heading:"What we are offer?",text:"PC King offer best PC ready config
urations, all tested in the most demanding environments, confirming the qualit
```

```
y of our computers. We are We cooperate with leading manufacturers of computer
components, like: AMD GIGABAYTE, ASUS, MSI, BIOSTAR, KINGSTON, INTEL and other
s. All our products come with a 2-year warranty!"},
        {heading:"Where you can find us?",text:"Our headquarters are in London
,but you can find us in more than 15 countries in Europe. We have our shops in
:UK, Germany, France, Italy, Poland, Serbia, Croatia, Spain... And we still gr
owing!"}];
        let slideIndex=-1;
        let k=1;
        let interval=setInterval(()=>{
            slider(1);
        },5000);
        const img=document.createElement("img");
        img.setAttribute("class","slika");
        document.querySelector("#slideImg").appendChild(img);
        function slider(n){
            const slideImage=document.querySelector(".slika");
            const slideMessage=document.querySelector(".message");
            if(n){
                slideIndex++;
                if(slideIndex>sliderImages.length-1){
                    slideIndex=0;
            slideImage.setAttribute("src",sliderImages[slideIndex]);
            slideImage.setAttribute("alt", `slide ${slideIndex+1}`);
            slideMessage.querySelector("h1").innerHTML=messages[slideIndex];
            slideMessage.querySelector("h2").innerHTML=submessages[slideIndex]
            else{
                slideIndex--;
                if(slideIndex<0){</pre>
                    slideIndex=sliderImages.length-1;
            slideImage.setAttribute("src",sliderImages[slideIndex]);
            slideImage.setAttribute("alt", `slide ${slideIndex+1}`);
            slideMessage.querySelector("h1").innerHTML=messages[slideIndex];
            slideMessage.querySelector("h2").innerHTML=submessages[slideIndex]
            slideImage.classList.add("slideFade");
            slideMessage.classList.add("slideMessage");
            setTimeout(function(){
                slideImage.classList.remove("slideFade");
            },801)
            setTimeout(function(){
                slideMessage.classList.remove("slideMessage");
```

```
},1601)
            clearInterval(interval);
            interval=setInterval(()=>{
                slider(1);
            },5000);
        }
        function aboutWrite(array){
            let subIndex=4;
            const aboutDiv=document.querySelector("#textAbout");
            for(let i=0;i<array.length;i++){</pre>
            aboutDiv.innerHTML+=`<div class="textAbout"><h2><span class="color</pre>
Heading">${array[i].heading.substring(0,subIndex)}</span>${array[i].heading.su
bstring(subIndex++)}</h2>
                $\{array[i].text}
                <span class="plus"><i class='fa fa-angle-down'></i></span>
            </div>`;
        function bestSellersWrite(target,array,identificator){
            const targetDiv=document.querySelector(target);
            for(let i in array){
                const article=document.createElement("article");
                article.setAttribute("class",identificator);
                article.setAttribute("data-type",array[i].type);
                article.innerHTML+=`<img src="${array[i].img}" alt="bestSeller</pre>
                <h3>${array[i].name}</h3>
                <span>${array[i].price}</span>`
                const div=document.createElement("div");
                div.setAttribute("class","options")
                div.innerHTML+=`<button class="buynow" onclick="window.locatio"</pre>
n='contact.html'">Buy Now</button>
                <button class="details">Details

                article.appendChild(div);
                targetDiv.appendChild(article);
            }
            const elements=document.getElementsByClassName(identificator);
            for(let i=0;i<elements.length;i++){</pre>
                elements[i].addEventListener("click",function(){
                    bodyOpacity().appendChild(detailsDiv(array,i));
                    close();
                })
        function bodyOpacity(){
            const coverDiv=document.createElement("div");
            coverDiv.setAttribute("id","coverDiv");
            document.querySelector("body").classList.add("bodyAcitve");
```

```
document.querySelector("body").appendChild(coverDiv);
            return coverDiv;
        function detailsDiv(array,i){
            var fixedDiv=document.createElement("div");
            fixedDiv.setAttribute("class","fixedDiv");
            fixedDiv.innerHTML+=`<div class="detaliName"><h2>${array[i].name}
/h2>${specifications(array[i].spec)}<button class="buynow" onclick="window.loc
ation='contact.html'">Buy Now</button></div>
            <div class="detailImg"><img src="${array[i].img}" alt="Product ima"</pre>
ge" /></div>
            <span class="close"><i class="fa fa-close"></i></span>`;
            return fixedDiv;
        const filterButtons=document.querySelectorAll(".filterbtn");
        for(let i=0; i< filterButtons.length;i++){</pre>
            filterButtons[i].addEventListener("click",(e)=>{
                for(let i=0; i< filterButtons.length;i++){</pre>
                    filterButtons[i].classList.remove("filterActive");
                }
                e.target.classList.add("filterActive");
            })
        }
        function filter(con){
            const target=document.querySelectorAll(".product");
            for(let i=0;i<target.length;i++){</pre>
                if(con==""){
                    target[i].style.display="block";
                    continue;
                if(target[i].dataset.type!=con){
                    target[i].style.display="none";
                }
                else{
                    target[i].style.display="block";
                }
        function close(){
            const closeBtns=document.querySelector(".close");
            const fixedDiv=document.querySelector(".fixedDiv");
            const coverDiv=document.querySelector("#coverDiv");
                closeBtns.addEventListener("click",function(){
                    fixedDiv.remove();
                    coverDiv.remove();
                    document.querySelector("body").classList.remove("bodyAcitv
e");
```

```
function newsLetter(){
    const input=document.querySelector("#mail");
    const message=document.querySelector("#newsMessage");
    const mailregex=/^[a-z][a-z\d]{4,}@(gmail|yahoo).com$/;
    if(mailregex.test(input.value)){
        message.innerHTML="Thanks for subscribing on our newsleter";
       return;
    else{
        message.innerHTML="Please,enter mail in valid format";
        return;
}
function specifications(array){
    let list=``;
    for(let i in array){
        list+=`${i}:${array[i]}`;
    list+=``;
    return list;
slider(1);
$("#next").click(function(){
    slider(1);
$("#prev").click(function(){
    slider(0);
})
aboutWrite(about);
bestSellersWrite("#wrapper",bestSellers,"bestSeler");
bestSellersWrite("#wrapperProduct",products,"product");
$(".textAbout").on("click",function(){
    $(this).find("p").slideToggle();
    $(this).find(".plus").toggleClass("plusActive");
});
$(window).scroll(function(){
    if($(this).scrollTop()>600){
        $("#scrollTop").fadeIn();
    else{
        $("#scrollTop").fadeOut();
    }
})
$("#scrollTop").click(function(){
    $("html,body").animate({scrollTop:0},800);
});
$("#sign").click(function(){
```

```
newsLetter();
        $("#filterAll").click(function(){
            filter("");
        $("#filterPc").click(function(){
            filter("pc");
        $("#filterLaptop").click(function(){
            filter("laptop");
        $(".bestSeler").hover(function(){
            $(this).find(".options").toggleClass("optionsOpacity");
        $(".product").hover(function(){
            $(this).find(".options").toggleClass("optionsOpacity");
        });
   } //Kraj koda za index.html stranu
  });
//Zajednicki podaci i funkcije za obe strane
const menu=[{title:"Home",link:"index.html"},{title:"About",link:"index.html#a
bout"},{title:"Products",link:"#"},{title:"Contact",link:"index.html#contact"}
];
const additional=[{link:"https://djordjeportofolio.netlify.com/",title:"Author
"},{link:"#",title:"Documentation"}];
const submenu=[{title:"Best sellers",link:"index.html#bestSellers"},{title:"Al
1 Products",link:"index.html#products"}];
const social=[{title:'<i class="fa fa-facebook-</pre>
official"></i>',link:"https://www.facebook.com/"},
{title:'<i class="fa fa-instagram"></i>',link:'https://www.instagram.com/'},
{title:'<i class="fa fa-twitter"></i>',link:'https://twitter.com/'},
{title:'<i class="fa fa-youtube-play"></i>',link:'https://www.youtube.com/'}];
function navWrite(array){
    for(let i=0;i<array.length;i++){</pre>
        const nav=document.querySelector("#menu");
        if(array[i].title=="Products"){
            nav.innerHTML+="<a href="+array[i].link+"'>"+array[i].title+"
<i class='fa fa-angle-down'></i>"+"</a>";
            const li=document.querySelectorAll("li");
            const element=document.createElement("ul");
            element.setAttribute("id","podmeni");
            for(let i=0;i<submenu.length;i++){</pre>
                element.innerHTML+=`<a href="${submenu[i].link}">${submenu
[i].title}</a>`;
            li[i].appendChild(element);
```

```
}
        else{
            nav.innerHTML+="<a href="+array[i].link+">"+array[i].title+"//
a>";
    }
function footWrite(array){
    const target=document.querySelector("footer");
    const footnav=document.createElement("div");
    footnav.setAttribute("id", "footnav");
    const ul=document.createElement("ul");
    for(let i in array){
        ul.innerHTML+=`<a href="${array[i].link}">${array[i].title}</a></l</pre>
    footnav.appendChild(ul);
    target.appendChild(footnav);
function socialWrite(array){
    const target=document.querySelector("footer");
    const footnav=document.createElement("div");
    footnav.setAttribute("class","social");
    const ul=document.createElement("ul");
    for(let i in array){
        ul.innerHTML+=`<a href="${array[i].link}" target="_blank">${array[}
i].title}</a>`;
    footnav.appendChild(ul);
    target.appendChild(footnav);
```