


MANUAL Creación Usuario MySQL


Manual para crear un nuevo usuario y añadir su instancia en MySQL.

CREACIÓN USUARIO

Paso 1: accedemos en el bloque Navigator, en el apartado Administration a Users and Privileges



Paso 2: pulsamos el botón de Add Account y editamos la información del nuevo usuario



Paso 3: una vez editada la información, pulsamos el botón Apply

The screenshot shows the 'Users and Privileges' window for a local instance of MySQL 8.0. The 'User Accounts' table on the left lists several users, including 'newuser' which is highlighted. The main panel shows the 'Details for account newuser@%' with the following fields: Login Name (NUEVO_USUARIO), Authentication Type (Standard), Limit to Hosts Matching (localhost), Password (masked with asterisks), and Confirm Password (masked with asterisks). The 'Apply' button at the bottom right is highlighted with a red box.

User	From Host
mysql.infoschema	localhost
mysql.session	localhost
mysql.sys	localhost
newuser	%
root	localhost

Details for account newuser@%

Login Name: NUEVO_USUARIO

Authentication Type: Standard

Limit to Hosts Matching: localhost

Password: *****

Confirm Password: *****

Buttons: Add Account, Delete, Refresh, Revert, **Apply**

Paso 4: comprobamos que el usuario ha sido correctamente creado

The screenshot shows the 'Users and Privileges' window for a local instance of MySQL 8.0. The 'User Accounts' table on the left lists several users, including 'NUEVO_USUARIO' which is highlighted with a red box. The main panel shows the 'Details for account NUEVO_USUARIO@localhost' with the following fields: Login Name (NUEVO_USUARIO), Authentication Type (Standard), Limit to Hosts Matching (localhost), Password (masked with asterisks), and Confirm Password (masked with asterisks). The 'Apply' button at the bottom right is highlighted with a red box.

User	From Host
NUEVO_USUARIO	localhost
mysql.infoschema	localhost
mysql.session	localhost
mysql.sys	localhost
root	localhost

Details for account NUEVO_USUARIO@localhost

Login Name: NUEVO_USUARIO

Authentication Type: Standard

Limit to Hosts Matching: localhost


Password: *****

Confirm Password: *****


Buttons: Add Account, Delete, Refresh, Revert, **Apply**

CREACIÓN DE LA INSTANCIA


Paso 1: accedemos en el bloque Navigator, en el apartado Administration a Users and Privileges




Paso 2: pulsamos el botón + para añadir una nueva instancia en MySQL




Paso 3: Añadimos un nombre a la instancia, y el nombre del usuario que hemos creado anteriormente



Paso 4: pulsamos el botón Store in Vault y añadimos la contraseña del usuario ROOT de MySQL



Paso 5: finalizamos la creación de la instancia y comprobamos que se ha creado correctamente



Paso 6: para acceder a la instancia del nuevo usuario, deberemos de insertar la contraseña correspondiente a dicho usuario

