HTML i CSS

Predavanje 3

POWERED BY:





- 1. Napraviti header i footer.
- 2. Postaviti apsolutnu poziciju.
- 3. Dimenzije header-a i footer-a:
 - a. širina 100%
 - b. visina 100px
- 4. Boju header-a postaviti u plavu
- 5. Boju footer-a postaviti u crvenu



HTML

<header> </header> <footer> </footer>

```
CSS
margin: 0;
padding: 0;
header, footer {
position: absolute;
width: 100%;
height: 100px;
```

```
header {
top: 0;
background-colo
r: #00f;
footer {
 bottom: 0;
background-colo
r: #f00;
```



- 1. U header-u napraviti 2 <u>div</u> elementa.
- 2. Elemente pozicionirati desno u header-u.
- 3. Text jednog elementa postaviti u "Login", a drugog u "Register".
- 4. Elementi će predstavljati "login" i "register" button.
- 5. Postaviti <u>id</u> atribute sa vrijednostima "logBtn" i "regBtn".
- 6. Boju button-a postaviti u zelenu, rubove crne (2px), veličinu fonta 16px, centrirati tekst.
- 7. Kada mišem pređemo preko button-a (hover stanje), promijeniti im boje u:
 - a. Login žuta
 - b. Register narančasta



```
HTML
<header>
<div id="regBtn"
class="button">
 Register
</div>
<div id="logBtn"
class="button">
 Login
</div>
</header>
<footer> </footer>
```

```
CSS
.button {
float: right;
margin: 20px;
width: 150px;
 height: 60px;
 line-height: 60px;
 background-color: #0f0;
font-size: 16px;
text-align: center;
 border: 2px solid #000;
cursor: pointer;
```

```
#logBtn:hover {
  background-color:
  #ffff00;
}

#regBtn:hover {
  background-color:
  #ff9900;
}
```



Shorthand CSS svojstva

margin-top: 20px;

margin-right: 20px;

margin-bottom: 20px;

margin-left: 20px;

margin-top: 10px;

margin-bottom: 10px;

margin-right: 30px;

margin-left: 30px;

margin: 20px;

margin: 10px 30px;



Shorthand CSS svojstva

margin-top: 10px;

margin-left: 20px;

margin-right: 30px;

margin-bottom: 40px;

margin: 10px 30px 40px 20px;



Shorthand CSS svojstva

border-width: 1px;

border-color: #000;

border-style: solid;

border: 1px solid #000;

background-color: white;

background-image: url('path');

background-repeat: no-repeat;

background-position: top left;

background: white url('path') no-repeat top left;



Zadatak - tranzicije

- U header-u napraviti <u>div</u> element koji će predstavljati logo i dodati klasu "logo". Element pozicionirati lijevo.
- 2. Dimenzije div elementa:
 - a. širina 100px;
 - b. visina 50px;
- 3. Boja pozadine: #cc33ff
- 4. Dodati "transition" efekt:
 - a. Kada pređemo mišom preko logo elementa, povećati širinu za 50px u 0.7s



```
HTML
<header>
<div
class="logo"></div>
...
```

```
CSS
.logo {
float: left;
width: 100px;
 height: 50px;
 background-color: #cc33ff;
 margin: 25px;
transition: all .7s linear;
cursor: pointer;
.logo:hover {
width: 150px;
```



1. Na body postaviti visinu od 700px i poziciju "relative".

2. Između header-a i footer-a dodati novi <u>div</u> element. Postaviti atribut id na vrijednost "content".

3. Postaviti boju pozadine elementa na vrijednost "#252525" i poziciju

"relative"

4. Dimenzije elementa:

a. Širina - 100%

b. Visina - 500px;





```
HTML
<header>
...
</header>
<div
id="content"></div>
<footer>
...
</footer>
```

```
CSS
body {
  position: relative;
 height: 700px;
#content {
  position: relative;
 top: 100px;
  width: 100%;
  height: 500px;
  background-color:
#252525;
```



- 1. U #content dodati novi div element sa atributom id="#logBox".
- 2. Boja pozadine: #66b3ff
- 3. Dimenzije elementa:
 - a. širina 80%
 - b. visina 300px
- 4. Stilizirati ga da bude vertikalno i horizontalno centriran





```
HTML
...
<div id="content">
<div
id="logBox"></div>
</div>
...
```

```
CSS
#logBox {
position: absolute;
top: 0;
 left: 0;
right: 0;
 bottom: 0;
width: 80%;
height: 300px;
margin: auto;
background-color: #66b3ff;
```




- 1. U #logBox dodati novi element form.
- 2. Dimenzije forme:
 - a. širina 80%
 - b. visina 180px
- 3. Centrirati horizontalno i vertikalno.

```
<form>
    <input type="text" placeholder="Username..."/>
    <br/>
    <input type="password" placeholder="Password..."/>
     <br/>
        <input type="email" placeholder="Email"/>
        <br/>
        <input type="button" value="Log in"/>
        </form>
```



```
CSS
form {
 position: absolute;
 top: 50%;
 left: 50%;
 width: 80%;
 height: 180px;
 transform:
translate(-50%, -50%);
text-align: center;
 background-color:
#cce6ff;
```





Domaća zadaća

- 1. Pored *index.html* u projektu napraviti dva nova dokumenta:
 - a. register.html
 - b. login.html
- 2. Kopirati html kod iz index.html u dva nova dokumenta. U projektu sada imate 3 dokumenta sa istim html kodom.
- 3. Iz index.html ukloniti #logBox element.
- 4. Iz login.html ukloniti input element za email.
- 5. Povezati sva 3 dokumenta koristeći <u>a</u> element.



THANK YOU for attention