Compliance CSID API

e-Invoicing Sandbox Release (2.1.0) 1.0.0 OAS 3.0.1

ZATCA wants to provide Taxpayers and Developers of Taxpayer e-invoicing solutions and devices the opportunity to test the integration of the systems with a ZATCA Sandbox environment prior to the launch of the production system. The Integration Sandbox (ISB) should enable solution developers to simulate the integration calls/requests that will be required later as part of the registration process and the submission of e-invoices, credit and debit notes to the production system. The Sandbox backend will accordingly simulate the validations and responses as part of the Cryptographic Stamp Identifiers issuance, renewal and revocation as well as the Reporting and Clearance function.

Although the ISB will give ZATCA an indication of the adoption rate for e-invoicing solutions in the market, it will not be mandatory to complete Sandbox testing as a pre-requisite for Registration/Taxpayer onboarding or accessing the production system. Similar to the Compliance and Enablement Toolbox (CET), the ISB is also aimed at Developers to build/update their solutions which are in line with ZATCA specifications and standards and are able to integrate with a ZATCA backend. Accordingly access to the ISB test/mock APIs will not be limited to Taxpayers and any user can register for a Developer account to access the ISB test/mock APIs and associated documentation. This registration will enable ZATCA to monitor the solution providers who intent to develop/update their solutions to integrate with ZATCA.

It should be noted that although the ISB will simulate most of the core functionalities of the production system, any validations that require integrations/access with external systems and/or storage as well as scenarios involving any backend exceptional handling (for example overriding the clearance process) will not be part of the ISB and will be covered by the core solution. Accordingly the ISB should not be considered as representative of all integrations and/or APIs that will be part of the production system.

This swagger documents the set of apis for the Sandbox (ISB) solution.

Developers can also refer to section 2.3.10 of the Developer Portal User Manual for additional guidance and steps.

Servers

https://gw-fatoora.zatca.gov.sa/e-invoicing/developer-portal

Compliance CSID (Certificate)

POST /compliance Issues an X509 Compliance Cryptographic Stamp Identifier (CCSID/Certificate) (CSID) based on submitted CSR.

This is a compliance CSID (CCSID) that is issued by the einvoicing system as it is a prerequisite to complete the compliance steps. The CCSID is sent in the authentication certificate header in the compliance api calls.

The CSR specification required to perform the Compliance API call is covered in section 4.3 of the Developer Portal user manual.

Parameters

Name	Description
OTP * required `integer` *(header)*	**Examples:** 123345 111111 222222
Accept-Version * required `string` *(header)*	V2

Request body application/json

Examples:
Example

Example Value

```
{"csr":"LS0tLS1CRUdJTiBDRVJUSUZJQ0FURSBSRVFVRVNULS0tLS0KTUlJQ0ZUQ0NBYndDQVFBd2RURUxNQWtHQTFVRUJoTUNVMEV4RmpBVUJnTlZCQXNNRFZKcGVXRmthQ0JDY21GdQpZMmd4SmpBa0JnTlZCQW9NSFUxaGVHbHRkVzBnVTNCbFpXU
WdWR1ZqYUNCVGRYQndiSGtnVEZSRU1TWXdKQVlEClZRUUREQjFVVTFRdE9EZzJORE14TVRRMUxUTTVPVGs1T1RrNU9Ua3dNREF3TXpCV01CQUdCeXFHU000OUFnRUcKQlN1QkJBQUtBMElBQktGZ2ltdEVtdlJTQkswenI5TGdKQXRWU0NsOFZQWno2Y2
RyNVgrTW9USG84dkhOTmx5Vwo1UTZ1N1Q4bmFQSnF0R29UakpqYVBJTUo0dTE3ZFNrL1ZIaWdnZWN3Z2VRR0NTcUdTSWIzRFFFFSkRqR0IxakNCCjB6QWhCZ2tyQmdFRUFZSTNGQUlFRkF3U1drRlVRMEV0UTI5a1pTMVRhV2R1YVc1bk1JR3RCZ05WSFJ
FRWdhVXcKZ2FLa2daOHdnWnd4T3pBNUJnTlZCQVFNTWpFdFZGTlVmREl0VkZOVWZETXRaV1F5TW1ZeFpEZ3RaVFpoTWkweApNVEU0TFRsaU5UZ3RaRGxoT0dZeE1XVTBORFZtTVI4d0hRWUtDWkltaVpQeUxHUUJBUXdQTXprNU9UazVPVGs1Ck9UQXdN
REF6TVEwd0N3WURWUVFNREFReE1UQXdNUkV3RHdZRFZRUWFEQWhTVWxKRU1qa3lPVEVhTUJnR0ExVUUKRHd3UlUzVndjR3g1SUdGamRHbDJhWFJwWlhNd0NnWUlLb1pJemowRUF3SURSd0F3UkFJZ1NHVDBxQkJ6TFJHOApJS09melI1L085S0VicHA4b
Wc3V2VqUlllZkNZN3VRQ0lGWjB0U216MzAybmYvdGo0V2FxbVYwN01qZVVkVnVvClJJckpLYkxtUWZTNwotLS0tLUVORCBDRVJUSUZJQ0FURSBSRVFVRVNULS0tLS0K"}
```

Responses

Code | Description | Links

200 Successful response

Media type application/json

Example Value | Schema

```
{"requestID":1234567890123,"dispositionMessage":"ISSUED","binarySecurityToken":"TUlJQ1BUQ0NBZU9nQXdJQkFnSUdBWXp6Z0VoTk1Bb0d
DQ3FHU000OUJBTUNNQlV4RXpBUkJnTlZCQU1NQ21WSmJuWnZhV05wYm1jd0hoY05NalF3TVRFd01UTXhNVFUwV2hjTk1qa3dNVEE1TWpFd01EQXdXakIxTVFzd0
NRWURWUVFHRXdKVFFURVdNQlFHQTFVRUN3d05VbWw1WVdSb0lFSnlZVzVqYURFbU1DUUdBMVVFQ2d3ZFRXRjRhVzExYlNCVGNHVmxaQ0JVWldOb0lGTjFjSEJzZ
VNCTVZFUXhKakFrQmdOVkJBTU1IVlJUVkMwNE9EWTBNekV4TkRVdE16azVPVGs1T1RrNU9UQXdNREF6TUZZd0VBWUhLb1pJemowQ0FRWUZLNEVFQUFvRFFnQUVv
V0NLYTBTYTlGSUVyVE92MHVBa0MxVklLWHhVOW5QcHgydmxmNHloTWVqeThjMDJYSmJsRHE3dFB5ZG84bXEwYWhPTW1Obzhnd25pN1h0MUtUOVVlS09Cd1RDQnZ
qQU1CZ05WSFJNQkFmOEVBakFBTUlHdEJnTlZIUkVFZ2FVd2dhS2tnWjh3Z1p3eE96QTVCZ05WQkFRTU1qRXRWRk5VZkRJdFZGTlVmRE10WldReU1tWXhaRGd0Wl
RaaE1pMHhNVEU0TFRsaU5UZ3RaRGxoT0dZeE1XVTBORFZtTVI4d0hRWUtDWkltaVpQeUxHUUJBUXdQTXprNU9UazVPVGs1T1RBd01EQXpNUTB3Q3dZRFZRUU1EQ
VF4TVRBd01SRXdEd1lEVlFRYURBaFNVbEpFTWpreU9URWFNQmdHQTFVRUR3d1JVM1Z3Y0d4NUlHRmpkR2wyYVhScFpYTXdDZ1lJS29aSXpqMEVBd0lEU0FBd1JR
SWhBSUY4akljeHp2Q3lxVURUcDVPbXY3MlVweFBBTG1vUnl0OURZMjRqV21CUUFpQTBiYVo2WXJwcDV5SjRhaG9vb1czK09hOGtrYjMxZXZBb0hkdmdEODA2M3c
9PQ==","secret":"Dehvg1fc8GF6Jwt5bOxXwC6enR93VxeNEo2mlUatfgw="}
```

400 HTTP Bad Request. Returned when the submitted request is invalid.

Code	Description	Links

Media type

application/json

Example Value | **Missing OTP**

```
{"errors":[{"code":"Missing-OTP","message":"OTP is required field"}]}
```

Example Value | **Invalid OTP**

```
{"errors":[{"code":"Invalid-OTP","message":"The provided OTP is invalid"}]}
```

Example Value | **Missing CSR**

```
{"errors":[{"code":"Missing-CSR","message":"CSR is required field"}]}
```

Example Value | **Invalid CSR**

```
{"errors":[{"code":"Invalid-CSR","message":"The provided CSR is invalid"}]}
```

406

Media type

text/plain;charset=UTF-8

Example Value | **Not Acceptable**

```
"This Version is not supported or not provided in the header."
```

500

HTTP Internal Server Error. Returned when the service faces internal errors.

Media type

application/json

Example Value | **Internal Server Error**

```
{"code":"Invalid-Request","message":"System failed to process your request"}
```

Schemas

InfoModel {
description: An object representing the result of the clearance or reporting API endpoints when the clearance flag is turned on or off. Basically, it shows an informational message instructing the client to see the other api.
message string
}

ErrorModel {
description: An object representing the structure of the error object returned by the API endpoints. Specifically, it includes the Category of the error, its code and message.
category string
code string
message string
}

WarningModel {
description: An object representing the structure of the warning object returned by the API endpoints. Specifically, it includes the Category of the warning, its code and message.
category string
code string
message string
}

InvoiceResultModel {
description: An Object the represents the response of the API endpoint where it shows the results including status, warnings (if any), and error (if any) in addition to the submitted document hash
invoiceHash string
status string ["Reported","Not Reported","Accepted with Warnings"]
warnings array {"$ref":"#/components/schemas/WarningModel"}
erros array {"$ref":"#/components/schemas/ErrorModel"}
}

ClearedInvoiceResultModel {

description:	An object representing the structure of the clearance endpoint response. Specifically, it is an object that contains the hash of the document, status, the cleared document, warnings (if any), and errors (if any).
invoiceHash	string
clearedInvoice	string
status	string ["Cleared","Not Cleared"]
warnings	array {"$ref":"#/components/schemas/WarningModel"}
erros	array {"$ref":"#/components/schemas/ErrorModel"}

}

InvoiceRequest {

description:	An object representing the structure of the clearance endpoint request. Specifically, it has the the submitted document hash and the base64 representation of the invoice.
invoiceHash	string
invoice	string

}

CSRRequest {

description:	An object representing the structure of the CSR request that is used to generate a CSID.
csr	string

}

CertificatesErrorsResponse {

description:	
errors	array {"$ref":"#/components/schemas/ErrorModel"}

}