Production CSID (Renewal) API

e-Invoicing Sandbox Release (2.1.0) 1.0.0 OAS 3.0.1

ZATCA wants to provide Taxpayers and Developers of Taxpayer e-invoicing solutions and devices the opportunity to test the integration of the systems with a ZATCA Sandbox environment prior to the launch of the production system. The Integration Sandbox (ISB) should enable solution developers to simulate the integration calls/requests that will be required later as part of the registration process and the submission of e-invoices, credit and debit notes to the production system. The Sandbox backend will accordingly simulate the validations and responses as part of the Cryptographic Stamp Identifiers issuance, renewal and revocation as well as the Reporting and Clearance function.

Although the ISB will give ZATCA an indication of the adoption rate for e-invoicing solutions in the market, it will not be mandatory to complete Sandbox testing as a pre-requisite for Registration/Taxpayer onboarding or accessing the production system. Similar to the Compliance and Enablement Toolbox (CET), the ISB is also aimed at Developers to build/update their solutions which are in line with ZATCA specifications and standards and are able to integrate with a ZATCA backend. Accordingly access to the ISB test/mock APIs will not be limited to Taxpayers and any user can register for a Developer account to access the ISB test/mock APIs and associated documentation. This registration will enable ZATCA to monitor the solution providers who intent to develop/update their solutions to integrate with ZATCA.

It should be noted that although the ISB will simulate most of the core functionalities of the production system, any validations that require integrations/access with external systems and/or storage as well as scenarios involving any backend exceptional handling (for example overriding the clearance process) will not be part of the ISB and will be covered by the core solution. Accordingly the ISB should not be considered as representative of all integrations and/or APIs that will be part of the production system.

This swagger documents the set of apis for the Sandbox (ISB) solution.

Developers can also refer to section 2.3.10 of the Developer Portal User Manual for additional guidance and steps.

Servers

https://gw-fatoora.zatca.gov.sa/e-invoicing/developer-portal

Cryptographic Stamp Identifier (Certificate) Endpoint(s)

PATCH /production/csids Renews an X509 Certificate (CSID) based on submitted CSR.

Renews an X509 Certificate (CSID) based on submitted CSR

Parameters

Name	Description
OTP * required `string` *(header)*	One time password generated from Fatoora portal **Examples:** 111111 222222 123456
accept-language `string` *(header)*	Specifies the langauge in which the response will be returned. Currently supported languages are English (en) and Arabic (ar) and it defaults to English. **Examples:** en ar
Accept-Version * required `string` *(header)*	V2

Request body required — application/json

Examples:
Example

Example Value


```
{"csr":"LS0tLS1CRUdJTiBDRVJUSUZJQ0FURSBSRVFVRVNULS0tLS0NCk1JSUNGekNDQWI0Q0FRQXdkVEVMTUFrR0ExVUVCaE1DVTBFeEZqQVVCZ05WQkFzTURWSnBlV0ZrYUNCQ2NtRnUNClkyZ3hKakFrQmdOVkJBb01IVTFoZUdsdGRXMGdVM0JsWldRZ1ZHVmphQ0JUZFhCd2JIa2dURlJFTVNZd0pBWUQNClZRUUREQjFVVTFRdE9EZzJORE14UTTVPVGs1T1RrNU9Ua3dNREF3TXpCV01CQUdCeXFHU000OUFnRUcNCkJTdUJCQUFLQTBJQUJPVlQvWFVGcDVJdU0wWUZHSTZUUStBTGxWT0Z3RldxckNXMVU3M1NpUFJDSGM2Q1V4UXcNCmxoeG14aFRjNUdEOU1xRFM3YVArZi9OR0F3ZWJ6UmJvRjJpZ2dla3dnZVlHQ1NxR1NJYjNEUUVKRGpHQjJEQ0INCjFUQWhCZ2tyQmdFRUFZSTNGQUlFRkF3U1drRlVRMEV0UTI5a1pTMVRhV2R1YVc1bk1JR3ZCZ05WSFJFRWdhY3cNCmdhU2tnYUV3Z1o0eE96QTVCZ05WQkFRTU1qRXRWRk5VZkRJdFZGTlVmRE10WldReU1tWXhaRGd0WlRaaE1pMHgNCk1URTRMVGxtTlRndFpEbGhPRll4TVdVME5EVm1NUjh3SFFZS0NaSW1pWlB5TEdRQkFRd1BNems1T1RrNU9UazUNCk9UQXdNREF6TVEwd0N3WURWUVFNREFReE1UQXdNUkV3RHdZRFZRUWFEQWhTVWxKRU1qa3lPVEVjTUJvR0ExVUUNCkR3d1QyWTFUZFhCd2JIa2dZV04wYVhacGRHbGxjekFLQmdncWhrak9QUVFEQWdOSEFEQkVBaUJCWXNyRkZLUGYNCml4SkhSRVNxRlF0cmI0L0orMXRNczlrcWNGdEJ2eGdiR3dJZ0tXaWE0ZVcyZkhYY1d4amp5T3RqdVQ5MmhMUDMNCjRKOFBNVnFqeDR4TDFVTT0NCi0tLS0tRU5EIENFUlRJRklDQVRFIFJFUVVFU1QtLS0tLQ0K"}
```


Responses

Code	Description	Links
200	returns a Base64 encoded X509 certificate Media type: application/json **Example Value** | Schema	


```
{"requestID":347,"tokenType":"http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-x509-token-profile-1.0#X509v3","dispositionMessage":"ISSUED","binarySecurityToken":"TUlJRDRUQ0NBNGFnQXdJQkFnSVRGd0FBTzJVVXE4RmR0Z1lLNWdBQkFBQTdaVEFLQmdncWhrak9QUVFEQWpCaU1SVXdFd1lLQ1pJbWlaUHlMR1FCR1JZRmJHOWpZV3d4RXpBUkJnb0praWFKay9Jc1pBRVpGZ05uYjNZeEZ6QVZCZ29Ka2lhSmsvSXNaQUVaRmdkbGVIUm5ZWHAwTVJzd0dRWURWUVFERXhKUVVscEZTVTVXVDBsRFJWTkRRVEV0UTBFd0hoY05NalF3TVRFMU1UY3lOVEU1V2hjTk1qa3dNVEV6TVRjeU5URTVXakIxTVFzd0NRWURWUVFHRXdKVVFFURW1NQ1FHQTFVRUNoTWRUV0Y0YVcxMWJTQlRjR1ZsWkNCVVpXTm9JRk4xYW0hCc2VTQk1WRVF4RmpBVUJnTlZCQXNURFZKcGVXRmthQ
```

Code	Description	Links


```
0JDY21GdVkyZ3hKakFrQmdOVkJBTVRIVlJUVkMwNE9EWTBNekV4TkRVdE16azVPVGs1T1RrNU9UQXdNREF6TUZZd0VBWUhLb1pJemowQ0FRWUZLNEVFQUFvRFFn
QUU1VlA5ZFFXbmtpNHpSZ1VZanBORDRBdVZVNFhBVmFxc0piVlR2ZEtJOUVJZHpvSlRGRENXSEdiR0ZOemtZUDB5b05MdG8vNS84MFlEQjV2TkZ1Z1hhS09DQWd
rd2dnSUZNSUd2QmdOVkhSRUVnYWN3Z2FTa2dhRXdnWjR4T3pBNUJnTlZCQVFNTWpFdFZGTlVmREl0VkZOVWZETXRaV1F5TW1ZeFpEZ3RaVFpoTWkweE1URTRMVG
xpTlRndFpEbGhPR1l4TVdVME5EVm1NUjh3SFFZS0NaSW1pWlB5TEdRQkFRd1BNems1T1RrNU9UazVPVEF3TURBek1RMHdDd1lEVlFRTURBUXhNVEF3TVJFd0R3W
URWUVFhREFoU1VsSkVNamt5T1RFY01Cb0dBMVVFRHd3VDJZMVRkWEJ3YkhrZ1lXTjBhWFpwZEdsbGN6QWRCZ05WSFE0RUZnUVVadkJOcHdmMFJzWTBvU2QyWXo2
Tjg0aXhCRll3SHdZRFZSMGpCQmd3Rm9BVWNwUFJEbXY2SkZzVGhlckJGZk80RmZzYkJZMHdld1lJS3dZQkJRVUhBUUVFYnpCdE1Hc0dDQ3NHQVFVRkJ6QUNobDl
vZEhSd09pOHZZV2xoTVM1NllYUmpZUzVuYjNZdWMyRXZRMlZ5ZEVWdWNtOXNiQzlRVWxwRmFXNTJiMmxqWlZORFFURXVaWGgwWjJGNmRDNW5iM1l1Ykc5allXeG
ZVRkphUlVsT1ZrOUpRMFZUUTBFeExVTkJLREVwTG1OeWREQU9CZ05WSFE4QkFmOEVCQU1DQjRBd1BBWUpLd1lCQkFHQ054VUhCQzh3TFFZbEt3WUJCQUdDTnhVS
WdZYW9IWVRRK3hLRzdaMGtoODc3R2RQQVZXYUgrcVZsaGRtRVBnSUJaQUlCRWpBZEJnTlZIU1VFRmpBVUJnZ3JCZ0VGQlFjREF3WUlLd1lCQlFVSEF3SXdKd1lK
S3dZQkJBR0NOeFVLQkJvd0dEQUtCZ2dyQmdFRkJRY0RBekFLQmdnckJnRUZCUWNEQWpBS0JnZ3Foa2pPUFFRREFnTkpBREJHQWlFQS9vaDRIb2FlTGh6SDFNN2Y
rTjBrSmZoSW42RHlzQkZaWEZNcGdnK3poeG9DSVFDVWwweEtyTGxuZEM5V25QdGVSNUx1dVF2amdQQUpvUklFd2JDeVJpSXk2dz09","secret":"1npmzeTq4V
nKFQaZ5/9SwUxNhoLtuMWZVLVWUm3MTVU="}
```


400 HTTP Bad Request. Returned when the submitted request is invalid.

Media type

application/json

Example Value | **Missing OTP**


```
{"errors":[{"code":"Missing-OTP","message":"OTP is required field"}]}
```


Example Value | **Invalid OTP**


```
{"errors":[{"code":"Invalid-OTP","message":"The provided OTP is invalid"}]}
```


Example Value | **Missing CSR**


```
{"errors":[{"code":"Missing-CSR","message":"CSR is required field"}]}
```


Example Value | **Invalid CSR**


```
{"errors":[{"code":"Invalid-CSR","message":"The provided CSR is invalid"}]}
```


Example Value | **Missing currentCSID**


```
{"errors":[{"code":"Missing-currentCSID","message":"currentCSID is required field"}]}
```


Example Value | **Invalid currentCSID**


```
{"errors":[{"code":"Invalid-currentCSID","message":"The provided currentCSID is invalid"}]}
```


401 Returned when username and password are not added or added as wrong values.

Media type

application/json

Example Value | **Unauthorized**


```
{"timestamp":1654514661409,"status":401,"error":"Unauthorized","message":""}
```


406 Returned when accept version header is anything other than V2

Media type

text/plain;charset=UTF-8

Example Value | **Not Acceptable**


```
"This Version is not supported or not provided in the header."
```


428 returns a Base64 encoded X509 compliance certificate

Media type

application/json

Example Value | Schema


```
{"value":{"requestID":1234567890123,"tokenType":null,"dispositionMessage":"NOT_COMPLIANT","binarySecurityToken":"TUlJQ1FEQ0
NBZVdnQXdJQkFnSUdBWTBPTFNiWk1Bb0dDQ3FHU000OUJBTUNNQlV4RXpBUkJnTlZCQU1NQ21WSmJuWnZhV05wYm1jd0hoY05NalF3TVRFMU1UY3pNRFV4V2hjT
k1qa3dNVEUwTWpFd01EQXdXakIxTVFzd0NRWURVUVFHRXdKVFFURVdNQlFHQTFVRUN3d05VbWw1WVdSb0lFSnlZVzVqYURFbU1DUUdBMVVFQ2d3ZFRXRjRhVzEx
YlNCVGNHVmxaQ0JVWldOb0lGTjFjSEJzZVNCTVZFUXhKakFrQmdOVkJBTU1IVlJUVkMwNE9EWTBNekV4TkRVdE16azVPVGs1T1RrNU9UQXdNREF6TUZZd0VBWUh
Lb1pJemowQ0FRWUZLNEVFQUFvRFFnQUU1VlA5ZFFXbmtpNHpSZ1VZanBORDRBdVZVNFhBVmFxc0piVlR2ZEtJOUVJZHpvSlRGRENXSEdiR0ZOemtZUDB5b05MdG
8vNS84MFlEQjV2TkZ1Z1hhS09Cd3pDQndEQU1CZ05WSFJNQkFmOEVBakFBTUlHdkJnTlZIUkVFZ2Fjd2dhU2tnYUV3Z1o0eE96QTVCZ05WQkFRTU1qRXRWRk5VZ
kRJdFZGTlVmRE10WldReU1tWXhaRGd0WlRaaE1pMHhNVEU0TFRsaU5UZ3RaRGxoT0dZeE1XVTBORFZtTVI4d0hRWUtDWkltaVpQeUxHUUJBUXdQTXprNU9UazVP
VGs1T1RBd01EQXpNUTB3Q3dZRFZRUU1EQVF4TVRBd01SRXdEd1lEVlFRYURBaFNVbEpFTWpreU9URWNNQm9HQTFVRUR3d1QyWTFUZFhCd2JIa2dZV04wYVhacGR
HbGxjekFLQmdncWhrak9QUVFEQWdOSkFEQkdBaUVBM1JsTTJlaGZaMzFmdk5yRGlJKzI5c0crNGJVVlg2QWZ1eEJuNUJiLzZ4TUNJUUQ5ZmxVNTc4U0htdEdZeT
NWaW9LSU1VMFpMVHJaT2liOXdHVTliTFJiYll3PT0=","secret":"goDgeIdM5mkfTThl1unu8rP9XhknKWAc24hafXZS1f4=","errors":null}}
```


500 HTTP Internal Server Error. Returned when the service faces internal errors.

Code	Description	Links

Media type

application/json

Example Value | Internal Server Error


```
{"category":"HTTP-Errors","code":"500","message":"Something went wrong and caused an Internal Server Error."}
```


Schemas

InfoModel {

description: An object representing the result of the clearance or reporting API endpoints when the clearance flag is turned on or off. Basically, it shows an informational message instructing the client to see the other api.

message	string

}

ErrorModel {

description: An object representing the structure of the error object returned by the API endpoints. Specifically, it includes the Category of the error, its code and message.

category	string
code	string
message	string

}

WarningModel {

description: An object representing the structure of the warning object returned by the API endpoints. Specifically, it includes the Category of the warning, its code and message.

category	string
code	string
message	string

}

InvoiceResultModel {

description: An Object the represents the response of the API endpoint where it shows the results including status, warnings (if any), and error (if any) in addition to the submitted document hash

invoiceHash	string
status	string ["Reported","Not Reported","Accepted with Warnings"]
warnings	array {"$ref":"#/components/schemas/WarningModel"}
erros	array {"$ref":"#/components/schemas/ErrorModel"}

}

ClearedInvoiceResultModel {

description: An object representing the structure of the clearance endpoint response. Specifically, it is an object that contains the hash of the document, status, the cleared document, warnings (if any), and errors (if any).

invoiceHash	string
clearedInvoice	string
status	string ["Cleared","Not Cleared"]
warnings	array {"$ref":"#/components/schemas/WarningModel"}
erros	array {"$ref":"#/components/schemas/ErrorModel"}

}

InvoiceRequest {

description: An object representing the structure of the clearance endpoint request. Specifically, it has the the submitted document hash and the base64 representation of the invoice.

invoiceHash	string
invoice	string

}

CSRRequest {

description: An object representing the structure of the CSR request that is used to generate a CSID.

csr	string

}

CertificatesErrorsResponse {

description:

errors	array {"$ref":"#/components/schemas/ErrorModel"}

}