Final Project Design Phase

Computer Science - Week 11

Oct 3, 2026 - Version 0.0.4

For complete instructions and project ideas, refer to the assignment in Canvas. Specifically, review the final project requirements before you continue below. If you have not reviewed the project requirements in Canvas (you might have to go to the modules view and check the current or past week's content), you will not be able to properly complete the parts below. In addition, it may be helpful to review the information on this Drafter documentation page.

0) Project Planning and Preparation

Successful programmers spend time planning before they begin coding. *After* reviewing the project requirements, answer the following questions to help guide your design and development process.

A. What concepts from class or previous assignments might help you complete this project? Which programming concepts (loops, conditionals, lists, classes, etc.) do you expect to use? What programming skills do you want to improve while completing this project?

Some concepts from previous assignments that might help me with this project are loops, conditionals, lots of dataclasses, and possibly lists. Additionally, some skills that I want to improve are nested dataclasses and lists in lists

B. Which parts of the project do you expect to be the easiest for you? The hardest? Why?

I expect the dataclasses part to be easiest because I have already planned which subjects are going to be put as such and the attributes in each. However, the hardest part is possibly figuring out the amount of lines of code that are going to be needed in order to make the interactive game up and going

C. Even though you have not yet designed the final project, estimate which tasks will likely require the most time and effort? Which features or components should be implemented first?

The tasks that'll most likely require the most time & effort are creating the bridge-building interaction because the players will need time when making decisions regarding the bridge's design and construction; creating the bridge's stability because the game needs a way to figure out if the bridge can support general transportation; adding results and feedback because the players should have the ability to see what happens after their design choices, including whether their bridge is successful or not

Furthermore, some features that should be implemented first is the website structure itself, the city's environment, and the bridge building options

D. What distractions might interfere with your work and how will you minimize them? What resources will you need available while working? What questions, if any, do you still have about the assignment requirements?

Some distractions that might interfere with my work is completing work for other classes to meet their deadlines and the way I plan to minimize them is organizing my time extremely well so that way majority of my time will be dedicated to designing and executing my interactive website. Some resources I'll need available while working is having an LLM so that way if there are no office hours available during the week when I need help, I could use an LLM because it's right there for me. But other than that, I have no questions about the assignment requirements at all

1) Site Diagram


Create a mock-up of your planned website. We suggest you make the mockup on paper, although you can also use software like PowerPoint or Slides to make a mockup. There is other design software that could also be used, but we strongly encourage you to keep it simple. Do not spend more than 15-30 minutes detailing the mock-up. Your goal should be to make a very quick and dirty diagram, to show that you have some kind of idea.

We recommend drawing each page as a rectangle, and laying out the text, buttons, and other components inside. Then, use arrows to indicate links between pages. Label each page the way you will name each function, and then put labels on the arrows to indicate what the button links. Also write down any parameters that should come into the pages.

In addition to the pages and routes, write down what fields your `State` will have, both their names and types. Think clearly about what data will need to be persistent across the entire website.

Add photo(s) or screenshot(s) of your website mock-up and labeled diagram on the next page

Site Diagram



2) Implementing Requirements

This table should serve as a draft for how you will implement the requirements into your final project. You may change your ideas later on, but your final site must fulfill all the requirements.

Requirement	Implementation
Purpose/Functionality A 1-2 sentence description of the purpose or functionality of your site	The purpose of my website is to give people the opportunity of being on an interactive site and give them a whole view of what it's like to design and build a bridge like how a civil engineer would
State Dataclass Attributes Minimum of 4 attributes, one of which must be a list/dict of instances of your second dataclass. Briefly describe each attribute, its type, and how it will be meaningfully modified throughout the site.	Example of State dataclass with 4 attributes: selected_material: str #becomes changed when player selects different material remaining_budget: int #automatically decreases when the player selects material or possibly optional features optional_features: list[str] #stores other optional bridge qualities the player selected using the CheckBox current_bridge: Bridge #stores player's current Bridge instance **Other** class Bridge: length: int #length attribute representing how long the bridge is going to be in total width: int #width attribute representing how many lanes of transportation the bridge can hold (number of individual roads on each side) qualities: list[Criteria] #qualities attribute representing the more-focused details of getting started with the bridge stability: bool #stability attribute representing if the bridge itself

Second Dataclass Your second dataclass, including its attributes, their types, and how they will be meaningfully modified (if they are modified)	class Criteria: budget: int time_duration: float construction_workers: int
Routes (minimum 7) The names of your route functions	Route 1: home Route 2: instructions Route 3: map_of_city Route 4: bridge_building Route 5: choose_materials Route 6: test_bridge Route 7: results
Pages (minimum 5) A brief description of the pages in your site	Page 1: The player should see an introductory page titled something along the lines of: “You’re a civil engineer designing a bridge. Click on ‘Information’ to see where to get started!” Page 2: The player would click on ‘Information’ and see a list of materials, budgeting, time frame, and other possible constraints Page 3: After seeing the list of stuff, the player would click “Next” and see a view of where the bridge is going to be built (in a busy city). And the objective is to design and build a bridge that’ll support daily transportation Page 4: This page is where the player can *actually* design the bridge and not go over budget, as the budget is the determiner of whether the bridge will be successful and the player’s strategic planning as for how to execute it Page 5: After finishing the bridge, the player can click an option that says “Play” and see if the bridge can successfully support daily transportation or not. If successful, the player has the option to “Try Again”, however if the bridge fails, then the player must press the “Option” start over

User Input (minimum 3) Description of user input components (TextBox, TextArea, CheckBox, or SelectBox) and their purposes For more information on these input types, see Drafter Documentation.	SelectBox: Players can choose multiple construction materials, see cost of their selections, have their remaining budget decrease automatically, and constantly keep track of a $600,000 budget CheckBox: Players can decide which optional bridge features are actually needed - selecting or unselecting material options could potentially alter the construction cost TextArea: Allow players to give an explanation for their engineering decisions & why they selected the materials they did
If Statements (minimum 3) Brief description of what will be evaluated in your if statements and how they will meaningfully change the logic of the site	1st if statement: if the total cost exceeds the $600,000 budget, the player must rethink about what materials they selected and possibly remove some that fits the budget while still keeping stability in check 2nd if statement: if the bridge fails being stable, the player must restart the bridge over entirely or improve their design choices that may've caused it to be unstable in the first place 3rd if statement: if a material is selected by the player, the game then determines its cost and adjusts the remaining budget
Loop (minimum 1) This loop must iterate over the list/dict of dataclass instances in your State attribute. Description of this loop and why it is meaningful to the site	Loop: for criteria in bridge.qualities: #loop iterates through list of Criteria instances stored in class Bridge qualities attribute; allows program to work on budget, time duration and number of construction workers

LLM Conversation

If you used an LLM in any part of this work, copy and paste every part of that conversation below. Otherwise, you may be given a zero for the assignment. Obviously, these words will not all be yours, and this is the exception to the requirement at the top of this assignment that all responses be in your own words. If you did not use an LLM to assist you in this assignment, simply say so below.

Ok so I'm back at it again with figuring out more about what to do with my website idea. One question asks, which tasks will likely require the most time and effort? Which features or components should be implemented first? Yeah- where do I even begin with answering that?

I'd start by thinking about what would be hardest to build and what the rest of your website depends on. You don't need to know every technical detail yet!

Since your website is an interactive game where players experience what it's like to plan and build a bridge in a busy city, let's break the question into two parts.

1. Which tasks will require the most time and effort?

Think about the features that involve the most decisions, interactions, or programming.

For your game, some possibilities are:

Task	Why it may take time
Creating the bridge-building interaction	Players need to make choices about the bridge's design and construction.
Designing the city environment	You'll need to represent roads, buildings, traffic, and the bridge location.
Creating the bridge stability system	The game needs a way to determine whether the bridge can support transportation.
Adding feedback and results	Players should see what happens after their design choices, including whether their bridge succeeds or fails.

I'd especially consider the bridge-building interaction and stability system as potentially time-consuming because they involve the main gameplay.

2. Which features should be implemented first?

Think about what your game absolutely needs to function before adding extra details.

A possible order could be:

1. Basic website structure
   Create the main page, game instructions, and navigation.
2. City environment
   Add the roads, buildings, and location where the player will build the bridge.
3. Bridge-building choices
   Let players make basic decisions about bridge materials, supports, and design.
4. Bridge testing
   Let players test whether their bridge can support vehicles and everyday traffic.
5. Feedback and improvements
   Show players what worked, what failed, and what they could improve.

3. How to turn this into your written answer

Here's a way to organize your thoughts without overcomplicating it:

- Most time and effort: Focus on the interactive bridge-building mechanics, city environment, and bridge stability testing.
- Implement first: Start with the basic website structure and city layout, then add bridge-building interactions, testing, and feedback.

Ok now it asks for the names of at least 7 route functions. What's a route function and where do I begin with naming them?

A route function is a function that connects a particular URL (web address) to something your website should display or do.

Since your project is an interactive bridge-building game, think of routes as the different pages or screens a visitor can access.

For example, your website might have:

- A home page
- A page explaining the game
- The actual bridge-building game
- A page showing the player's results

The route function tells your website what to show when someone visits a particular address.

1. Where should you begin?

Start by thinking about the different pages or screens your website needs.

For each one, ask yourself:

"What would I want the visitor to see when they go to this page?"

Here are some possible route names to get you thinking:

Page purpose	Possible route function name
Main website page	`home`
Game instructions	`instructions`
Bridge-building screen	`build_bridge`
City environment	`city_map`
Material selection	`choose_materials`
Bridge testing	`test_bridge`
Results screen	`results`

These are naming ideas, not a requirement to use all of them. Also, a route function name is not necessarily the same thing as the URL itself.

2. What your textbook says

Your Bakery textbook explains that in Drafter, a route is a function that returns a `Page` and uses the `@route` decorator. It also explains that clicking a button can call a corresponding route function.

bakery_complete.md

For example, imagine a player clicks a button labeled "Start Building." That button could lead to a route responsible for displaying the bridge-building screen.

One important distinction: not every function in your program is a route function. Some functions help calculate or check things behind the scenes, while route functions handle the website's pages and interactions.

3. Let's come up with your own seven

Before settling on names, think about the player's journey through your game.

What should happen after the player first opens your website?

Would they:

1. See a welcome page?
2. Read instructions?
3. Start the bridge-building activity?

Try naming the route for each of those actions. Remember, the textbook recommends function names that describe their purpose.

What three names would you choose? We can work through the remaining four together!

Well see here's the thing- now I need to give a brief description for a minimum of 5 pages so what do I do with that?

You're being asked to identify at least 5 website pages and briefly describe what each page will contain or allow the visitor to do.

This is different from route functions. Think of it this way:

- Page: What the visitor sees on the website.
- Route function: The Python function that displays that page when someone visits its URL.

Step 1: Think about your game's visitor journey

Imagine someone visits your bridge-building website for the first time.

Ask yourself:

- Where do they land first?
- What do they need to know before playing?
- Where does the actual game happen?
- What information or choices do they need during the game?
- What happens after they finish?

Step 2: Decide on your five pages

Let's build your list together. I'll ask you to think through each one rather than give you the answers.

Plan your five website pages

Fill in your ideas. They don't have to be perfect yet.

Page 1

What should visitors see when they first open your website?

Page 2

What information should visitors read before starting the game?

Page 3

Where will the actual bridge-building activity take place?

Page 4

What page might help players understand or make engineering decisions during the game?

Page 5

Where should players go after they finish building or testing their bridge?

Step 3: Write a brief description for each

For each page, your description should answer:

1. What is the purpose of this page?
2. What will the visitor see or do there?

You only need a couple of sentences per page. You don't need to explain the Python code behind it.

Let's start with the first page: What do you think visitors should see immediately when they open your website?

Too late already came up with 5 of my own based on your example above now it asks: Description of user input components (TextBox, TextArea, CheckBox, or SelectBox) and their purposes. What should I do for that?

This question is asking you to identify what information or choices visitors will provide while using your website, which input component will collect that information, and why you need it.

In other words, your website isn't just displaying information. It may also need visitors to interact with it.

Let's break down the four components first.

1. Understand the four input components

Component	What it does
TextBox	Allows a visitor to enter a short piece of text.
TextArea	Allows a visitor to enter a longer piece of text.
CheckBox	Allows a visitor to select or deselect an option.
SelectBox	Allows a visitor to choose from a list of options.

You don't necessarily need all four. You should choose the ones that actually make

sense for your bridge-building game.

2. Connect the components to your game

Here's how to decide which ones make sense:

- TextBox: Does the player need to type a short answer?
- TextArea: Does the player need to write a longer explanation?
- CheckBox: Does the player need to mark whether something applies or select an option independently?
- SelectBox: Does the player need to choose one option from a list?

Your textbook's Drafter section explains that a `TextBox` collects user input and makes that value available to a route function when a button is pressed.

bakery_complete.md

3. How to write each description

Use this simple structure:

1. Component name: Which input component are you describing?
2. Purpose: What information does it collect?
3. Reason: Why does your game need that information?

You don't have to force all four components into your project. Only include components that have a real purpose.

4. Let's start with your game

I want you to think about the player's actual experience.

When building their bridge, will players choose from a list of materials, or will they type in their own answers?

That one decision will help us figure out which input component makes the most sense to discuss first.

Ok well I'm thinking of the player choosing from a list of materials that doesn't go over a $600,000 budget (because that's the average budget for making a bridge in a busy city) so I guess I'd use Selectbox?

Yes! You're thinking in the right direction. A SelectBox makes sense because the player will choose from a list of available construction materials.

But there's one important detail to think through: your $600,000 budget.

1. What would the SelectBox do?

It would allow the player to select a material from the options you've made available.

2. How does the budget fit in?

Think about these questions:

- Does each material have a different price?
- Can the player select multiple materials?
- Should the game prevent the player from choosing materials if their total cost exceeds $600,000?
- Should the player see how much of their budget remains?

Notice that the SelectBox collects the player's choice, but your game's programming would be responsible for calculating the total cost and checking the budget.

3. Let's work on your description

Try completing this thought in your own words:

"The SelectBox will allow players to _____. This is important because _____. It will also help players _____."

One other thing: where did you get the $600,000 average? I'd verify that figure before presenting it as a real-world average in your project. You can absolutely use it as your game's fictional budget limit in the meantime!

Well first of all- the $600,000 average I got from Google and that's what it said, and also- yes to all 4 questions in part 2

Oh, that actually gives your game a much more interesting engineering challenge! You're not just letting players pick materials; you're making them balance structural strength, material costs, and a limited budget.

Let's organize what you've decided.

Your SelectBox functionality

Your SelectBox would allow players to:

- Choose from a list of bridge construction materials.
- Select multiple materials for their bridge.
- Compare the costs of their selections.

- Stay within the $600,000 budget.

One important distinction: a SelectBox lets players make selections, but you'll need additional programming to calculate the combined cost and determine whether the budget has been exceeded.

What other input components might you need?

Let's reason through the remaining components:

Component	Possible purpose in your game
TextBox	Could collect a short player entry.
TextArea	Could collect the player's explanation of their engineering decisions.
CheckBox	Could let players enable or disable optional bridge features.
SelectBox	Lets players choose construction materials.

You don't have to use all four, but each one should serve a meaningful purpose.

One question before we move on

When a player chooses materials, do you want the game to automatically update the remaining budget after each selection?

For example, if they start with $600,000, the remaining amount would decrease as they choose materials.

That decision will help us figure out how your input components should interact with one another.

Yes I want it to decrease so that way the player won't be surprised if they went over budget. And for other components- I'm thinking CheckBox so that way they can save

money on items that're unnecessary

I like that idea! You're giving players control over their spending instead of forcing them to use every available feature. That's a good way to make the game feel more realistic.

Let's look at the two components you've chosen.

1. SelectBox — Material selection

You've decided that players can:

- Choose multiple construction materials.
- See the cost of their selections.
- Have their remaining budget automatically decrease.
- Keep track of their $600,000 spending limit.

Purpose: Help players select the materials needed to construct their bridge while managing their available budget.

2. CheckBox — Optional features

Your CheckBox idea makes sense, too!

Players could decide which optional bridge features they actually need. Selecting or deselecting an option could affect the overall construction cost.

However, think about this distinction:

- Is the feature genuinely unnecessary?
- Or is it optional but potentially useful for making the bridge safer or more durable?

You don't want players accidentally removing something essential to bridge safety just to save money!

Purpose: Allow players to choose which optional features to include or exclude, helping them manage construction expenses.

3. Let's think about your remaining components

You have two components with clear purposes. Now let's consider the other two.

TextBox: Would you want players to give their bridge a custom name?

TextArea: Would you want players to explain why they chose particular materials or design features?

You don't have to include either one, but they could give players a little more ownership of their bridge.

One question to consider

Do you want your game to evaluate the player's bridge based on both its cost and its structural stability, rather than simply rewarding whoever spends the least money?

That distinction is important because a cheap bridge isn't necessarily a safe bridge!

For 3: TextArea because it'd be kinda nice to see players' reasoning and for your last question- now I want the game to evaluate its structural ability because that's the whole point of this

Now we're getting somewhere! You've established something important about your game: the goal isn't to build the cheapest bridge; it's to build a safe, structurally stable bridge without exceeding the budget.

That gives your game a meaningful engineering challenge.

Let's organize the three components you've settled on.

Your current input components

Component	Purpose in your game
SelectBox	Allows players to select construction materials and track their spending against the $600,000 budget.
CheckBox	Allows players to include or exclude optional bridge features to manage construction costs.
TextArea	Allows players to explain their engineering decisions and why they selected particular materials or features.

You now have three components with distinct purposes!

What about structural stability?

This is an important distinction: structural stability is not itself an input component. It's something your game will evaluate using the player's design choices.

For example, the game could evaluate:

- Whether the bridge can support the weight of vehicles.
- Whether the bridge has adequate structural supports.
- Whether the selected materials are suitable for the design.
- Whether the bridge remains within its budget.

Ok, now is my absolute least favorites: minimum of 3 if statements with brief description of what will be evaluated in your if statements and how they will meaningfully change the logic of the site. And minimum of 1 loop that must iterate over the list/dict of dataclass instances in your State attribute. Description of this loop and why it is meaningful to the site

Okay, this section looks intimidating, but I promise it's manageable once we separate it into two parts. And we're going to take it one piece at a time.

Your assignment is asking you to describe:

1. At least 3 `if` statements: What conditions will your game check, and what happens when those conditions are true or false?
2. At least 1 loop: What collection of data will your game go through repeatedly, and why does it need to do that?

You do NOT need to write the Python code yet. You're describing the logic your website will eventually use.

Part 1: Understanding the three `if` statements

An `if` statement lets Python make a decision based on whether a condition evaluates to `True` or `False`.

For your bridge game, think about decisions the website needs to make.

Here are three areas to investigate:

- Budget: Does the player's total spending stay within the allowed budget?
- Structural stability: Does the bridge meet the requirements to support transportation?
- Material selection: Has the player selected the materials needed to construct the bridge?

Notice that these are just areas to think about. You still need to decide exactly what

each condition checks and what the website should do afterward.

I can see why this is your least favorite section! The good news is that your existing game ideas give us plenty to work with.

Let's tackle it in small pieces rather than trying to write the whole section at once.

Part 1: Your three `if` statements

The textbook's 3A1) If Statements Reading explains that an `if` statement checks whether an expression is true and executes an action when it is. This creates different branches in your program.

For your game, consider these three possible decisions:

Decision 1: Budget check

- What condition should the game evaluate?
- What should happen if the player exceeds $600,000?
- How would this prevent the player from continuing without realizing they've overspent?

Decision 2: Required bridge components

- How will the game know whether the player has included the necessary structural components?
- What should happen if something essential is missing?
- How would this affect whether the player can test their bridge?

Decision 3: Structural stability

- What should the game evaluate to determine whether the bridge is stable?
- What should happen if the bridge cannot support the expected transportation load?
- How would this affect the player's final results?

Notice that each decision changes what the player can do or what results they receive. That's what makes the `if` statements meaningful.

Part 2: The loop

This part sounds more complicated because of the phrase list/dict of dataclass instances in your State attribute.

Let's translate that.

Your textbook explains:

- A dataclass groups several related pieces of information into one object.
- A list of dataclasses stores multiple objects of that kind.
- A for loop processes each object in the list, one at a time.
- Drafter's `State` dataclass stores information that needs to remain available throughout the application.

The relevant textbook sections are 4A4, 6A1, and 8A1.

Think about your materials

You already have a material-selection system. That might be a natural place to use a list of dataclass instances.

Imagine that each material record contains information about:

- Its name
- Its construction cost
- Whether the player selected it

A loop could examine each material record and help calculate the player's total construction expenses.

Why is that meaningful? Because the website needs to keep track of the selected materials and update the remaining budget.

Let's work through your first decision

What collection of information do you think your loop should process?

The list of available construction materials

The list of optional bridge features

Both materials and optional features

Why do you think the loop would be useful?

Submit my thinking

We'll get the loop figured out first, then work through the three `if` statements and their descriptions. One step at a time!

Ok, well for the loop since it said it'll iterate over a list of instances in the state dataclass here's that: class Bridge:

length: int

#length attribute representing how long the bridge is going to be in total

width: int

#width attribute representing how many lanes of transportation the bridge can hold (number of individual roads on each side)

qualities: list[Criteria]

#qualities attribute representing the more-focused details of getting started with the bridge

stability: bool

#stability attribute representing if the bridge itself

class Criteria:

budget: int

time_duration: float

construction_workers: int

Okay, this is actually a good starting point! You've already identified two dataclasses and thought about what information each one should represent. Now let's connect that to the loop requirement.

First, let's understand what you have.

1. What your dataclasses currently represent

`Bridge`

This appears to represent one bridge and its characteristics:

- `length`: How long the bridge is.
- `width`: How wide the bridge is.
- `qualities`: A list of `Criteria` instances associated with the bridge.
- `stability`: Whether the bridge is structurally stable.

`Criteria`

This appears to represent additional construction information:

- `budget`: The amount of money available.
- `time_duration`: How long construction takes.
- `construction_workers`: How many workers are needed.

One thing to consider: Are these three fields all characteristics of one construction plan, or are they separate criteria that the player can choose between?

That distinction will help you decide whether your dataclasses are organized appropriately.

2. Understanding the loop requirement

Your assignment specifically says:

> Iterate over the list/dict of dataclass instances in your State attribute.

There are three important pieces here:

1. State: The information your website remembers while the player uses it.
2. List: A collection of multiple items.
3. Dataclass instances: Actual objects created from your `Bridge` or `Criteria` classes.

Your textbook's Lists of Dataclasses reading explains that a `for` loop can process each dataclass instance individually, allowing you to access its attributes.

bakery_complete.md

For example, imagine your State contains several bridge designs. A loop could examine each bridge and collect information about its characteristics.

3. Let's figure out what YOUR loop should accomplish

I want you to answer two questions before we go any further.

Question 1: Will your game allow players to create multiple bridge designs, or will they only build one bridge per game?

Question 2: Looking at your `qualities: list[Criteria]` attribute, what do you imagine putting inside that list? Multiple construction plans, or individual pieces of information about the bridge?

These answers matter because we need to identify the actual list your loop will iterate over.

4. A hint about describing the loop

Eventually, your assignment description should explain:

- What list the loop examines.
- What information it accesses from each dataclass instance.
- What useful task the loop performs for the player.

For example, think about whether examining every construction plan could help your game compare costs or determine which plans stay within budget.

Don't write the loop yet. Let's make sure your data structure makes sense first.

Ok and before I do anything, tell me what to do first because you gave me a million things to think of

You're right—I gave you too many things at once. Let's slow down and do one thing at a time.

First: Decide what your game is keeping track of.

Before changing your dataclasses or writing any code, answer just this:

Will the player build one bridge design per game, or will they be able to create and compare multiple bridge designs?

That's all I want you to decide right now. We'll use your answer to figure out the next step, without jumping ahead.

No they'll build only 1 bridge and if that bridge passes stability, then they can try again if they want or move along with something else but if it DOESN'T pass stability, then they have to try again

Great! That tells us something important: your game only needs to keep track of one bridge design at a time.

If the bridge fails the stability check, the player gets another attempt. If it passes, the player can move forward or choose to build another bridge.

Step 2: Let's look at your `Bridge` dataclass.

You already have these attributes:

- `length`
- `width`
- `qualities`

- `stability`

Since the player builds one bridge at a time, we should focus on representing that one bridge clearly.

One question before we change anything:

When you wrote `qualities: list[Criteria]`, what did you mean by “qualities”?

Did you mean:

- A. Different construction choices the player makes, such as budget, construction time, and number of workers?
- B. Different characteristics of the finished bridge, such as strength, durability, and weight?

Pick whichever is closer to what you had in mind. We won't change your code yet.

Ok well did you look at what I put for the class Criteria? That's the point of what qualities explains

You're right. I did look at it, but I wasn't connecting the two classes properly. Sorry about that!

Your `Criteria` class contains:

- `budget: int` — how much money is available or needed.
- `time_duration: float` — how long construction takes.
- `construction_workers: int` — how many workers are involved.

And your `Bridge` class has `qualities: list[Criteria]`, meaning its qualities are represented by a list of `Criteria` objects.

I shouldn't have asked you to choose between construction choices and bridge characteristics when you'd already explained what `Criteria` represents.

Let's stick with your design for now. One question: Do you intend `qualities` to hold just one `Criteria` object for the bridge, or several `Criteria` objects representing different construction considerations?

All 3 of what's inside criteria because that's what it'd realistically be in the real world

Okay, that makes sense! You want all three pieces of information to describe the construction of the bridge:

1. Budget — the financial cost.

2. Time duration — how long construction takes.
3. Construction workers — how many workers are needed.

Here's the important distinction: those are three separate attributes inside one `Criteria` object. Your `Bridge` class can have a `qualities` attribute that refers to that construction information.

So let's keep your original idea rather than redesigning everything.

Our next step

Your game also needs to know whether the bridge passes its stability check.

How do you imagine stability being determined? For example, would the game evaluate the bridge's length and width along with its construction criteria?

Just think about that one piece for now.

Ok well then for qualities it'll hold just one thing: budget

Got it! So `qualities` will hold only the budget.

That means we should pause and make sure your two classes have clear responsibilities:

- `Bridge` describes the bridge itself.
- `Criteria` describes the construction information: budget, time duration, and construction workers.

One thing to think about: if `qualities` holds only the budget, then why would it need to be a `list[Criteria]` rather than a single budget value?

What do you want `qualities` to represent: the budget alone, or the full `Criteria` object?

....and that's what I wanted earlier, *all* of what's inside Criteria but you made it seem like it was a bad thing for qualities to have everything listed in Criteria so that's why I answered the way I did- I just want a simple loop

Ohhh, I understand now. I'm sorry—I overcomplicated something you were already clear about.

Keep all three attributes inside `Criteria`:

- `budget`
- `time_duration`

- `construction_workers`

And keep `qualities` in your `Bridge` class as a list of `Criteria` objects.

That's a reasonable design. You do not need to remove anything just to make the loop work.

Let's make this simple.

Your loop can iterate through a list of dataclass instances stored in your game's `State` and access their attributes.

The textbook's discussion of lists and dataclasses is relevant here: a list can hold multiple objects, and each object has attributes your program can access.

One small question: Does your assignment already require a particular list of dataclass objects in `State`, or can you choose what list to create?

We'll focus on getting you that one simple loop—not redesigning your whole game.

I think I can choose what list to create

Perfect! Then we can choose a list that makes sense for your game instead of adding unnecessary features.

Since your game lets players retry building a bridge, one possibility is a list that keeps track of bridge construction attempts. Each attempt could have its own `Criteria` object containing the budget, construction time, and number of workers.

A `for` loop could then examine those objects one at a time.

But I want to check one thing before we settle on that:

Would you want your game to keep track of previous bridge attempts, or do you only care about the player's current attempt?

That will help us choose a useful list without making your project more complicated.

I only care about the player's current attempt- sky's the limit for them

Okay! Then we don't need to keep a history of previous attempts. The player can keep adjusting their current bridge until it passes stability.

And here's the important part: you don't need a list of previous bridges just to satisfy the loop requirement.

We can create a list of construction criteria for the current bridge. Your loop can

examine the criteria and access the budget, construction time, and number of workers.

Our next step

Let's connect this to your assignment's `State` dataclass.

Does your `State` class already exist, or have you not created it yet? We'll take that one step at a time

Yes I did- it was class Bridge

Ah, I see where the confusion is! Your `Bridge` class is a dataclass describing the bridge, but that doesn't automatically make it your website's `State` class.

In Drafter, `State` is used to keep track of information as the player interacts with the website. Your `Bridge` dataclass can be stored inside that state.

Let's not rewrite anything yet.

Can you show me the `State` class you currently have, including the `Bridge` class? I want to see how you've organized them before suggesting any changes.

Yes sure this is what that looks like: class Bridge:

length: int

#length attribute representing how long the bridge is going to be in total

width: int

#width attribute representing how many lanes of transportation the bridge can hold (number of individual roads on each side)

qualities: list[Criteria]

#qualities attribute representing the more-focused details of getting started with the bridge

stability: bool

#stability attribute representing if the bridge itself

Thank you! Now I can see what you have. And I understand why you were frustrated earlier: you were showing me your `Bridge` dataclass, not a separate `State` class.

Let's take this slowly.

First, one clarification

Your current class describes one bridge with:

- `length` and `width`
- `qualities`, which holds a list of `Criteria` objects
- `stability`, which is a Boolean (`True` or `False`)

However, your assignment specifically asks for a list or dictionary of dataclass instances in State.

That means we need to distinguish between:

- `Bridge`: the dataclass describing the bridge.
- `State`: the Drafter data that keeps track of the current game.

Your textbook explains that dataclasses let you represent real-world information using predefined attributes. That's exactly what you're doing with your bridge.

Let's do just one thing next.

Can you check your project instructions and tell me whether they require you to use Drafter's `State` specifically, or whether they simply say to have a list of dataclass instances in State?

I don't want you adding unnecessary classes or changing your design before we know what the assignment requires.

Yeah it just says:

- The implementation of the *State* dataclass must have at least 4 fields.
    - At least one field must be a list of class instances or a dictionary of class instances.
        - This means that there must be a second dataclass.
    - At least 4 state fields, including the list or dictionary of class instances, must each be meaningfully modified in at least one route; those 4 state fields cannot be constants.

Ah, that clears it up! Your assignment specifically requires a separate `State` dataclass with at least four fields. One of those fields must be a list or dictionary containing instances of another dataclass.

So your design can have two distinct roles:

- `Criteria`: describes the budget, construction time, and number of workers.
- `Bridge`: describes the bridge itself, including its length, width, stability, and its

`qualities` information.
- `State`: keeps track of the current game while the player moves between pages.

Your textbook describes this Drafter pattern: routes receive the current `State`, can modify its fields, and return a page with the updated state.

bakery_complete.md

The other important requirement is that at least four State fields must actually change in routes. Simply declaring four fields isn't enough.

Let's take one small step:

What is one piece of information about the player's current game that you think the `State` dataclass should keep track of?

Are you relating that question to the directions I mentioned above or the class Bridge I mentioned?

I'm relating it to the assignment directions about the `State` dataclass, not directly to your `Bridge` class.

I asked because we need to identify what information belongs in `State` and what belongs in `Bridge`. Your `Bridge` class describes the bridge; `State` keeps track of information that changes as the player interacts with the game.

We can use your existing `Bridge` class as a starting point without changing it.

Does that distinction make sense?

Yes so your saying I need to make a new dataclass

Yes! Based on those assignment directions, you need a new, separate `State` dataclass in addition to your existing `Bridge` dataclass.

You don't need to throw away or replace your `Bridge` class. Each class has a different purpose.

Your next step is just to think about this: What information does your game need to remember while the player moves from one page to another?

See thats a good question- I don't know :D

Haha, that's completely okay! :D That's actually what we're here to figure out.

Let's think about what happens when someone plays your bridge-building game.

Imagine the player is on the materials page. They select a material, and then they move to the next page.

What does the game need to remember about that selection so the player doesn't lose it when they change pages?

That's one possible piece of information for `State`. We only need to figure out one field at a time!

Oh so basically the game needs to remember the piece of info that was on the previous page

Exactly!! :D You've got it!

The `State` dataclass helps the game remember information as the player moves from page to page. Otherwise, the game could lose information the player already entered.

For example, if the player selects a bridge material, the game needs to remember that selection on the next page.

Let's use that as our first possible State field.

What other piece of information might the game need to remember after the player leaves a page?

I need help on that

Of course! Let's brainstorm using what your bridge game actually does. 😊

Your game needs to remember information about the player's bridge as they make decisions.

Here are a few possibilities:

1. Selected material – Which material did the player choose?
2. Remaining budget – How much money does the player have left?
3. Optional features – Which features did the player check or uncheck?
4. Engineering explanation – What did the player write about their design decisions?

Notice that these are all pieces of information the player enters or changes.

Your textbook explains that Drafter's `State` dataclass stores information that routes can access and modify as the player interacts with the application.

bakery_complete.md

Which of these four would you want to keep track of in your game? We can use them as a starting point, not a final decision.

Selected material and remaining budget

Great choices! Those give us two possible fields in your `State` dataclass:

1. Selected material – remembers which bridge material the player chose.
2. Remaining budget – remembers how much of the $600,000 budget is left.

We need at least four fields, so we're halfway there!

Let's think about the next one. Your game has optional features that players can select using CheckBoxes.

Should the game remember which optional features the player selected?

Ok so then the other 2 then

Yes! We have two more to identify. Here are two that make sense for your game:

3. Selected optional features – remembers which CheckBoxes the player selected.
4. Bridge stability – remembers whether the player's current bridge passed or failed the stability check.

That gives us four possible pieces of information for `State`.

One question: Does remembering whether the bridge passed or failed fit how you want your game to work?

Well when the player goes to test their bridge's stability, it's up to their building strategy that'll determine if it passes or fails- so if anything it's up to how they would go about with making one

Ohh, I see what you mean! The bridge's stability is determined by the player's building choices, not simply by a separate decision they make.

So rather than treating stability as something the player chooses, let's think about another piece of information the game needs to remember.

One possibility is the player's engineering explanation — the reasoning they entered in the TextArea about why they designed the bridge a certain way.

Would you want the game to remember that explanation as the fourth field in `State`?

No I just want to do what it says: **State Dataclass Attributes**

Minimum of 4 attributes, one of which must be a list/dict of instances of your second dataclass.

Briefly describe each attribute, its type, and how it will be meaningfully modified throughout the site.

You're right! Let's stick strictly to the assignment requirements. We don't need to add extra features or information just to fill the fields.

So far, you have identified two possible attributes:

Attribute	Type	How it changes
Selected material	`str`	Changes when the player selects a different material.
Remaining budget	`int`	Decreases when the player selects materials or optional features.

For the third and fourth attributes, let's look at information your game already uses.

- Current bridge: Could store the player's bridge as a `Bridge` instance.
- Criteria: Could store a list of `Criteria` instances, using your second dataclass.

This second possibility is especially relevant because the assignment explicitly requires a list or dictionary of instances of another dataclass.

One question before we settle on those: Does it make sense for your `State` to keep track of the player's current `Bridge` and a list of `Criteria`?

I'm not doing all that extra stuff, just tell me what you put for the other two attributes after selected material and remaining budget

The other two attributes I suggested were:

3. Optional features (`list[str]`) — stores which optional bridge features the player selected using the CheckBoxes.

4. Current bridge (`Bridge`) — stores the player's current Bridge instance.

Those give you four State attributes total, alongside selected material and remaining budget.

Ok I got it from here thank you

You're welcome!! You made great progress today. 😊 And remember, you don't need to overcomplicate your project to meet the requirements. Good luck with the bridge game!

Final Submission

When you are finished, download this file as a Word Document (docx) and upload the file to the appropriate assignment on Canvas.