CS224N: NATURAL LANGUAGE PROCESSING WITH DEEP LEARNING
ASSIGNMENT #2

ANTHONY HO

1. (a) Please see the coding portion of the assignment.

   (b) Please see the coding portion of the assignment.

   (c) The purpose of the placeholder variables is to allocate storage for data/labels before building the computation graph. The feed dictionaries allows us to inject data/labels into the placeholders in a computation graph. Please see the coding portion of the assignment for implementation.

   (d) Please see the coding portion of the assignment.

   (e) When the model's `train_op` is called, (1) it creates a gradient descent optimizer; (2) it calls `add_loss_op` to compute the cross entropy loss based on the data, labels, and current values of the variables `W` and `b`; (3) it computes the gradients w.r.t the loss via automatic differentiation; (4) and at the end it updates the values of the variables `W` and `b` in the direction of the gradient and in proportion to the learning rate as defined in `Config`. Please see the coding portion of the assignment for implementation.

2. (a) The sequence of transitions are:

stack	buffer	new dependency	transition
[ROOT]	[I, parsed, this, sentence, correctly]		Initial Configuration
[ROOT, I]	[parsed, this, sentence, correctly]		SHIFT
[ROOT, I, parsed]	[this, sentence, correctly]		SHIFT
[ROOT, parsed]	[this, sentence, correctly]	parsed→I	LEFT-ARC
[ROOT, parsed, this]	[sentence, correctly]		SHIFT
[ROOT, parsed, this, sentence]	[correctly]		SHIFT
[ROOT, parsed, sentence]	[correctly]	sentence→this	LEFT-ARC
[ROOT, parsed]	[correctly]	parsed→sentence	RIGHT-ARC
[ROOT, parsed, correctly]	[]		SHIFT
[ROOT, parsed]	[]	parsed→correctly	RIGHT-ARC
[ROOT]	[]	ROOT→parsed	RIGHT-ARC

   (b) A sentence containing n words will be parsed in $2n$ steps, since each word must be first shifted from the buffer into the stack and then removed from the stack as a dependent of another item.

   (c) Please see the coding portion of the assignment.

   (d) Please see the coding portion of the assignment.

   (e) Please see the coding portion of the assignment.

   (f) For the following equation to be true:

$$\mathbb{E}_{p_{drop}}[\boldsymbol{h}_{drop}]_i = h_i$$

   γ must fulfill the following criteria:

$$\mathbb{E}_{p_{drop}}[\boldsymbol{h}_{drop}]_i = h_i$$
$$\implies \gamma(1 - p_{drop})h_i = h_i$$
$$\implies \gamma = \frac{1}{1 - p_{drop}}$$

   (g) (i)

(ii)

(h)

(i)

3. (a)

(b)

(c)

(d)

(e)

(f)