Facilitate Lab 1

Use the fictional renamer to establish evidence-based review before teaching UX vocabulary. Students compare a stated contract with visible behavior, then propose a test. Accept different priorities when the reasoning is supported.

Minute	Facilitation
0–1	Distribute one group sheet. Assign reader, recorder, evidence checker and reporter. Read the rule.
1–2	Individual prediction. Do not reveal results.
2–4	Compare expected names as a group. Check that protected scope is explicit.
4–5	Record what evidence would establish success.
5–6	Open reveal.html. Display the fictional “Success: 4 assets updated” message and results.
6–7	Write one supported finding and a retest.
7–8	Two 20-second reports, then 20 seconds for questions.

Input	Expected	Observed
crate_A selected	SM_crate_A	SM_crate_A
crate_B selected	SM_crate_B	SM_crate_B
SM_crate_C selected	SM_crate_C	SM_SM_crate_C
barrel_D unselected	barrel_D	SM_barrel_D

Interpretation	The output violates both protected scope and the exactly-one-prefix rule. The success count alone proves neither. Internal cause, Undo, a second run and performance remain unknown.
Model finding	With only the three crates selected, I expected barrel_D to stay unchanged, but it became SM_barrel_D. This changes unrelated work.
Model retest	Restore all four starting names; select only the crates; run once; inspect all four expected names above. Then propose a separate second-run test. Do not claim that test has occurred.
Acceptable alternatives	Prioritize scope because unrelated work changes, or the duplicate prefix because it violates the naming contract. Ask for the consequence and supporting observation, not a preferred phrase.
Discussion bridge	Which preview evidence could expose the mistake before Apply? What does a success message omit? Revisit first judgments during UX, then carry input/action/evidence/protected scope into peer review.

Facilitate three-role peer reviews

Protect the 30-minute lab. Form groups of three, assign A–C, and keep tools on prepared machines. Rotate owner, tester and observer so each tool gets one observed attempt.

Time	Pairing or action
5:30–5:32	Confirm one task, prepared inputs and fallback. Assign owner, tester and observer.
5:32–5:39	Round 1: owner A, tester B, observer C.
5:39–5:46	Round 2: owner B, tester C, observer A.
5:46–5:53	Round 3: owner C, tester A, observer B.
Within each round	Reset and rotate during the last 45 seconds. No extra transition minute.
5:53–5:57	Apply the same lenses to your own tool.
5:57–6:00	Record one strength, one revision and its retest.
Evidence count	One observed attempt per tool, with two peer perspectives. Do not call this three independent reviews.

Call each 7-minute round: 0:00 state task; 0:45 attempt; 3:45 compare evidence; 5:15 keep and improve; 6:15 write the retest, reset and rotate.

Setup	Per student: one preparation page, one peer-review page and one reflection page. One Lab 1 sheet per group. Display the revised seven-minute timer. No installation during rounds.
Coach evidence	Ask what the tester expected, what happened and why it matters. Record help. A strength needs evidence too. If no fault appeared, record a useful uncertainty instead of inventing one.
Handle blockers	Allow one brief recovery attempt, then label the task blocked and use a recording or prototype. A walkthrough tests understanding; engine execution remains untested.
Attendance	Prefer triads. A fourth person can share observation. A pair alternates owner/tester and uses the remaining round for a retest. Record the actual people and attempts; do not inflate coverage.
Protect the close	End concepts at 5:30. Protect the 5:53 self review and 5:57 revision. If late, state the reduced attempt time honestly. The Lab 1 investigation runs 5:10–5:18 within the UI/UX block.