

Using SQL Server Report Builder

Part - 3

by Amandeep S. Patti

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data New Edit... Click to add title [&Execute]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect 100%

Properties

Report

General

- Author
- Description
- Width 432pt

Localization

- DescriptionLocID
- Language

Other

- AutoRefresh 0
- ConsumeContainer\ False
- CustomProperties
- InitialPageName

Page

- BackgroundColor Automatic
- BackgroundImage
- BorderColor Black
- BorderStyle None
- BorderWidth 1pt
- Columns
- InteractiveSize 8.5in, 11in
- Margins 1in, 1in, 1in, 1in
- PageSize 8.5in, 11in

References

- Assemblies
- Classes

Assemblies

Specifies the assemblies that the report references.

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data New Edit... Add Data Source...

Click to add title

[&Execute]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect 100%

Properties

Report

General

- Author
- Description
- Width 432pt

Localization

- DescriptionLocID
- Language

Other

- AutoRefresh 0
- ConsumeContainer\ False
- CustomProperties
- InitialPageName

Page

- BackgroundColor Automatic
- BackgroundImage
- BorderColor Black
- BorderStyle None
- BorderWidth 1pt
- Columns
- InteractiveSize 8.5in, 11in
- Margins 1in, 1in, 1in, 1in
- PageSize 8.5in, 11in

References

- Assemblies
- Classes

Assemblies

Specifies the assemblies that the report references.

Data Source Properties



General

Credentials

Change name, type, and connection options.

Name:

AW

Use a shared connection or report model

Use a connection embedded in my report

Select connection type:

Microsoft SQL Server

Connection string:

Click here to type or paste a connection string

Build...



Test Connection

Use single transaction when processing the queries

Help

OK

Cancel

Connection Properties

?

X

Data source:

Microsoft SQL Server (SqlClient)

Change...

Server name:

142.55.49.96

Refresh

Log on to the server

Use Windows Authentication

Use SQL Server Authentication

User name: student

Password: 


Save my password

Connect to a database

Select or enter a database name:

AdventureWorks2012

Attach a database file:



Logical name:

Advanced...

Test Connection

OK

Cancel

Data Source Properties



General

Credentials

Change name, type, and connection options.

Name:

AW

Use a shared connection or report model

Use a connection embedded in my report

Select connection type:

Microsoft SQL Server

Connection string:

Data Source=142.55.49.96;Initial Catalog=AdventureWorks2012

Build...



Test Connection

Use single transaction when processing the queries

Help

OK

Cancel

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data

New Edit... Add Dataset...

Built-in Fields Parameters Images Data Sources AW Datasets

Click to add title

[&Execute]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect

Properties

Report

General

Author	
Description	
Width	432pt

Localization

DescriptionLocID	
Language	

Other

AutoRefresh	0
ConsumeContainer	False
CustomProperties	
InitialPageName	

Page

BackgroundColor	<input type="checkbox"/> Automatic
BackgroundImage	
BorderColor	Black
BorderStyle	None
BorderWidth	1pt
Columns	
InteractiveSize	8.5in, 11in
Margins	1in, 1in, 1in, 1in
PageSize	8.5in, 11in

References

Assemblies	
Classes	

Assemblies

Specifies the assemblies that the report references.

100%

Dataset Properties

X

Query

Fields

Options

Filters

Parameters

Choose a data source and create a query.

Name:

SalesBySalesPerson

Use a shared dataset.

Use a dataset embedded in my report.

Data source:

AW

New...

Query type:

Text Table Stored Procedure

Query:

Query Designer...

Import...

Refresh Fields

Time out (in seconds):

0

Help

OK

Cancel

Query Designer

Edit as Text Import... Run Query

Database view

+--	dbo
+--	HumanResources
+--	Person
+--	Production
+--	Purchasing
--	Sales
+--	Tables
+--	Views
+--	vIndividualCustomer
+--	vPersonDemographics
+--	vSalesPerson
+--	vSalesPersonSalesByFiscalYears
+--	vStoreWithAddresses
+--	vStoreWithContacts
+--	vStoreWithDemographics

Selected fields

Field	Aggregate

Relationships

Auto Detect Edit Fields

Applied filters

Field name	Operator	Value	Parameter

Query results

Help

OK

Cancel

Query Designer

Edit as Text Import...

Run Query

Database view

+	Sales
+	Tables
+	Views
+	vIndividualCustomer
+	vPersonDemographics
+	vSalesPerson
	BusinessEntityID
	Title
	FirstName
	MiddleName
	LastName
	Suffix
	JobTitle
	PhoneNumber
	PhoneNumberType
	EmailAddress
	EmailPromotion
	AddressLine1
	AddressLine2
	City
	StateProvinceName
	PostalCode
	CountryRegionName
	TerritoryName
	TerritoryGroup
	SalesQuota
	SalesYTD
	SalesLastYear
	vSalesPersonSalesByFiscalYears

Run Query fields

Field	Aggregate
LastName	(none)
SalesYTD	(none)
SalesLastYear	(none)

Relationships

Auto Detect Edit Fields

Applied filters

Filter Edit Fields

Field name	Operator	Value	Parameter

Query results

Help

OK

Cancel

Query Designer

Edit as Text Import... Run Query

Database view

⋮	⋮	Sales
+	⋮	Tables
⋮	⋮	Views
+	⋮	⋮
⋮	⋮	vIndividualCustomer
⋮	⋮	vPersonDemographics
⋮	⋮	vSalesPerson
⋮	⋮	BusinessEntityID
⋮	⋮	Title
⋮	⋮	FirstName
⋮	⋮	MiddleName
⋮	⋮	Last Name
⋮	⋮	Suffix
⋮	⋮	JobTitle
⋮	⋮	PhoneNumber

Selected fields

Field	Aggregate
LastName	(none)
SalesYTD	(none)
SalesLastYear	(none)

Group and Aggregate

x	↑	↓
---	---	---

Relationships

Auto Detect Edit Fields ⌂ x ↑ ↓ ⌄

Applied filters

Field name	Operator	Value	Parameter
LastName			

Query results

LastName	SalesYTD	SalesLastYear
Jiang	559697.5639	0.0000
Blythe	3763178.1787	1750406.4785
Mitchell	4251368.5497	1439156.0291
Carson	3189418.3662	1997186.2037
Vargas	1453719.4653	1620276.8966
Reiter	2315185.6110	1849640.9418
Anzman-Wolfe	1352577.1325	1927059.1780
Ito	2458535.6169	2073505.9999
Saraiva	2604540.7172	2038234.6549
Campbell	1573012.9383	1371635.3158
Mensa-Annan	1576562.1966	0.0000

Help

OK

Cancel

Dataset Properties

X

Query

Fields

Options

Filters

Parameters

Choose a data source and create a query.

Name:

SalesBySalesPerson

Use a shared dataset.

Use a dataset embedded in my report.

Data source:

AW

New...

Query type:

Text Table Stored Procedure

Query:

```
SELECT
    Sales.vSalesPerson.LastName
    ,Sales.vSalesPerson.SalesYTD
    ,Sales.vSalesPerson.SalesLastYear
FROM
    Sales.vSalesPerson
```

f_x

Query Designer...

Import...

Refresh Fields

Time out (in seconds):

0

Help

OK

Cancel

Home Insert View

Report Parts Table Matrix List Chart Gauge Map Data Bar Sparkline Indicator Text Box Image Line Rectangle Subreport Header Footer

Parts Data Regions

Report Data New Edit... X

Chart Wizard... Insert Chart

The wizard guides you through adding a chart to the report.

Click to add title

[&Execute]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect 100%

Properties

Report

General

- Author
- Description
- Width 432pt

Localization

- DescriptionLocID
- Language

Other

- AutoRefresh 0
- ConsumeContainer False
- CustomProperties
- InitialPageName

Page

- BackgroundColor Automatic
- BackgroundImage
- BorderColor Black
- BorderStyle None
- BorderWidth 1pt
- Columns
- InteractiveSize 8.5in, 11in
- Margins 1in, 1in, 1in, 1in
- PageSize 8.5in, 11in

References

- Assemblies
- Classes

Assemblies

Specifies the assemblies that the report references.

Choose a dataset

Choose a dataset

- Choose an existing dataset in this report or a shared dataset



SalesBySalesPerson

(in this Report) LastName, SalesYTD, SalesLastYear

[Browse...](#)

- Create a dataset

[Help](#)

[< Back](#)

[Next >](#)

[Cancel](#)

Choose a chart type

Choose a chart type that best displays your data.

Chart type:



Use a stacked chart to display the total value of multiple series.

Use a 100 percent stacked chart to show relative proportions between multiple series.

Help

< Back

Next >

Cancel

Arrange chart fields

Add data fields to the chart. For most chart types, a field in the Categories list is displayed on the x-axis. A field in the Values list shows aggregated data on the y-axis. A field in the Series list creates a new series in the chart.

Available fields

LastName

SalesYTD

SalesLastYear

Series

Categories

Values

Help

< Back

Next >

Cancel

New Chart



Arrange chart fields

Add data fields to the chart. For most chart types, a field in the Categories list is displayed on the x-axis. A field in the Values list shows aggregated data on the y-axis. A field in the Series list creates a new series in the chart.

Available fields

LastName

SalesYTD

SalesLastYear

Series

Categories

LastName

Values

Sum(SalesYTD)

Help

< Back

Next >

Cancel

New Chart

X

Choose a style

Styles feature different fonts and color schemes, but do not affect the basic layout. You can customize the style after you finish the wizard.

Styles:

Corporate

Forest

Generic

Mahogany

Ocean

Slate

Preview



Help

< Back

Finish >>

Cancel

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data New Edit... X

Built-in Fields Parameters Images

Data Sources AW

Datasets SalesBySalesPerson LastName SalesYTD SalesLastYear

Click to add title

Chart Title

Sales YTD

Last Name A
Last Name B
Last Name C
Last Name D
Last Name E
Last Name F

Axis Title

[&Execute]

Row Groups Column Groups

Properties Chart1

ChartAreas (Collection) CustomPaletteColors (Collection) DynamicHeight DynamicWidth Legends (Collection) NoDataMessage Palette BrightPastel PalettePatternBehavior Default SeriesGroups (Collection) Titles (Collection)

Data Only

DataElementName DataElementOutput Auto DataSetName **SalesBySalesPerson**

Fill

BackgroundColor White BackgroundGradient White BackgroundGradient None

BackgroundImage

BackgroundPatternType Default

Filters

Filters

General

Name **Chart1**

Name
Specifies the name of the report item.

Current report server http://142.55.49.96/reportserver Disconnect

100%

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data

New Edit... & New

- + Built-in Fields
 - Parameters
 - Images
- Data Sources
 - AW
- Datasets
 - SalesBySalesPerson
 - Last Name
 - Sales YTD
 - Sales Last Year

Sales By Sales Person

Chart Title

Sales YTD

Axis Title

Last Name A Last Name B Last Name C Last Name D Last Name E Last Name F

[& Exec]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect

100%

Properties

Page Footer

Border

- > BorderColor Black
- > BorderStyle None
- > BorderWidth 1pt

Fill

- > BackgroundColor No Color
- > BackgroundImage

General

- Height 0.45in
- PrintOnFirstPage True
- PrintOnLastPage True

BackgroundColor

Specifies the background color of the item.

Save As Report



Look in:

http://142.55.49.96/reportserver/Amandeep S. Patti



Recent Sites
and Servers



Desktop



My
Documents



My
Computer

- Customer Contact List
- Customer Contact List - With Sorting
- OrderAmount
- Product Categories
- Products Count By Category and Color
- Products Filtered by Category ID
- Products Filtered by Category Name
- Products Grouped by Category ID
- Products Grouped by Category Name

Name:

Sales By Sales Person

Save

Items of type:

Reports (*.rdl)

Cancel

Run (F5)
Run the report to see the rendered report.

Views Clipboard Font Paragraph Border Number Layout

Sales By Sales Person

Chart Title

Sales YTD

Last Name A Last Name B Last Name C Last Name D Last Name E Last Name F

Axis Title

[&Exec]

Row Groups Column Groups

Properties

Page Footer

Border

- BorderColor Black
- BorderStyle None
- BorderWidth 1pt

Fill

- BackgroundColor No Color
- BackgroundImage


General

- Height 0.45in
- PrintOnFirstPage True
- PrintOnLastPage True

BackgroundColor
Specifies the background color of the item.

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%



Run



Design



Zoom



First



Previous

1

of 1



Next



Last



Refresh



Stop



Back



Print




Page Setup



Print Layout



Export



Document Map



Parameters




Options



Find

Sales By Sales Person



3/24/2016 7:49:06 PM

Run

Design Zoom First Previous 1 of 1 Next Last Refresh Stop Back

Print Page Setup Print Layout Export Document Map Parameters Options Find

Views Zoom Navigation

Design (F8)
Person
Use Design view to format the report.

Chart Title

Sales YTD

5000000
4000000
3000000
2000000
1000000
0

Axis Title

Campbell Mitchell Valdez

3/24/2016 7:49:06 PM

Current report server http://142.55.49.96/reportserver

100%

Sales By Sales Person

Chart Title

Sales YTD

Last Name A Last Name B Last Name C Last Name D Last Name E Last Name F

Axis Title

80
60
40
20
0

SalesBySalesPerson

Last Name	Sales YTD
Last Name A	85
Last Name B	50
Last Name C	55
Last Name D	55
Last Name E	55
Last Name F	65

Properties

Chart1

BorderSkin Solid
BorderStyle Solid
BorderWidth 1pt
Chart

- CategoryGroups (Collection)
- ChartAreas (Collection)
- ChartType BrightPastel
- DefaultColor (Collection)
- Height
- Width
- Message
- PatternBehavior Default
- Series (Collection)
- StartAngle
- StartCount
- StartRadius
- StopAngle
- StopCount
- StopRadius

Change Chart Type...
Add New Title
Add New Legend
Add New Chart Area
Cut
Copy
Paste
Delete
Layout
Select
Chart Properties...

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect 100%

Chart Properties

X

General

Visibility

Filters

Fill

Border

Change filters.

Include rows where the following conditions are true.

Add

Delete

*

≡

OK

Cancel

Help

Chart Properties

X

General

Visibility

Filters

Fill

Border

Change filters.

Include rows where the following conditions are true.

Add

Delete

*

+

Expression

[SalesYTD]

fx

Float

Operator

Top %

Value

30

fx

Help

OK

Cancel

Home Insert View

Report Data Properties
 Grouping Ruler

Show/Hide

Report Data Properties
New Edit... Open the Properties window to view the properties and their values.

+ Built-in Fields
Parameters
Images
- Data Sources
AW
- Datasets
SalesBySalesPerson
LastName
SalesYTD
SalesLastYear

Sales By Sales Person

Chart Title

A bar chart titled "Sales By Sales Person". The y-axis is labeled "Axis Title" and ranges from 0 to 80 with major grid lines every 20 units. The x-axis is labeled "Axis Title" and lists six sales persons: Last Name A, B, C, D, E, and F. Each sales person has a blue bar representing their total sales for the year to date (Sales YTD). The data is as follows:

Last Name	Sales YTD
Last Name A	85
Last Name B	45
Last Name C	55
Last Name D	55
Last Name E	55
Last Name F	65

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

Home Insert View

Report Data Properties
 Grouping Ruler

Show/Hide

Report Data New Edit... X

Built-in Fields Parameters Images

Data Sources AW

Datasets

- SalesBySalesPerson
 - Last Name
 - Sales YTD
 - Sales Last Year

Sales By Sales Person

Chart Title

Sales YTD

Axis Title

Last Name A Last Name B Last Name C Last Name D Last Name E Last Name F

80
60
40
20
0

Chart Data

Σ Values

Sales YTD [Sum(Sales YTD)]

Category Groups

Last Name

Series Groups

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect 100%

Last Name	Sales YTD
Last Name A	85
Last Name B	45
Last Name C	55
Last Name D	55
Last Name E	55
Last Name F	65

Home Insert View

Report Data Properties
 Grouping Ruler

Show/Hide

Report Data New Edit... X

Built-in Fields
Parameters
Images
Data Sources AW
Datasets
SalesBySalesPerson
LastName
SalesYTD
SalesLastYear

Sales By Sales Person

Chart Title

Axis Title

Axis Title

Last Name A Last Name B Last Name C Last Name D Last Name E Last Name F

Sales YTD Sales Last Year

Chart Data

Σ Values

SalesYTD [Sum(SalesYTD)]
SalesLastYear [Sum(SalesLastYear)]

Category Groups

LastName

Series Groups

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect 100%

Last Name	Sales YTD	Sales Last Year
Last Name A	~50	~60
Last Name B	~55	~85
Last Name C	~58	~75
Last Name D	~60	~88
Last Name E	~60	~25
Last Name F	~65	~55

Run (F5)
Run the report to see the rendered report.

Views Clipboard Font Paragraph Border Number Layout

Sales By Sales Person

Chart Title

Sales YTD
Sales Last Year

Last Name A Last Name C Last Name E
Last Name B Last Name D Last Name F


Axis Title

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

Last Name	Sales YTD	Sales Last Year
Last Name A	45	62
Last Name C	58	75
Last Name E	64	28
Last Name B	55	88
Last Name D	58	0
Last Name F	0	52



Run



Design



Zoom



First



Previous

1

of 1



Next



Last



Refresh



Stop



Navigation



Print



Page Setup



Print Layout



Export



Document Map



Parameters




Options



Find

Sales By Sales Person

Chart Title



3/24/2016 7:55:10 PM

Open Report



Look in:

http://142.55.49.96/reportserver/Amandeep S. Patti



Recent Sites
and Servers



Desktop



My
Documents



My
Computer

- Customer Contact List
- Customer Contact List - With Sorting
- OrderAmount
- Product Categories
- Products Count By Category and Color
- Products Filtered by Category ID
- Products Filtered by Category Name
- Products Grouped by Category ID
- Products Grouped by Category Name
- Sales By Sales Person

Name:

Sales By Sales Person

Open

Items of type:

Reports (*.rdl)

Cancel

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data

New Edit... < > & &

Built-in Fields
Parameters
Images
Data Sources
Datasets

Sales By Sales Person

Chart Title

Sales YTD
Sales Last Year

Last Name A Last Name B Last Name C Last Name D Last Name E Last Name F

Axis Title

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect

100%

Last Name	Sales YTD	Sales Last Year
Last Name A	45	62
Last Name B	55	88
Last Name C	60	75
Last Name D	58	90
Last Name E	60	28
Last Name F	65	53

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data

New Edit... < > & &

Built-in Fields
Parameters
Images
Data Sources
Datasets

Sales By Sales Person - With Average

Chart Title

Sales YTD
Sales Last Year

Axis Title

Last Name A Last Name B Last Name C Last Name D Last Name E Last Name F


[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect

100%

Last Name	Sales YTD	Sales Last Year
Last Name A	45	62
Last Name B	55	88
Last Name C	60	75
Last Name D	58	90
Last Name E	60	28
Last Name F	65	53



New



Open



Save



Save As



Publish Report Parts



Check For Updates

Recent Documents

Sales By Sales Person

Product Categories

Products Filtered by Category Name

Customer Contact List - With Sorting

Customer Contact List

Products Filtered by Category ID

Products Count By Category and Color

OrderAmount

Functions and Expressions

Products Grouped by Category Name

Products Grouped by Category ID



Options



Exit Report Builder

Save As Report



Look in:

http://142.55.49.96/reportserver/Amandeep S. Patti



Recent Sites
and Servers



Desktop



My
Documents



My
Computer

- Customer Contact List
- Customer Contact List - With Sorting
- OrderAmount
- Product Categories
- Products Count By Category and Color
- Products Filtered by Category ID
- Products Filtered by Category Name
- Products Grouped by Category ID
- Products Grouped by Category Name
- Sales By Sales Person

Name:

Sales By Sales Person - With Average

Save

Items of type:

Reports (*.rdl)

Cancel

Sales By Sales Person - With Average

Report Data

New Edit... X

Built-in Fields

- Parameters
- Images

Data Sources

Datasets

Chart Title

Sales YTD

Sales Last Year

Last Name A Last Name B Last Name C Last Name D Last Name E

Axis Title

80
60
40
20
0

Chart Data

Σ Values

- SalesYTD [Sum(SalesYTD)]
- SalesLastYear [Sum(SalesLastYear)]

Category Groups

- LastName

Series Groups

Add Calculated Series...

Series Properties...

[&ExecutionTime]

Row Groups

Column Groups

Current report server http://142.55.49.96/reportserver Disconnect

100%

Font

Paragraph

Border

Number

Layout

Run

Paste

Views

Clipboard

Home Insert View

Calculated Series Properties

X

General

Visibility

Axes and Chart Area

Markers

Legend

Action

Fill

Border

Shadow

Set calculated series formula.

Formula:

Mean

Median

Bollinger bands

Moving average

Exponential moving average

Triangular moving average

Weighted moving average

MACD

Detrended price oscillator

Envelopes

Performance

Rate of change

Relative strength index

Standard deviation

TRIX

Help

OK

Cancel

Calculated Series Properties

X

General

Visibility

Axes and Chart Area

Markers

Legend

Action

Fill

Border

Shadow

Set the line attributes of the border.

Line style:



Solid



Line width:

2.5pt



Line color:



Automatic



Help

OK

Cancel

Sales By Sales Person - With Average

Report Data

New Edit... X

Built-in Fields

- Parameters
- Images

Data Sources

Datasets

Chart Title

Sales YTD

Sales Last Year

Mean (SalesYTD)

Last Name A Last Name B Last Name C Last Name D Last Name E Last Name F

Axis Title

Chart Data

Σ Values

- SalesYTD [Sum(SalesYTD)]
- SalesLastYear [Sum(SalesLastYear)]

DerivedSeries1

LastName

Series Properties...

Delete Series

Chart

Change Chart Type...

3D Effects...

Show Data Labels

Add Calculated Series

[&Exe]

Row Groups

Column Groups

Current report server http://142.55.49.96/reportserver Disconnect

100%

Last Name	Sales YTD	Sales Last Year	Mean (SalesYTD)
Last Name A	~88	~62	~15
Last Name B	~48	~88	~32
Last Name C	~60	~76	~85
Last Name D	~60	~90	~15
Last Name E	~65	~28	~90
Last Name F	~65	~54	~25

Calculated Series Properties



General

Visibility

Axes and Chart Area

Markers

Legend

Action

Fill

Border

Shadow

Set calculated series formula.

Formula:

- Moving average
- Mean
- Median
- Bollinger bands
- Moving average
- Exponential moving average
- Triangular moving average
- Weighted moving average
- MACD
- Detrended price oscillator
- Envelopes
- Performance
- Rate of change
- Relative strength index
- Standard deviation
- TRIX

Help

OK

Cancel

Calculated Series Properties

X

General

Visibility

Axes and Chart Area

Markers

Legend

Action

Fill

Border

Shadow

Set the line attributes of the border.

Line style:



Solid

fx

Line width:

2.5pt



fx

Line color:



Automatic

fx

Help

OK


Cancel

Run (F5)
Run the report to see the rendered report.

Views Clipboard Font Paragraph Border Number Layout

Sales By Sales Person - With Average

Chart Title



Sales YTD
Sales Last Year
Mean (SalesYTD)
Mean (SalesLastYear)

Σ Values

- SalesYTD [Sum(SalesYTD)]
- SalesLastYear [Sum(SalesLastYear)]

Calculated Series

- DerivedSeries1
- DerivedSeries2

Category Groups

- LastName

Row Groups

Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%



Run

Design

Views
Zoom

1



of 1




Navigation

Print
Print
LayoutExport
ExportOptions
OptionsFind
Find

Sales By Sales Person - With Average

Chart Title



3/24/2016 8:06:00 PM

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data

New Edit... < > & &

+ Built-in Fields

- Parameters
- Images
- Data Sources
- Datasets

Click to add title

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

This screenshot shows the Microsoft SQL Server Report Builder interface. The top menu bar includes Home, Insert, View, and various toolbars for font, paragraph, border, number, and layout. A 'Report Data' pane on the left lists built-in fields like Parameters, Images, Data Sources, and Datasets. The main workspace displays a large text box placeholder 'Click to add title' and a smaller box below it containing the expression '[&ExecutionTime]'. The bottom navigation bar shows the current report server URL and a disconnect link, along with zoom controls at 100%.

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data x

New Edit... Add Data Source...

Click to add title

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect 100%

This screenshot shows the Microsoft SQL Server Report Builder interface. The main workspace displays a single rectangular placeholder with the text "Click to add title". In the bottom right corner of this placeholder, there is a timestamp parameter placeholder "[&ExecutionTime]". To the left of the workspace, a navigation pane titled "Report Data" is open, showing a tree structure with "Data Sources" selected. A tooltip "Add Data Source..." is visible over the "Data Sources" node. The ribbon at the top includes tabs for Home, Insert, View, and various tools like Run, Paste, and Views. The font, paragraph, border, number, and layout toolbars are also visible along the top edge.

Data Source Properties



General

Credentials

Change name, type, and connection options.

Name:

AW

Use a shared connection or report model

Use a connection embedded in my report

Select connection type:

Microsoft SQL Server

Connection string:

Click here to type or paste a connection string

Build...



Test Connection

Use single transaction when processing the queries

Help

OK

Cancel

Connection Properties

?

X

Data source:

Microsoft SQL Server (SqlClient)

Change...

Server name:

142.55.49.96

Refresh

Log on to the server

Use Windows Authentication

Use SQL Server Authentication

User name: student

Password: 

Save my password

Connect to a database

Select or enter a database name:

AdventureWorks2012

Attach a database file:



Logical name:

Browse...

Advanced...

Test Connection

OK

Cancel

Data Source Properties



General

Credentials

Change name, type, and connection options.

Name:

AW

Use a shared connection or report model

Use a connection embedded in my report

Select connection type:

Microsoft SQL Server

Connection string:

Data Source=142.55.49.96;Initial Catalog=AdventureWorks2012

Build...



Test Connection

Use single transaction when processing the queries

Help

OK

Cancel

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data

New Edit... Add Dataset...

Built-in Fields
Parameters
Images
Data Sources
AW
Datasets

Click to add title

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

This screenshot shows the Microsoft SQL Server Report Builder interface. The top menu bar includes Home, Insert, View, and various toolbars for font, paragraph, border, number, and layout. On the left, a navigation pane lists Built-in Fields, Parameters, Images, Data Sources (with one item named AW), and Datasets, with Datasets currently selected. A central report canvas contains a large rectangular placeholder with the text "Click to add title". Below this placeholder is a smaller rectangular placeholder containing the expression "[&ExecutionTime]". At the bottom of the canvas, there are sections for Row Groups and Column Groups. The status bar at the bottom displays the current report server URL and a disconnect link. The bottom right corner shows a zoom level of 100%.

Dataset Properties

X

Query

Fields

Options

Filters

Parameters

Choose a data source and create a query.

Name:

CutomersByRegion

Use a shared dataset.

Use a dataset embedded in my report.

Data source:

AW

New...

Query type:

Text Table Stored Procedure

Query:

Query Designer...

Import...

Refresh Fields

Time out (in seconds):

0

Help

OK

Cancel

Query Designer

Edit as Text Import...

Run Query

Database view

+ <input type="checkbox"/> dbo
+ <input type="checkbox"/> HumanResources
+ <input type="checkbox"/> Person
+ <input type="checkbox"/> Production
+ <input type="checkbox"/> Purchasing
<input type="checkbox"/> Sales
+ <input type="checkbox"/> Tables
+ <input type="checkbox"/> Views
<input checked="" type="checkbox"/> vIndividualCustomer
<input checked="" type="checkbox"/> BusinessEntityID
<input type="checkbox"/> Title
<input type="checkbox"/> FirstName
<input type="checkbox"/> MiddleName
<input type="checkbox"/> LastName
<input type="checkbox"/> Suffix
<input type="checkbox"/> PhoneNumber
<input type="checkbox"/> PhoneNumberType
<input type="checkbox"/> EmailAddress
<input type="checkbox"/> EmailPromotion
<input type="checkbox"/> AddressType
<input type="checkbox"/> AddressLine1
<input type="checkbox"/> AddressLine2
<input type="checkbox"/> City
<input type="checkbox"/> StateProvinceName
<input type="checkbox"/> PostalCode
<input checked="" type="checkbox"/> CountryRegionName
<input type="checkbox"/> Demographics
<input type="checkbox"/> vPersonDemographics
<input type="checkbox"/> vSalesPerson

Run Query Selected fields

Group and Aggregate

Field	Aggregate
BusinessEntityID	(none)
CountryRegionName	(none)

Relationships

Auto Detect

Edit Fields

Applied filters

Filter

Field name	Operator	Value	Parameter

Query results

Help

OK

Cancel

Query Designer

Edit as Text Import... Run Query

Database view

+ dbo
+ HumanResources
+ Person
+ Production
+ Purchasing
Sales
+ Tables
+ Views
+ vIndividualCustomer
<input checked="" type="checkbox"/> BusinessEntityID
<input type="checkbox"/> Title
<input type="checkbox"/> FirstName
<input type="checkbox"/> MiddleName
<input type="checkbox"/> LastName
<input type="checkbox"/> Suffix

Selected fields

Field	Aggregate
BusinessEntityID	(none)
CountryRegionName	(none)

Group and Aggregate

Field	Aggregate
BusinessEntityID	(none)
CountryRegionName	(none)

Relationships

[Auto Detect](#) [Edit Fields](#)

Applied filters

Field name	Operator	Value	Parameter

Query results

BusinessEntityID	CountryRegionName
16496	Australia
12506	Australia
11390	Australia
10798	Canada
12283	France
3495	Germany
4944	United Kingdom
11770	Australia
17001	Australia
4351	Australia
6254	Australia

Help

OK

Cancel

Query Designer

Edit as Text Import... Run Query

Database view

+ db	dbo
+ HumanResources	
+ Person	
+ Production	
+ Purchasing	
Sales	
+ Tables	
+ Views	
+ vIndividualCustomer	
+ BusinessEntityID	<input checked="" type="checkbox"/>
+ Title	<input type="checkbox"/>
+ FirstName	<input type="checkbox"/>
+ MiddleName	<input type="checkbox"/>
+ LastName	<input type="checkbox"/>
+ Suffix	<input type="checkbox"/>

Selected fields

Field	Aggregate
BusinessEntityID	(none)
CountryRegionName	(none)

Group and Aggregate

Relationships

Auto Detect

Edit Fields

Applied filters

Field name	Operator	Value	Parameter

Query results

BusinessEntityID	CountryRegionName
16496	Australia
12506	Australia
11390	Australia
10798	Canada
12283	France
3495	Germany
4944	United Kingdom
11770	Australia
17001	Australia
4351	Australia
6254	Australia

Help

OK

Cancel

Query Designer

Edit as Text Import... Run Query

Database view

+	dbo
+	HumanResources
+	Person
+	Production
+	Purchasing
-	Sales
+	Tables
+	Views
+	vIndividualCustomer
	BusinessEntityID
	Title
	FirstName
	MiddleName
	LastName
	Suffix

Selected fields

Field
BusinessEntityID
CountryRegionName

Group and Aggregate

Aggregate
Grouped by
Group
Grouped by
Avg
Count
Count Big
Min
Max
StDev
StDevP
Sum
Var
VarP
Avg Distinct
Count Distinct
Count Big Distinct
StDev Distinct
StDevP Distinct
Sum Distinct
Var Distinct
VarP Distinct

Relationships

Auto Detect

Edit Fields

Applied filters

Field name	Operator	Value
------------	----------	-------

Query results

BusinessEntityID	CountryRegionName
16496	Australia
12506	Australia
11390	Australia
10798	Canada
12283	France
3495	Germany
4944	United Kingdom
11770	Australia
17001	Australia
4351	Australia
6254	Australia

Help

OK

Cancel

Query Designer

Edit as Text Import... Run Query



Database view

+ db	dbo
+ HumanResources	
+ Person	
+ Production	
+ Purchasing	
Sales	
+ Tables	
+ Views	
+ vIndividualCustomer	
+ BusinessEntityID	<input checked="" type="checkbox"/>
+ Title	<input type="checkbox"/>
+ FirstName	<input type="checkbox"/>
+ MiddleName	<input type="checkbox"/>
+ LastName	<input type="checkbox"/>
+ Suffix	<input type="checkbox"/>

Selected fields

Field	Aggregate
BusinessEntityID	Grouped by
CountryRegionName	Grouped by

Group and Aggregate



Relationships

Auto Detect

Edit Fields



Applied filters



Field name	Operator	Value	Parameter

Query results

BusinessEntityID	CountryRegionName
16496	Australia
12506	Australia
11390	Australia
10798	Canada
12283	France
3495	Germany
4944	United Kingdom
11770	Australia
17001	Australia
4351	Australia
6254	Australia

Help

OK

Cancel

Query Designer

Edit as Text Import... Run Query

Database view

+ db	dbo
+ HumanResources	
+ Person	
+ Production	
+ Purchasing	
Sales	
+ Tables	
+ Views	
+ vIndividualCustomer	
+ BusinessEntityID	<input checked="" type="checkbox"/>
+ Title	<input type="checkbox"/>
+ FirstName	<input type="checkbox"/>
+ MiddleName	<input type="checkbox"/>
+ LastName	<input type="checkbox"/>
+ Suffix	<input type="checkbox"/>

Selected fields

Field
Count_BusinessEntityID
CountryRegionName

Group and Aggregate

- Aggregate
Count
- Grouped by
- Avg
- Count
- Count Big
- Min
- Max
- StDev
- StDevP
- Sum
- Var
- VarP
- Avg Distinct
- Count Distinct
- Count Big Distinct
- StDev Distinct
- StDevP Distinct
- Sum Distinct
- Var Distinct
- VarP Distinct

Relationships Auto Detect Edit Fields

Applied filters

Field name	Operator	Value
------------	----------	-------

Query results

BusinessEntityID	CountryRegionName
16496	Australia
12506	Australia
11390	Australia
10798	Canada
12283	France
3495	Germany
4944	United Kingdom
11770	Australia
17001	Australia
4351	Australia
6254	Australia

Help

OK

Cancel

Query Designer

Edit as Text Import...

Run Query

Database view

+	dbo
+	HumanResources
+	Person
+	Production
+	Purchasing
-	Sales
+	Tables
+	Views
+	vIndividualCustomer
	BusinessEntityID
	Title
	FirstName
	MiddleName
	LastName
	Suffix

Run Query

Add fields

Group and Aggregate

Field

Count_BusinessEntityID
CountryRegionName

Aggregate

Count

Grouped by

Relationships

Auto Detect

Edit Fields

Applied filters

Auto Detect

Query results

Count_BusinessEntityID	CountryRegionName
1780	Germany
7843	United States
3591	Australia
1913	United Kingdom
1571	Canada
1810	France

Help

OK

Cancel

Query Designer

Edit as Text Import... Run Query

Database view

+	dbo
+	HumanResources
+	Person
+	Production
+	Purchasing
-	Sales
+	Tables
+	Views
+	vIndividualCustomer
+	BusinessEntityID
+	Title
+	FirstName
+	MiddleName
+	LastName
+	Suffix

Selected fields

Group and Aggregate

Field	Aggregate
Count_BusinessEntityID	Count
CountryRegionName	Grouped by

Relationships

Auto Detect Edit Fields

Applied filters

Field name	Operator	Value	Parameter

Query results

Count_BusinessEntityID	CountryRegionName
1780	Germany
7843	United States
3591	Australia
1913	United Kingdom
1571	Canada
1810	France

Help

OK

Cancel

Dataset Properties

X

Query

Fields

Options

Filters

Parameters

Choose a data source and create a query.

Name:

CutomersByRegion

Use a shared dataset.

Use a dataset embedded in my report.

Data source:

AW

New...

Query type:

Text Table Stored Procedure

Query:

```
SELECT  
    COUNT(Sales.vlndividualCustomer.BusinessEntityID) AS Count_BusinessEntityID  
    ,Sales.vlndividualCustomer.CountryRegionName  
FROM  
    Sales.vlndividualCustomer  
GROUP BY  
    Sales.vlndividualCustomer.CountryRegionName
```



Query Designer...

Import...

Refresh Fields

Time out (in seconds):

0

Help

OK

Cancel

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data

New Edit... X

Built-in Fields

- Parameters
- Images

Data Sources

- AW

Datasets

- CutomersByRegion
 - Count_BusinessEntityID
 - CountryRegionName

Click to add title

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

Home Insert View

Report Parts Report Data

Chart Wizard... Insert Chart

Add a chart to illustrate and compare data.
Bar, Line, Shape, Area, and Scatter are some of the available chart types.

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect 100%

The screenshot displays the Microsoft SQL Server Report Builder interface. The top navigation bar includes Home, Insert (selected), and View tabs. Below the navigation bar is a toolbar with various icons for Report Parts, Table, Matrix, List, Chart, Gauge, Map, Data Bar, Sparkline, Indicator, Text Box, Image, Line, Rectangle, Subreport, Header, and Footer. A context menu is open over a chart area, with 'Insert Chart' highlighted. The 'Report Data' pane on the left shows a tree structure with Built-in Fields, Parameters, Images, Data Sources (containing AW), and Datasets (containing CustomersByRegion, which has Count_BusinessEntityID and CountryRegionName). The main workspace shows a placeholder for a chart with the instruction 'Add a chart to illustrate and compare data. Bar, Line, Shape, Area, and Scatter are some of the available chart types.' A timestamp '[&ExecutionTime]' is visible in the bottom right corner of the workspace. The bottom pane shows Row Groups and Column Groups for the report structure.

Select Chart Type

X

Column

Line

Shape

Bar

Area

Range

Scatter

Polar

Column

Line

Shape

Bar

Area


Range

Scatter

Polar

OK

Cancel



Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data

New Edit... < > X

- + Built-in Fields
- + Parameters
- + Images
- Data Sources
 - AW
- Datasets
 - CutomersByRegion
 - Count_BusinessEntityID
 - CountryRegionName

Click to add title

Chart Title

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect

100%

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data

New Edit... X

Built-in Fields

- Parameters
- Images

Data Sources

- AW

Datasets

- CutomersByRegion
 - Count_BusinessEntityID
 - CountryRegionName

Click to add title

Chart Title

Category 1
Category 2
Category 3
Category 4
Category 5
Category 6

Chart Data

Σ Values

Category Groups

(Details)

Series Groups

[&ExecutionTime]

Row Groups

Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data New Edit... X

Built-in Fields Parameters Images

Data Sources AW

Datasets CutomersByRegion Count_BusinessEntityID CountryRegionName

Click to add title

Chart Title

Category 1 Category 2 Category 3 Category 4 Category 5 Category 6

Count_BusinessEntityID [Sum(Count_BusinessEntityID...]

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect

100%

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data New Edit... X

Built-in Fields Parameters Images

Data Sources AW

Datasets CutomersByRegion Count_BusinessEntityID CountryRegionName

Click to add title

Chart Title

Country Region Name 1
Country Region Name 2
Country Region Name 3
Country Region Name 4
Country Region Name 5
Country Region Name 6

Values Count_BusinessEntityID Sum(Count_BusinessEntityID)

Category Groups CountryRegionName

Series Groups

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect

100%

The chart displays the following data:

Country Region Name	Value
Country Region Name 1	Sum(Count_BusinessEntityID)
Country Region Name 2	Sum(Count_BusinessEntityID)
Country Region Name 3	Sum(Count_BusinessEntityID)
Country Region Name 4	Sum(Count_BusinessEntityID)
Country Region Name 5	Sum(Count_BusinessEntityID)
Country Region Name 6	Sum(Count_BusinessEntityID)

Run (F5)
Run the report to see the rendered report.

Views Clipboard Font Paragraph Border Number Layout

Click to add title

Chart Title

Values

- Count_BusinessEntityID [Sum(Count_BusinessEntityID)]

Category Groups

- CountryRegionName


Series Groups

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect 100%


The screenshot shows a Microsoft SQL Server Report Builder interface. On the left, there's a navigation pane with sections like 'Built-in Fields', 'Parameters', 'Images', 'Data Sources' (containing 'AW'), and 'Datasets' (containing 'CustomersByRegion' with fields 'Count_BusinessEntityID' and 'CountryRegionName'). The main area contains a pie chart titled 'Chart Title'. The chart has six segments representing different country regions. To the right of the chart is a 'Chart Data' pane with sections for 'Values', 'Category Groups', and 'Series Groups'. The 'Values' section shows a query for 'Count_BusinessEntityID' with a sum function. The 'Category Groups' section shows 'CountryRegionName'. The 'Series Groups' section is currently empty. At the bottom of the report area, there are 'Row Groups' and 'Column Groups' sections, both of which are currently empty. The status bar at the bottom indicates the current report server is 'http://142.55.49.96/reportserver' and shows a connection status with 'Disconnect' and a zoom level of '100%'.



3/24/2016 8:21:59 PM

**Design (F8)**

Use Design view to format the report.



3/24/2016 8:21:59 PM

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data New Edit... X

Built-in Fields Parameters Images

Data Sources AW

Datasets CutomersByRegion Count_BusinessEntityID CountryRegionName

Click to add title

Chart Title

Country Region Name 1
Country Region Name 2
Country Region Name 3
Country Region Name 4
Country Region Name 5
Country Region Name 6

Delete Series

- Chart
- Change Chart Type...
- 3D Effects...
- Show Data Labels
- Add Calculated Series...
- Series Properties...

Values

Count_BusinessEntityID [Sum(Count_BusinessEntityID)]

Category Groups

CountryRegionName

Series Groups

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect 100%

Home Insert View

Run Paste Views Clipboard Arial 10 pt Default Merge Split Align Layout

Report Data New Edit... X

B I U A A A A A A A A

Paragraph Border Number Layout

Click to add title

Chart Title

A pie chart titled "Chart Title" with the placeholder "Click to add title" above it. The chart is divided into six segments representing different country regions. The segments and their values are:

Country Region Name	Value
Country Region Name 1	92
Country Region Name 2	53
Country Region Name 3	19
Country Region Name 4	31
Country Region Name 5	66
Country Region Name 6	40

Chart Data

Σ Values

- Count_BusinessEntityID [Sum(Count_BusinessEntityID)]

Category Groups

- CountryRegionName

Series Groups

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

Run (F5)
Run the report to see the rendered report.

Views Clipboard Font Paragraph Border Number Layout

B I U A A

1 pt Default Merge Split Align

Run Paste

Click to add title

Chart Title

Country Region Name 1
Country Region Name 2
Country Region Name 3
Country Region Name 4
Country Region Name 5
Country Region Name 6

Σ Values

Count_BusinessEntityID
[Sum(Count_BusinessEntityID...]

Category Groups

CountryRegionName


Series Groups

[&ExecutionTime]


Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect

100%




3/24/2016 8:22:30 PM



Design (F8)

Use Design view to format the report.



3/24/2016 8:22:30 PM

Home Insert View

Run Paste Views Clipboard Arial 10 pt Default Merge Split Align Layout

Report Data New Edit... X

B I U A A A A A A A A

Paragraph Border Number Layout

Report Data

Click to add title

Chart Title

Chart

Show Data Labels

Values

Count_BusinessEntityID [Sum(Count_BusinessEntityID)]

Category Groups

CountryRegionName

Series Groups

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

Country Region Name	Value
Country Region Name 1	92
Country Region Name 2	53
Country Region Name 3	19
Country Region Name 4	31
Country Region Name 5	66
Country Region Name 6	0

Series Label Properties



General

Font

Number

Action

Fill

Border

Set series label data.

Label data:

#VALX
#VALY
#VALY2
#VALY3
#VALY4
#VALY5
#VALY6
#INDEX
#PERCENT
#TOTAL
#AXISLABEL



Help

OK

Cancel

Confirm Action



This property will not have effect unless UseValueAsLabel is set to False. Do you want to set the UseValueAsLabel to False?

Yes

No

Series Label Properties

X

General

Font

Number

Action

Fill

Border

Change font, size, and color options.

Font:

Arial

Size:

12pt

Arial

10pt

Arial Black

11pt

Arial Narrow

12pt

Arial Rounded MT Bold

14pt

Style:

Bold



Italic



Color:



Red



Effects:

Default



Sample

AaBbCc

Help

OK

Cancel

Home Insert View

Run Paste Views Clipboard Arial 12 pt Default Merge Split Align Layout

Report Data New Edit... X

B I U A A A A

Paragraph Border Number Layout

Click to add title

Chart Title

A pie chart titled "Chart Title" with a central "Click to add title" placeholder. The chart is divided into six segments representing different country regions. The segments and their percentages are:

- Country Region Name 1: 30.56%
- Country Region Name 2: 17.61%
- Country Region Name 3: 6.31%
- Country Region Name 4: 10.30%
- Country Region Name 5: 21.93%
- Country Region Name 6: 13.29%

Chart Data

Σ Values

Count_BusinessEntityID [Sum(Count_BusinessEntityID)]

Category Groups

CountryRegionName

Series Groups

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect

100%

Home Insert View

Run Paste Views Clipboard Arial 1 pt Merge
Font Paragraph Border Number Split Align Layout

Report Data New Edit... X

Built-in Fields Parameters Images

Data Sources AW

Datasets CutomersByRegion Count_BusinessEntityID CountryRegionName

Click to add title

Customers By Region

Chart Data

Σ Values Count_BusinessEntityID [Sum(Count_BusinessEntityID...]

Category Groups CountryRegionName

Series Groups

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

Save As Report

X

Look in:

http://142.55.49.96/reportserver/Amandeep S. Patti



Recent Sites
and Servers



Desktop



My
Documents



My
Computer

- Customer Contact List
- Customer Contact List - With Sorting
- OrderAmount
- Product Categories
- Products Count By Category and Color
- Products Filtered by Category ID
- Products Filtered by Category Name
- Products Grouped by Category ID
- Products Grouped by Category Name
- Sales By Sales Person
- Sales By Sales Person - With Average

Name:

Customers By Region

Save

Items of type:

Reports (*.rdl)

Cancel

Run (F5)
Run the report to see the rendered report.

Views Clipboard Font Paragraph Border Number Layout

Click to add title

Customers By Region

Region Name	Percentage
Country Region Name 1	30.56 %
Country Region Name 2	17.61 %
Country Region Name 3	10.30 %
Country Region Name 4	13.29 %
Country Region Name 5	21.93 %
Country Region Name 6	6.31 %

Chart Data


- Σ Values
 - Count_BusinessEntityID [Sum(Count_BusinessEntityID)]
- Category Groups
 - CountryRegionName
- Series Groups

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%



Run



Design



Zoom



First



Previous

1
of 1

Next



Last



Refresh



Stop

Back



Navigation



Print



Page Setup



Print Layout



Export



Document Map




Parameters



Options



Find



3/24/2016 8:25:53 PM

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data

New Edit... < > & &

+ Built-in Fields

- Parameters
- Images
- Data Sources
- Datasets

Click to add title

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect 100% +

The screenshot shows the Microsoft SQL Server Report Builder interface. The top menu bar includes Home, Insert, View, and various toolbars for font, paragraph, border, number, and layout. A 'Report Data' pane on the left lists built-in fields like Parameters, Images, Data Sources, and Datasets. The main workspace has a placeholder 'Click to add title' at the top and a parameter placeholder '[&ExecutionTime]' at the bottom. The bottom navigation bar shows the current report server and a disconnect link, along with zoom controls.

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data x

New Edit... x

+ Built-in Fields

Parameters

Images

Data Sources

Datasets

Add Data Source...

Click to add title

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

The screenshot shows the Microsoft SQL Server Report Builder interface. The main area displays a report page with a placeholder text 'Click to add title' and a timestamp '[&ExecutionTime]'. On the left, a navigation pane lists report components like 'Built-in Fields', 'Parameters', 'Images', 'Data Sources' (which is selected and highlighted in blue), and 'Datasets'. A modal dialog box titled 'Add Data Source...' is open over the report page. The bottom of the screen features a toolbar with various icons for report management, and the status bar at the bottom indicates the current report server URL and a zoom level of 100%.

Data Source Properties



General

Credentials

Change name, type, and connection options.

Name:

AW

Use a shared connection or report model

Use a connection embedded in my report

Select connection type:

Microsoft SQL Server

Connection string:

Click here to type or paste a connection string

Build...

fx

Test Connection

Use single transaction when processing the queries

Help

OK

Cancel

Connection Properties

?

X

Data source:

Microsoft SQL Server (SqlClient)

Change...

Server name:

142.55.49.96

Refresh

Log on to the server

Use Windows Authentication

Use SQL Server Authentication

User name: student

Password: ████████

Save my password

Connect to a database

Select or enter a database name:

AdventureWorks2012

Attach a database file:

Browse...

Logical name:

Advanced...

Test Connection

OK

Cancel

Data Source Properties



General

Credentials

Change name, type, and connection options.

Name:

AW

Use a shared connection or report model

Use a connection embedded in my report

Select connection type:

Microsoft SQL Server

Connection string:

Data Source=142.55.49.96;Initial Catalog=AdventureWorks2012

Build...



Test Connection

Use single transaction when processing the queries

Help

OK

Cancel

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data

New Edit... Add Dataset...

Built-in Fields
Parameters
Images
Data Sources
AW
Datasets

Click to add title

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

This screenshot shows the Microsoft SQL Server Report Builder interface. The top menu bar includes Home, Insert, View, and various toolbars for font, paragraph, border, number, and layout. On the left, a navigation pane lists Built-in Fields, Parameters, Images, Data Sources (with one item named AW), and Datasets. A tooltip 'Add Dataset...' is visible over the Datasets folder. The main workspace contains a placeholder text 'Click to add title' and a placeholder expression '[&ExecutionTime]'. At the bottom, there are Row Groups and Column Groups sections, along with a status bar indicating the current report server and a zoom level of 100%.

Dataset Properties

X

Query

Fields

Options

Filters

Parameters

Choose a data source and create a query.

Name:

SalesBySalesPerson

Use a shared dataset.

Use a dataset embedded in my report.

Data source:

AW

New...

Query type:

Text Table Stored Procedure

Query:

Query Designer...

Import...

Refresh Fields

Time out (in seconds):

0

Help

OK

Cancel

Query Designer

Edit as Text Import... Run Query

Database view

+--	dbo
+--	HumanResources
+--	Person
+--	Production
+--	Purchasing
--	Sales
+--	Tables
+--	Views
+--	vIndividualCustomer
+--	vPersonDemographics
+--	vSalesPerson
+--	vSalesPersonSalesByFiscalYears
+--	vStoreWithAddresses
+--	vStoreWithContacts
+--	vStoreWithDemographics

Selected fields

Field	Aggregate

Group and Aggregate

Relationships

Auto Detect Edit Fields

Applied filters

Field name	Operator	Value	Parameter

Query results

Help

OK

Cancel

Query Designer

Edit as Text Import... Run Query

Database view

⋮	⋮	Sales
+	⋮	Tables
⋮	⋮	Views
+	⋮	⋮
⋮	⋮	vIndividualCustomer
⋮	⋮	vPersonDemographics
⋮	⋮	vSalesPerson
⋮	⋮	BusinessEntityID
⋮	⋮	Title
⋮	⋮	FirstName
⋮	⋮	MiddleName
⋮	⋮	LastName
⋮	⋮	Suffix
⋮	⋮	JobTitle
⋮	⋮	PhoneNumber
⋮	⋮	PhoneNumberType
⋮	⋮	EmailAddress
⋮	⋮	EmailPromotion
⋮	⋮	AddressLine1
⋮	⋮	AddressLine2
⋮	⋮	City
⋮	⋮	StateProvinceName
⋮	⋮	PostalCode
⋮	⋮	CountryRegionName
⋮	⋮	TerritoryName
⋮	⋮	TerritoryGroup
⋮	⋮	SalesQuota
⋮	⋮	FirstName
⋮	⋮	SalesYTD
⋮	⋮	SalesLastYear
⋮	⋮	vSalesPersonSalesByFiscalYears

Selected fields

Field	Aggregate
FirstName	(none)
LastName	(none)
SalesYTD	(none)
SalesLastYear	(none)

Relationships

Auto Detect Edit Fields ⌂ ⌂ ⌂ ⌂ ⌂ ⌂

Applied filters

Filter ⌂ ⌂ ⌂ ⌂ ⌂ ⌂

Field name	Operator	Value	Parameter

Query results

Help

OK

Cancel

Dataset Properties

X

Query

Fields

Options

Filters

Parameters

Choose a data source and create a query.

Name:

SalesBySalesPerson

Use a shared dataset.

Use a dataset embedded in my report.

Data source:

AW

New...

Query type:

Text Table Stored Procedure

Query:

```
SELECT  
    Sales.vSalesPerson.FirstName  
    ,Sales.vSalesPerson.LastName  
    ,Sales.vSalesPerson.SalesYTD  
    ,Sales.vSalesPerson.SalesLastYear  
FROM  
    Sales.vSalesPerson
```

f_x

Query Designer...

Import...

Refresh Fields

Time out (in seconds):

0

Help

OK

Cancel

Home Insert View

Report Parts
Parts

Table Matrix List Chart Gauge Map Data Bar Sparkline Indicator Text Box Image Line Rectangle Subreport Header Footer

Table Wizard... Insert Table

New Edit... The wizard guides you through adding a table to the report.

Built-in Fields
Parameters
Images
Data Sources AW
Datasets
SalesBySalesPerson FirstName LastName SalesYTD SalesLastYear

Click to add title

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect 100%

This screenshot shows the Microsoft SQL Server Report Builder interface. The top menu bar includes Home, Insert, View, and various report parts like Report Parts, Table, Matrix, List, Chart, Gauge, Map, Data Bar, Sparkline, Indicator, Text Box, Image, Line, Rectangle, Subreport, Header, and Footer. A secondary ribbon at the top has sections for Data Visualizations, Report Items, Subreports, and Header & Footer. A context menu is open over a report item, with 'Table Wizard...' highlighted. The main workspace displays a placeholder text 'Click to add title' and a timestamp '[&ExecutionTime]' in a box. On the left, a navigation pane lists Built-in Fields, Parameters, Images, Data Sources (with one entry 'AW'), and Datasets (with one entry 'SalesBySalesPerson' containing fields FirstName, LastName, SalesYTD, and SalesLastYear). At the bottom, there are Row Groups and Column Groups sections, and a status bar indicating the current report server and zoom level (100%).

Home Insert View

Report Parts Report Data

Table Matrix List Chart Gauge Map Data Bar Sparkline Indicator Text Box Image Line Rectangle Subreport Header Footer

Parts Data Regions Data Visualizations Report Items Subreports Header & Footer

New Edit... Click to add title

Built-in Fields Parameters Images

Data Sources AW

Datasets

SalesBySalesPerson

- FirstName
- LastName
- SalesYTD
- SalesLastYear

Add Calculated Field... Query... Delete Dataset Properties

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect 100%

Dataset Properties

X

Query

Fields

Options

Filters

Parameters

Change query and calculated fields.

Add Delete

Field Name	Field Source
FirstName	FirstName
LastName	LastName
SalesYTD	SalesYTD
SalesLastYear	SalesLastYear

Help

OK

Cancel

Expression

X

Set expression for: Value

```
=Fields!FirstName.Value + " " + Fields!LastName.Value
```

Category:

- Constants
- Built-in Fields
- Parameters
- Fields (SalesBySalesPerson)
- Datasets
- Variables
- + Operators
- + Common Functions

Item:

<All>

Values:

- FirstName
- Last**Name**
- SalesYTD
- SalesLastYear

Help

OK

Cancel

Dataset Properties

X

Query

Fields

Options

Filters

Parameters

Change query and calculated fields.

Add Delete

Field Name	Field Source
FirstName	FirstName
LastName	LastName
SalesYTD	SalesYTD
SalesLastYear	SalesLastYear
Name	«Expr»

Help

OK

Cancel

Home Insert View

Report Parts
Parts

Table Matrix List Chart Gauge Map Data Bar Sparkline Indicator Text Box Image Line Rectangle Subreport Header Footer

Table Wizard... Insert Table

New Edit... The wizard guides you through adding a table to the report.

Built-in Fields
Parameters
Images
Data Sources AW
Datasets
SalesBySalesPerson
FirstName
LastName
SalesYTD
SalesLastYear
Name

Click to add title

[&ExecutionTime]

Row Groups Column Groups

Current report server http://142.55.49.96/reportserver Disconnect 100%

This screenshot shows the Microsoft SQL Server Report Builder interface. The top menu bar includes Home, Insert, and View. The Insert tab is selected, showing various report items like Table, Matrix, List, Chart, Gauge, Map, Data Bar, Sparkline, Indicator, Text Box, Image, Line, Rectangle, Subreport, Header, and Footer. A sub-menu for 'Table' is open, showing 'Table Wizard...' and 'Insert Table'. A tooltip for 'Table Wizard...' says 'The wizard guides you through adding a table to the report.' On the left, there's a navigation pane with sections for Built-in Fields, Parameters, Images, Data Sources (containing 'AW'), and Datasets (with 'SalesBySalesPerson' expanded, showing fields FirstName, LastName, SalesYTD, SalesLastYear, and Name). The main workspace has a placeholder 'Click to add title' and a text box containing '[&ExecutionTime]'. At the bottom, there are Row Groups and Column Groups sections, and a status bar at the bottom right shows the current report server and a zoom level of 100%.

New Table or Matrix



Choose a dataset

Choose a dataset

- Choose an existing dataset in this report or a shared dataset



SalesBySalesPerson

(in this Report) FirstName, LastName, SalesYTD, SalesLastYear, Name

[Browse...](#)

- Create a dataset

[Help](#)

[< Back](#)

[Next >](#)

[Cancel](#)

New Table or Matrix



Arrange fields

Arrange fields to group data in rows, columns, or both, and choose values to display. Data expands across the page in column groups and down the page in row groups. Use functions such as Sum, Avg, and Count on the fields in the Values box.

Available fields

FirstName
LastName
SalesYTD
SalesLastYear
Name

Column groups

Row groups

Values

Name	▼
SalesLastYear	▼
SalesYTD	▼

Help

< Back

Next >

Cancel

New Table or Matrix



Choose the layout

If you choose to show subtotals and grand totals, you can place them above or below the group. Stepped reports show hierarchical structure with indented groups in the same column.

Options:

Show subtotals and grand totals

Blocked, subtotal below

Blocked, subtotal above

Stepped, subtotal above

Expand/collapse groups

Preview

Name	Sales Last	Sales YTD
[Name]	[SalesLastYear]	[SalesYTD]

Help

< Back

Next >

Cancel

New Table or Matrix



Choose a style

Styles feature different fonts and color schemes, but do not affect the basic layout. You can customize the style after you finish the wizard.

Styles:

- Corporate
- Forest
- Generic
- Mahogany
- Ocean
- Slate

Preview

Name	Sales Last	Sales YTD
[Name]	[SalesLastYear]	[SalesYTD]

[Help](#)[< Back](#)[Finish >>](#)[Cancel](#)

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data New Edit... X

Built-in Fields Parameters Images

Data Sources AW

Datasets SalesBySalesPerson FirstName LastName SalesYTD SalesLastYear Name

Click to add title

Name	Sales Last Year	Sales YTD
[Name]	[SalesLastYear]	[SalesYTD]

[&ExecutionTime]

Row Groups Column Groups

= (Details)

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

The screenshot shows the Microsoft SQL Server Report Builder interface. The top menu bar includes Home, Insert, View, and various toolbars for font, paragraph, border, number, and layout. On the left, a navigation pane lists Built-in Fields, Parameters, Images, Data Sources (with one entry 'AW'), and Datasets (with one entry 'SalesBySalesPerson' containing fields FirstName, LastName, SalesYTD, SalesLastYear, and Name). The main workspace contains a table with three columns: 'Name', 'Sales Last Year', and 'Sales YTD'. Each cell contains a placeholder expression like '[Name]'. Below the table is a placeholder for execution time '[&ExecutionTime]'. At the bottom, there are sections for Row Groups and Column Groups, with '(Details)' selected. The status bar at the bottom shows the current report server URL and a disconnect link.

Save As Report

X

Look in:

http://142.55.49.96/reportserver/Amandeep S. Patti



Recent Sites
and Servers



Desktop



My
Documents



My
Computer

- Customer Contact List
- Customer Contact List - With Sorting
- Customers By Region
- OrderAmount
- Product Categories
- Products Count By Category and Color
- Products Filtered by Category ID
- Products Filtered by Category Name
- Products Grouped by Category ID
- Products Grouped by Category Name
- Sales By Sales Person
- Sales By Sales Person - With Average
- Sales By SalesPerson
- Sales By SalesPerson LastYear vs YTD

Name:

SalesPerson Performance Comparision

Save

Items of type:

Reports (*.rdl)

Cancel

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data

New Edit... X

Built-in Fields
Parameters
Images
Data Sources
Datasets

SalesPerson Performance Comparision

Name	Sales Last Year	Sales YTD
[Name]	[SalesLastYear]	[SalesYTD]

[&ExecutionTime]

Row Groups: = (Details)

Column Groups:

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

Home Insert View

Run Paste Views Clipboard Font Paragraph Border Number Layout

Run (F5)
Run the report to see the rendered report.

TVCW LCTC...

+ Built-in Fields
+ Parameters
+ Images
+ Data Sources
+ Datasets

SalesPerson Performance Comparision

Name	Sales Last Year	Sales YTD
[Name]	[SalesLastYear]	[SalesYTD]


[&ExecutionTime]

Row Groups: = (Details)

Column Groups:

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%



SalesPerson Performance Comparision

Name	Sales Last Year	Sales YTD
Stephen Jiang	0.0000	559697.5639
Michael Blythe	1750406.4785	3763178.1787
Linda Mitchell	1439156.0291	4251368.5497
Jillian Carson	1997186.2037	3189418.3662
Garrett Vargas	1620276.8966	1453719.4653
Tsvi Reiter	1849640.9418	2315185.6110
Pamela Ansman-Wolfe	1927059.1780	1352577.1325
Shu Ito	2073505.9999	2458535.6169
José Saraiva	2038234.6549	2604540.7172
David Campbell	1371635.3158	1573012.9383
Tete Mensa-Annan	0.0000	1576562.1966
Syed Abbas	0.0000	172524.4512
Lynn Tsoflias	2278548.9776	1421810.9242
Amy Alberts	0.0000	519905.9320
Rachel Valdez	1307949.7917	1827066.7118
Jae Pak	1635823.3967	4116871.2277
Ranjit Varkey Chudukatil	2396539.7601	3121616.3202

Run

Design Zoom First Previous 1 of 1 Next Last Refresh Stop Back

Views Zoom Navigation

Print Page Setup Print Layout Export Document Map Parameters Options Find

Design (F8)
Use Design view to format the report.

Performance Comparison

Name	Sales Last Year	Sales YTD
Stephen Jiang	0.0000	559697.5639
Michael Blythe	1750406.4785	3763178.1787
Linda Mitchell	1439156.0291	4251368.5497
Jillian Carson	1997186.2037	3189418.3662
Garrett Vargas	1620276.8966	1453719.4653
Tsvi Reiter	1849640.9418	2315185.6110
Pamela Ansman-Wolfe	1927059.1780	1352577.1325
Shu Ito	2073505.9999	2458535.6169
José Saraiva	2038234.6549	2604540.7172
David Campbell	1371635.3158	1573012.9383
Tete Mensa-Annan	0.0000	1576562.1966
Syed Abbas	0.0000	172524.4512
Lynn Tsoflias	2278548.9776	1421810.9242
Amy Alberts	0.0000	519905.9320
Rachel Valdez	1307949.7917	1827066.7118
Jae Pak	1635823.3967	4116871.2277
Ranjit Varkey Chudukatil	2396539.7601	3121616.3202

Current report server <http://142.55.49.96/reportserver> 100%

SalesPerson Performance Comparision

Name	Sales Last Year
[Name]	[SalesLastYear]

[&ExecutionTime]

Report Data

New Edit... ×

Built-in Fields

- Parameters
- Images

Data Sources

Datasets

Insert Column

- Left
- Right

Tablix Properties...

Row Groups

= (Details)

Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

SalesPerson Performance Comparision

Name	Sales Last Year	Header	Sales YTD
[Name]	[SalesLastYear]	Data	[SalesYTD]

[&ExecutionTime]

Report Data

New Edit... X

Built-in Fields

- Parameters
- Images

Data Sources

Datasets

Insert Column >

Delete Columns

Column Visibility...

Tablix Properties...

Left

Right

Row Groups

= (Details)

Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

SalesPerson Performance Comparision

Report Data

New Edit... X

Built-in Fields

- Parameters
- Images

Data Sources

Datasets

Report Items

Data Visualizations

Report Data

Data Bar

Add a data bar to the report.
A data bar is a small bar chart commonly used in tables.

Name	Sales Last Year	Header	Sales YTD
[Name]	[SalesLastYear]	Data	[SalesYTD]

[&ExecutionTime]

Row Groups

= (Details)

Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%


Select Data Bar Type

X


Data Bar

Data Column

Data Bar



Data Column



OK

Cancel

SalesPerson Performance Comparision

Report Data

New Edit... X

Built-in Fields

- Parameters
- Images

Data Sources

Datasets

Report Data

Data Bar

Add a data bar to the report.
A data bar is a small bar chart commonly used in tables.

Name	Sales Last Year	Header	Sales YTD
[Name]	[SalesLastYear]	<div style="width: 50%;"> </div>	[SalesYTD]

[&ExecutionTime]

Row Groups

= (Details)

Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

Select Data Bar Type



Data Bar

Data Column

Data Bar



Data Column



OK

Cancel

Home Insert View

Run Paste Views Clipboard Font Paragraph Border Number Layout

Run (F5)
Run the report to see the rendered report.

TVCW LCTC...

+ Built-in Fields
+ Parameters
+ Images
+ Data Sources
+ Datasets

SalesPerson Performance Comparision

Name	Sales Last Year	Header	Sales YTD
[Name]	[SalesLastYear]		[SalesYTD]


[&ExecutionTime]

Row Groups: = (Details)

Column Groups:

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%



SalesPerson Performance Comparision

Name	Sales Last Year	Sales YTD
Stephen Jiang	0.0000	559697.5639
Michael Blythe	1750406.4785	3763178.1787
Linda Mitchell	1439156.0291	4251368.5497
Jillian Carson	1997186.2037	3189418.3662
Garrett Vargas	1620276.8966	1453719.4653
Tsvi Reiter	1849640.9418	2315185.6110
Pamela Ansman-Wolfe	1927059.1780	1352577.1325
Shu Ito	2073505.9999	2458535.6169
José Saraiva	2038234.6549	2604540.7172
David Campbell	1371635.3158	1573012.9383
Tete Mensa-Annan	0.0000	1576562.1966
Syed Abbas	0.0000	172524.4512
Lynn Tsoflias	2278548.9776	1421810.9242
Amy Alberts	0.0000	519905.9320
Rachel Valdez	1307949.7917	1827066.7118
Jae Pak	1635823.3967	4116871.2277
Ranjit Varkey Chudukatil	2396539.7601	3121616.3202

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data

New Edit... X

Built-in Fields
Parameters
Images
Data Sources
Datasets

SalesPerson Performance Comparision

Name	Sales Last Year	Header	Sales YTD
[Name]	[SalesLastYear]		

Chart Data

Σ Values

Category Groups

Series Groups

Row Groups: (Details)

Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

Home Insert View

Run Paste Views Clipboard Font Paragraph Border Number Layout

Report Data New Edit... X

Built-in Fields
Parameters
Images
Data Sources
AW
Datasets
SalesBySalesPerson
FirstName
LastName
SalesYTD
SalesLastYear
Name

SalesPerson Performance Comparision

Name	Sales Last Year	Header	Sales YTD
[Name]	[SalesLastYear]		

Chart Data

Σ Values

SalesLastYear [Sum(SalesLastYear)]

Category Groups

Series Groups

Row Groups

= (Details)

Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

Home Insert View

Run Paste Views Clipboard

Font Paragraph Border Number Layout

Report Data New Edit... X

Built-in Fields
Parameters
Images

Data Sources AW

Datasets

- SalesBySalesPerson
 - FirstName
 - LastName
 - SalesYTD
 - SalesLastYear
 - Name

Person Performance Comparision

	Sales Last Year	Header	Sales YTD
	[SalesLastYear]		[SalesYTD]
			[&ExecutionTime]

Chart Data

Σ Values

Category Groups

Series Groups

Row Groups

(Details)

Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

Home Insert View

Run Paste Views Clipboard Font Paragraph Border Number Layout

Report Data New Edit... X

Built-in Fields
Parameters
Images
Data Sources
AW
Datasets
SalesBySalesPerson
FirstName
LastName
SalesYTD
SalesLastYear
Name

Person Performance Comparision

	Sales Last Year	Header	Sales YTD
	[SalesLastYear]		[SalesYTD]
			[&ExecutionTime]

Chart Data

Σ Values

- SalesYTD [Sum(SalesYTD)]

Category Groups

Series Groups

Row Groups

(Details)

Column Groups

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%

SalesPerson Performance Comparision

Name	Sales Last Year	Sales YTD
[Name]	[SalesLastYear]	[SalesYTD]

Report Data

New Edit... X

Built-in Fields

- Parameters
- Images

Data Sources

- AW

Datasets

- SalesBySalesPerson
 - FirstName
 - LastName
 - SalesYTD
 - SalesLastYear
 - Name

Text Box

- Cut
- Copy
- Paste
- Delete
- Select
- Expression...
- Text Box Properties...

Tablix

- Insert Column
- Insert Row
- Delete Columns
- Delete Rows
- Merge Cells
- Add Total
- Insert

Row Groups

(Details)

Current report server http://142.55.49.96/reportserver Disconnect 100%

Home Insert View

Run Paste Views Clipboard Tahoma 11 pt Default Merge Split Align Layout

Font Paragraph Border Number Layout

Report Data New Edit... X

Built-in Fields Parameters Images

Data Sources AW

Datasets SalesBySalesPerson FirstName LastName SalesYTD SalesLastYear Name

SalesPerson Performance Comparision

Name	Sales Last Year	Sales YTD
[Name]	[SalesLastYear]	[SalesYTD]

[&ExecutionTime]

Row Groups: (Details)

Column Groups:

Text Box

- Cut
- Copy
- Paste
- Delete
- Select
- Expression...
- Text Box Properties...

Tablix

- Insert Column
- Insert Row
- Delete Columns
- Delete Rows
- Merge Cells
- Add Total
- Insert

Current report server http://142.55.49.96/reportserver [Disconnect](#) 100%

Home Insert View

Run Paste Views Clipboard

Tahoma 10 pt

B I U A A A A

Font Paragraph Border

Default Default Number Currency Date Time Percentage Scientific Custom

Merge Split Align Layout

Report Data

New Edit... < > & &

+ Built-in Fields
Parameters
Images
+ Data Sources
+ Datasets

SalesPerson Performance Comparision

Name	Sales Last Year	Sales YTD
[Name]	[SalesLastYear]	[SalesYTD]

[&ExecutionTime]

Row Groups: = (Details)

Column Groups:

Current report server http://142.55.49.96/reportserver Disconnect 100%

The screenshot shows the Microsoft SQL Server Report Builder interface. The main area displays a report titled "SalesPerson Performance Comparision". The report contains a table with three columns: "Name", "Sales Last Year", and "Sales YTD". The "Name" column contains the expression "[Name]". The "Sales Last Year" column contains the expression "[SalesLastYear]". The "Sales YTD" column contains the expression "[SalesYTD]". Below the table is a text box containing the expression "[&ExecutionTime]". At the bottom left, the "Row Groups" pane shows a single group named "= (Details)". At the bottom right, the "Column Groups" pane is empty. The top ribbon has tabs for Home, Insert, and View. The font toolbar shows Tahoma, 10 pt, and various bold, italic, underline, and font style buttons. The paragraph toolbar includes buttons for alignment, spacing, and borders. A context menu is open over the table, showing options like Default, Number, Currency, Date, Time, Percentage, Scientific, and Custom. The status bar at the bottom indicates the current report server is http://142.55.49.96/reportserver and shows a disconnect link. The zoom level is set to 100%.

Home Insert View

Run Paste Views Clipboard

Tahoma 10 pt

B I U A A A A

Font Paragraph Border

Default Default Number Currency Date Time Percentage Scientific Custom

Merge Split Align Layout

Report Data x

New Edit... x

+ Built-in Fields

+ Parameters

+ Images

+ Data Sources

+ Datasets

SalesPerson Performance Comparision

Name	Sales Last Year	Sales YTD
[Name]	[SalesLastYear]	[SalesYTD]

[&ExecutionTime]

Row Groups: = (Details)

Column Groups:

Current report server http://142.55.49.96/reportserver Disconnect 100%

Home Insert View

Run Paste Views Clipboard Font Paragraph Border Number Layout

Run (F5)
Run the report to see the rendered report.

Built-in Fields
Parameters
Images
Data Sources
Datasets

SalesPerson Performance Comparision

Name	Sales Last Year	Sales YTD
[Name]	[SalesLastYear]	[SalesYTD]


[&ExecutionTime]

Row Groups: (Details)

Column Groups:

Current report server http://142.55.49.96/reportserver [Disconnect](#)

100%



SalesPerson Performance Comparision

Name	Sales Last Year	Sales YTD
Stephen Jiang	\$0.00	\$559,697.56
Michael Blythe	\$1,750,406.48	\$3,763,178.18
Linda Mitchell	\$1,439,156.03	\$4,251,368.55
Jillian Carson	\$1,997,186.20	\$3,189,418.37
Garrett Vargas	\$1,620,276.90	\$1,453,719.47
Tsvi Reiter	\$1,849,640.94	\$2,315,185.61
Pamela Ansman-Wolfe	\$1,927,059.18	\$1,352,577.13
Shu Ito	\$2,073,506.00	\$2,458,535.62
José Saraiva	\$2,038,234.65	\$2,604,540.72
David Campbell	\$1,371,635.32	\$1,573,012.94
Tete Mensa-Annan	\$0.00	\$1,576,562.20
Syed Abbas	\$0.00	\$172,524.45
Lynn Tsoflias	\$2,278,548.98	\$1,421,810.92
Amy Alberts	\$0.00	\$519,905.93
Rachel Valdez	\$1,307,949.79	\$1,827,066.71
Jae Pak	\$1,635,823.40	\$4,116,871.23
Ranjit Varkey Chudukatil	\$2,396,539.76	\$3,121,616.32