

YES 45 TU Center Set Storefront System

Estimation Module Reference Document

1. Profile Part Number Mapping (Center Set vs Front Set)

Component	Front Set PN	Center Set PN	Notes
Jamb	BE9-2513	BE9-2551	Separate from sill in center set
Head	BE9-2514	BE9-2553	Head/Mullion/Jamb profile
Horizontal	BE9-2515	BE9-2556	Screw spline assembly
Sill	BE9-2513 (shared)	BE9-2579	Own part number in center set
Int Vertical	BE9-2511	BE9-2555	One piece mullion
Pocket Filler	E9-2512	BE9-2552	Slotted pocket filler
Glass Stop	E9-2519	E9-1015	Different profile
Sill Flashing	BE9-2578	BE9-2578	SAME

2. Accessory Part Number Mapping

Component	Front Set PN	Center Set PN	Formula
End Dam	E1-0199	E1-0199 (same)	$2 \times \text{total_count}$
Water Deflector	E2-0047	E2-0047 (same)	$2 \times \text{bays_wide} \times \text{total_count}$
Assembly Screw	PC-1220	PC-1216	$(\text{bw} \times 8 + (\text{bt}-1) \times 6 \times \text{bw}) \times \text{tc}$
Sill Flash Screw	PM-1006-SS	PM-1008-SS	$3 \times \text{bays_wide} \times \text{total_count}$
End Dam Screw	UA-1212	UA-1212 (same)	$4 \times \text{total_count}$
Setting Block Chair	E1-2530	E1-2530 (same)	$2 \times \text{bays_wide} \times \text{total_count}$
Side Block	E2-0166	E2-0153	$(\text{bw}-1) \times \text{bt} \times \text{total_count}$
Setting Block (sill)	E2-0177	E2-0177 (same)	$2 \times \text{bays_wide} \times \text{total_count}$
Anti-Walk (deep)	E2-0545	E2-0545 (same)	$2 \times \text{bays_tall} \times \text{total_count}$
Anti-Walk (shallow)	E2-0154	E2-0153	$(\text{bw}-1) \times \text{bt} \times \text{total_count}$
Setting Block Int H	E2-0611	E2-0020	$2 \times \text{bays_wide} \times \text{total_count}$
Glazing Gasket	E2-0052	E2-0052 (same)	Perimeter-based

3. New Components (Center Set Only)

Component	Part Number	Formula	Notes
Shear Block (Sill/Horiz)	E1-1058	$2 \times \text{bw} \times \text{bt} \times \text{tc}$	At each end of sill and horizontal
Shear Block (Head)	E1-1059	$2 \times \text{bw} \times \text{tc}$	At each end of head members
Shear Block Screw	PC-1028	$2 \times \text{E1-1058 count}$	2 per sill/horiz shear block
Head-to-Shear Screw	FC-1212	$= \text{E1-1059 count}$	1 per head shear block

Horiz-to-Shear Screw	PC-1210	= E1-1058 count	1 per sill/horiz shear block
----------------------	---------	-----------------	------------------------------

4. DLO and Glass Calculations (Same as Front Set)

Edge deduction: -3 inches | Interior deduction: -2 inches | Sill: -7/16 inch | Glass make: DLO + 3/4 inch

5. Test Output (3W x 3T, 120in x 108in, count=1)

Component	Part Number	Calculated Qty
End Dam	E1-0199	2
Water Deflector	E2-0047	6
Assembly Screw	PC-1216	60
Sill Flash Screw	PM-1008-SS	9
End Dam Screw	UA-1212	4
Shear Block (Sill/Horiz)	E1-1058	18
Shear Block (Head)	E1-1059	6
Jamb (2 pcs)	BE9-2551	9.0 ft each
Sill (3 pcs)	BE9-2579	3.33 ft each
Head (3 pcs)	BE9-2553	3.33 ft each
Int Vertical (2 pcs)	BE9-2555	9.0 ft each
Glass Stop (9 pcs)	E9-1015	3.33 ft each
Glass Area	N/A	80.78 sqft
Fabrication Joints	N/A	24 joints

Module: systems/yes45tu_center_set.py
 Function: calculate_yes45tu_center_set_quantities()