

Module 1 Build Brief — Anthrop HRMS

This file is the instruction set. Read it fully before doing anything.

PART A — For the human. Claude Code cannot do these.

Do these once, then hand over. About 90 minutes.

- 1. GitHub repository** Create a **private** repository named `anthrop-hrms`. Private is not optional — this will reference real staff and candidate data.
- 2. Supabase project** `supabase.com` → New project → name `anthrop-hrms` → region **London** (closest available to Nigeria). Save three things immediately: the **database password** (you cannot see it again), the **Project URL**, and the **anon public key** (Project Settings → API). The `service_role` key on that page must never enter the code. It bypasses every security rule.
- 3. Cloudflare account** Sign up at `cloudflare.com`. Nothing to configure yet.
- 4. Tools** Install Node.js (LTS) and Git. Check both: `node --version` and `git --version`.
- 5. Clone and open**

```
git clone https://github.com/YOUR-USERNAME/anthrop-hrms.git
cd anthrop-hrms
```

Put this file in the folder. Open Claude Code there and say:

Read MODULE-1-BUILD-BRIEF.md and begin at Task 1.

Your job from here: answer at the four 🚫 gates. Nothing else.

PART B — For Claude Code

How to work

- Work through the tasks in order. Do not skip ahead or combine them.
-  **marks a gate.** Stop, present what you built, state plainly what you want checked, and wait for a reply. Do not continue past a gate on your own.
- Commit after every completed task with a clear message.
- Ask before installing any library not named in this brief.
- Explain what you are about to do before doing it.
- If something in this brief is ambiguous, ask rather than choosing.

What is being built

An HR management system for **Anthrop Management Limited**, an HR consulting firm in Lagos, Nigeria. Recruitment (ATS), attendance rules, leave, and payroll come in later modules. Module 1 is the foundation plus employee records plus basic clocking.

Module 1 contains exactly this and nothing more:

- A public landing page
- Staff login and password reset
- Users and roles: Owner, HR, Manager, Staff
- Departments and job titles
- Employee records, profiles, and documents
- Basic clock in / clock out
- An audit log

Not in Module 1: recruitment, CVs, work schedules, lateness rules, overtime, leave, payroll, performance reviews, timesheets. Do not add them, do not scaffold them, do not leave placeholders for them beyond the sidebar.

Stack

React + Vite + TypeScript + Tailwind CSS + shadcn/ui, talking directly to Supabase (database, authentication, file storage). Deployed on Cloudflare Pages. **No separate backend server in this module** — one gets added in Module 2 for CV parsing and document generation.

Rules that must never be broken

1. Every table holding organisation data has a `tenant_id` column.
 2. Every such table has row-level security enabled, restricting rows to the user's own tenant.
 3. Every create, update, and delete writes to the audit log.
 4. **Never invent a value.** Missing data is stored as null and displayed as "Not stated" — never a plausible guess.
 5. Never edit a migration file that has already been run. New change, new numbered file.
 6. The `service_role` key never appears in frontend code.
 7. Personal data is never written to the console.
 8. **All timestamps are set by the database server.** Never accept a time sent by the browser — a device clock can be changed in seconds.
 9. Mobile first. Most of this team works from phones.
-

References

Brand authority — <https://anthropmanagement.com/> This is the client's live website and the sole authority on brand, tone, and company details. Read it.

What matters from it:

- Positioning: *"Nigeria's Trusted HR Consulting Firm Driving Measurable Performance Across Organisations."*
- Clients include corporate organisations, **government institutions, and legislative bodies**. This is an institutional audience.
- Values: Partnership · Integrity · Performance Focus · Continuous Improvement · Professional Excellence
- Their own tone: *"We do not measure success by activity. We measure it by performance."*
- Footer details: 27 Acme Road, Agidingbi, Ikeja, Lagos, Nigeria · info@anthropmanagement.com · +234 803 371 3519 · +234 812 330 3836 · WhatsApp +234 813 234 2552

Layout reference — <https://behance.net/gallery/199650537/HRMS-Employee-Dashboard-Sass-landing-page> The “HRConnex” concept. Reference for **structure only**. It is a picture, not code — do not attempt to copy it pixel for pixel, and do not reproduce its illustrations or assets.

Take from it	Reject from it
Clock-in as a card on the home screen	The 3D cartoon character — replace with the Anthrop logo on a solid brand panel
Stat cards in a row: icon, label, number	“Hi, there!” → use “Sign in to Anthrop HR”
Clean white cards on a light grey page	Playful lilac pastels → use Anthrop’s own palette
Generous spacing, clear hierarchy	Nine horizontal tabs → use a left sidebar that can grow to fifteen items
The team table layout for the employee list	The Sign up link and Google sign-in → remove both entirely
	The timesheet card → not in scope

The governing tone note: HRConnex is playful. Anthrop advises ministries and corporate boards. Keep the structure, drop the whimsy. The test for any screen: *would this look right on a laptop in a meeting with a government client?* If it looks like a consumer app, pull it back. No mascots, no illustrations, no gradients, plain line icons, modest corner radius.

Task 1 — Repository scaffolding

Create:

```
CLAUDE.md
docs/decisions.md
docs/modules/01-hr-core.md
frontend/
database/migrations/
.gitignore          (excludes node_modules, .env, .env.local, dist)
```

CLAUDE.md holds the stack and the nine rules above, so future sessions inherit them.

docs/modules/01-hr-core.md holds the Definition of Done from the end of this brief.

Do not install anything or write application code yet. Commit.

Task 2 — Extract the brand palette 🛑

Fetch <https://anthropmanagement.com/> and its main stylesheet. Also fetch the logo at <https://anthropmanagement.com/wp-content/uploads/2026/02/anthrop-logo-1.jpg>

Identify: primary brand colour, accent colour, heading text colour, body text colour, page background grey, and the dominant colours in the logo.

Present them as a table of hex codes, and state which foreground/background pairs pass WCAG AA contrast for body text. Propose a final palette of six colours.

For typography, use the website’s typeface if it is a common web font; otherwise **Inter** — free, excellent in dense tables, readable on phones.

🛑 **GATE 1.** Show the palette and typeface and wait for approval. If the fetch fails, say so and ask the human to read the values off the site with browser inspect rather than guessing.

Once approved, write the palette into `docs/decisions.md` as fixed values. It is never decided again.

Task 3 — Database schema 🛑

Write **only** the schema, as one numbered migration in `database/migrations/`. No application code.

Tables:

Table	Holds
<code>tenants</code>	The organisation
<code>profiles</code>	Linked to Supabase auth users; carries <code>tenant_id</code> and role
<code>departments</code>	Name, head, active flag
<code>job_titles</code>	Title, level, active flag
<code>people</code>	A human being. Names, normalised name tokens, email, phone in international format, date of birth, address

<code>employments</code>	Links a person to a tenant, job title, department, manager, with start date, end date, status
<code>documents</code>	Metadata only. Files live in Supabase Storage
<code>emergency_contacts</code>	Name, relationship, phone
<code>attendance_records</code>	One row per clock-in/clock-out pair, with the source of each timestamp, and correction fields recording who changed it, when, why, and the original value
<code>audit_log</code>	Actor, action, table, record id, before, after, timestamp

people must be separate from employments . A person is a human being; an employment is a job they hold. This is what lets a candidate become an employee in a later module without anything being re-typed, and what lets a former employee be recognised if they reapply.

Enable row-level security on every table with `tenant_id` , with policies for the four roles:

- **Owner** — everything, including the audit log
- **HR** — everything except the audit log and role assignment
- **Manager** — only their own department's employees and attendance
- **Staff** — only their own record and their own attendance

Timestamps default to the database server's time.

 **GATE 2.** Present the schema and explain, in plain language, what each security policy allows and blocks. Wait for approval before the human runs it.

Task 4 — Prove the security works

After the human has run the migration, create two test tenants with sample rows in each. Then write SQL test queries proving a user in tenant A cannot read any row belonging to tenant B, for **every** table. Explain how to run them in the Supabase SQL editor as a specific user.

 **GATE 3.** Present the results. If any query returns another tenant's data, stop and fix it — no screens get built until this holds. Everything in the system rests on this line.

Task 5 — Shell, landing page, login 🚫

Set up React + Vite + TypeScript + Tailwind in `frontend/`. Install and configure shadcn/ui. Connect to Supabase using environment variables read from `.env.local`. Never hard-code keys, and never hard-code the site address — it goes in an environment variable, because the domain changes later.

Put the approved palette, typeface, and spacing scale in **one theme file** every screen reads from.

Build only:

1. The public landing page.

[Anthrop logo]

Staff login →

Nigeria's Trusted HR Consulting Firm

Anthrop Management Limited supports organisations across Nigeria with recruitment, executive training, and performance consulting.

[View open roles]

[Submit your CV]

Open roles

Current vacancies we are recruiting for.

[View roles]

Submit your CV

Not seeing the right role? Send your CV and we will match it to future openings.

[Submit CV]

Working with us

Already an Anthrop client? Sign in to follow your vacancy.

[Client login]

Anthrop Management Limited

27 Acme Road, Agidingbi, Ikeja, Lagos

info@anthropmanagement.com · +234 803 371 3519

Privacy Policy · Terms · anthropmanagement.com

“View open roles”, “Submit your CV”, and “Client login” are **visible but disabled**, labelled *Opening soon* — those modules don’t exist yet. The privacy and terms links point at the existing pages on anthropmanagement.com. Only “Staff login” works.

2. The login page. Titled “Sign in to Anthrop HR”. The same error message whether the

email is unknown or the password is wrong — never reveal which, or you have built a free tool for checking who works at Anthrop. **No sign-up link and no Google sign-in**: staff accounts are created by an admin and the person is invited. Password reset by email.

3. The logged-in layout. A **left sidebar**, not horizontal tabs. Empty placeholder pages behind each item.

4. A route guard sending logged-out users to the login page.

 **GATE 4.** Show the landing page and login, on desktop and phone widths, before building anything else. This is where the visual direction gets corrected cheaply.

Task 6 — Departments and job titles

List, add, edit, deactivate, for both. Every change writes to the audit log. Small and simple — it proves the create/read/update pattern before it gets used on anything complicated. Commit.

Task 7 — Employee list

Name, job title, department, status. Searchable by name, filterable by department. Enforce the role rules: a Manager sees only their own department, Staff sees only themselves. Table layout following the reference. Must be usable on a phone — decide deliberately what happens to the columns at narrow widths. Commit.

Task 8 — Employee profile

Personal details, employment history, emergency contact. Read-only for now. Missing values display as “Not stated”. Commit.

Task 9 — Add and edit employee

Forms for both. **Phone numbers are normalised on save** — accept `08031234567` and store `+2348031234567`, so the same person is never two records later. Names are stored with normalised tokens (case-folded, punctuation stripped, sorted) for matching in later modules. Every change writes to the audit log. Commit.

Task 10 — Documents

Upload to the employee profile using Supabase Storage. Randomised filenames, no public

URLs, download only through an authenticated signed link that expires. Log every upload and every download. Commit.

Task 11 — Clocking

Build **only** this:

- A clock-in / clock-out control on the home screen showing the person's current status
- "My attendance" — the logged-in employee's own history, most recent first
- "Who is in today" — HR sees everyone, a Manager sees only their own department
- HR can correct a record but **must enter a reason**, and the original value stays visible beside the correction

All timestamps come from the database server. **Do not build schedules, lateness rules, grace periods, overtime, absence rules, or location checking** — every one of those is a policy decision Anthrop has not yet made, and building the rules before the answers exist means building them twice.

This is the screen the team will use most, every morning. It must work with one thumb. Commit.

Task 12 — Audit log viewer

Owner only. Who, what, which record, when. Filterable by user and by date. Commit.

Task 13 — Deployment preparation

Confirm the production build succeeds. Write `docs/deployment.md` listing every environment variable needed and the exact Cloudflare Pages settings: framework preset Vite, build command `npm run build`, output directory `dist`, root directory `frontend`.

The human deploys. Note for them: use the free `.pages.dev` address for now; the custom domain comes before Module 2 goes public.

Task 14 — Keep-alive and backup

Two GitHub Actions workflows:

1. **Keep-alive** — runs every two days, makes a simple query against Supabase so the free project never pauses after 7 days of inactivity.

2. **Nightly backup** — exports the database and stores it as a build artifact, since the free plan has no backups.

Then write `docs/restore-test.md` : the exact steps to load a backup into a fresh throwaway Supabase project and verify the data is really there. **A backup nobody has restored is a file, not a backup** — the human should run this once in the first month, not on the day it matters.

Definition of done

Module 1 is finished when a person can, **on the deployed site, from a phone**:

1. Open the address and reach a landing page explaining what this is, with a clear way in for staff
 2. Log in, and be refused when logged out
 3. Create a department and a job title
 4. Add an employee with all their details
 5. Upload a document to an employee and download it back
 6. Clock in, clock out, and see both in their own history
 7. See who is currently clocked in, as HR
 8. Correct an attendance record with a reason, and still see the original value
 9. Log in as a Manager and see only their own department
 10. Log in as Staff and see only themselves and their own attendance
 11. Open the audit log as Owner and find every action above recorded
 12. Have someone other than the builder add three real employees unaided
-

Open questions for the human — raise these, do not decide them

1. **The website already collects CVs.** anthropmanagement.com has a `/jobs/` page and a `/submit-cv/` page, and its FAQ promises candidates their CV will be reviewed and matched to future openings. That is the same promise this system is being built to keep. If both keep

running, applications arrive in two places, the candidate database is silently incomplete, and the returning-applicant check in Module 2 misses people. **Recommended:** WordPress `/jobs/` links to the portal, `/submit-cv/` redirects to it, WordPress stays the marketing site. Needs Anthrop’s agreement, so raise it now — it blocks Module 2, not Module 1.

2. Anthrop’s published Privacy Policy will need a paragraph on AI-assisted screening before real CVs go through the system.

3. Before the full attendance module can be built, Anthrop must answer: standard working hours and grace period? Clock in from anywhere or office only? What happens when someone forgets to clock out? Who may correct a record, and does the original stay visible? Is overtime tracked and is it paid or taken as time off? Same rules for field and office staff? Ask these during Module 1 so Module 3 is a clean build.

4. Subdomain when the switch happens: `hr.anthropmanagement.com` or `portal.anthropmanagement.com`.

Timeline

Part	Time
A — Accounts and tools (human)	Half a day
Tasks 1–4 — scaffolding, palette, schema, security	2 days
Task 5 — shell, landing, login	2 days
Tasks 6–12 — the screens	1.5 weeks
Tasks 13–14 — deploy and backups	1 day
Module 1 total	3–4 weeks

Next: Module 2 — candidate database, CV intake, and returning-applicant detection. That is where a Node backend gets added and the system starts saving real hours.