# Standards and Indicators Guide

March 2007

#### Introduction

This Guide lists the standards and indicators used within the Health Information System (HIS). It is designed as a reference tool, to help interpret indicators presented in HIS reports and to improve decision-making based on this information.

Indicators are referenced according to each section of the HIS. This numbering is consistent throughout the HIS toolkit and helps to identify the data collection tools, reporting forms and guidelines that are relevant to each indicator.

Corresponding standards are presented where available. These should be modified according to regional or country-specific data. For indicators that have no reference standard, estimates should be derived from previous health reports.

HIS S	Section:	No. of indicators:	No. of standards:
1.0	Population	5	4
2.0	Mortality	7	5
3.0	Morbidity	11	4
4.0	IPD and Referral	7	1
5.0	Laboratory	6	0
6.0	Disease Control	0	0
7.0	EPI	4	3
8.0	Nutrition	20	11
9.0	Reproductive Health	30	11
10.0	HIV/AIDS	19	1
	Total *	109	40

\* does not include full disaggregation of indicators (e.g. into cause-specific incidence rates; antigen-specific coverage rates)

#### **Table of Contents**

<u>1.0</u>	POPULATION	7
1.0	Population	8
	1. TOTAL POPULATION	8
	2. INFANTS UNDER ONE	8
	3. CHILDREN UNDER FIVE	
	4. FEMALE 15-49 YEARS OF AGE	
	5. Pregnant and Lactating women	8
<u>2.0</u>	MORTALITY	9
2.1	Mortality by Age	10
	1. CRUDE MORTALITY RATE (CMR)	
	2. UNDER 5 MORTALITY RATE (U5MR)	
	3. INFANT MORTALITY RATE (IMR)	
	4. NEONATAL MORTALITY RATE (NNMR)	
0.0		
2.2	MORTALITY BY CAUSE	11
	MATERNAL MORTALITY RATIO (MMR)  2. PROPORTIONAL MORTALITY RATE	
	2. PROPORTIONAL MORTALITY HATE	11
3.0	MORBIDITY	12
3.1	CONSULTATION	13
	1. HEALTH FACILITY UTILIZATION RATE	13
	2. CONSULTATIONS PER CLINICIAN PER DAY	
	3. PROPORTIONAL SERVICE USE BY NATIONALS	13
3.2	MORBIDITY	14
	1. INCIDENCE RATE	14
	2. PROPORTIONAL MORBIDITY RATE	14
3.3	OUTBREAK ALERT AND RESPONSE	14
	1. TIMELINESS OF OUTBREAK INVESTIGATION	14
3.4	SEXUALLY TRANSMITTED INFECTION (STI)	15
	1. INCIDENCE OF MALE URETHRAL DISCHARGE	15
	2. INCIDENCE OF GENITAL ULCER DISEASE	_
	3. PROPORTION OF STI AMONG UNDER 18s	
	4. PROPORTION OF STI AMONG NATIONALS	
	5. PARTNER TRACING	15
<u>4.0</u>	INPATIENT DEPARTMENT AND REFERRAL	16
4.1	INPATIENT DEPARTMENT ACTIVITIES	17
	1. Proportional of U5 deaths within 24 hours	17
	2. AVERAGE LENGTH OF STAY	
	3. BED OCCUPANCY RATE	
	4. HOSPITALISATION RATE	
	A LIDUCUDIUMAL OEDVIUE USE DY INATIUMALS	1/

4.2	INPATIENT DEPARTMENT ADMISSIONS AND DEATHS	18
	1. Proportional Mortality Rate	18
4.3	Referral	18
	1. Referral Rate	18
<u>5.0</u>	LABORATORY	19
5.1	Malaria	20
	1. Malaria Slide Positivity Rate	20
5.2	Tuberculosis	20
	1. SPUTUM SMEAR POSITIVITY RATE	20
5.3	BLOOD DONATION	20
	1. HIV PREVALENCE RATE (BLOOD DONORS)	20
5.4	RPR TESTING (OPD)	21
	1. SYPHILIS PREVALENCE RATE (OPD)	
	2. SYPHILIS PREVALENCE RATE AMONG NATIONALS (OPD)	
	3. PARTNER TRACING	21
7.0	EXPANDED PROGRAMME ON IMMUNIZATION (EPI)	22
7.1	CHILDREN VACCINATED	23
	1. PROGRAM DROP OUT RATE	
	2. VACCINATION COVERAGE RATE	
7.2		23
	1. VACCINE WASTAGE RATE	
7.3	VITAMIN A DISTRIBUTION	24
	1. POSTNATAL VITAMIN A COVERAGE RATE	
7.5	GROWTH MONITORING	24
	1. COVERAGE OF GROWTH MONITORING (U5)	24
<u>8.0</u>	NUTRITION	25
8.1	SUPPLEMENTARY FEEDING PROGRAM	26
	1. Mean Length of Stay (U5)	
	2. PROPORTIONAL SFP ADMISSIONS DUE TO OTHER	
	PROPORTIONAL SFP ADMISSIONS TO GIRLS U5  4. PROPORTIONAL SFP ADMISSIONS TO NATIONALS	
	5. DEATH RATE (U5)	
	6. DEFAULT RATE (Ú5)	
	7. RECOVERY RATE (U5)	
	8. COVERAGE OF SFP (U5)	
8.2	9. COVERAGE OF SFP (PREGNANT AND LACTATING) THERAPEUTIC FEEDING PROGRAM	
0.2		28
	MEAN LENGTH OF STAY (U5)      AVERAGE WEIGHT GAIN (U5)	
	3. PROPORTIONAL TFP ADMISSIONS DUE TO KWASHIORKOR	
	4. PROPORTIONAL TPF ADMISSIONS DUE TO OTHER	28
	5. PROPORTIONAL TFP ADMISSIONS TO GIRLS U5	28

	6. PROPORTIONAL TFP ADMISSIONS TO NATIONALS	
	7. DEATH RATE (U5)	
	8. DEFAULT RATE (U5)	
	9. RECOVERY RATE (U5)	
	10. COVERAGE OF TFP (US)	29
9.0	REPRODUCTIVE HEALTH	30
9.1	Antenatal Care	31
	1. TIMING OF FIRST ANTENATAL VISIT	
	2. PREVALENCE OF SYPHILIS	
	3. PARTNER TRACING	
	4. ABORTION COMPLICATION RATE	
	5. ABORTION COMPLICATION RATE AMONG U18s	
	ANTENATAL SERVICE USE BY NATIONALS      COVERAGE OF COMPLETE ANTENATAL CARE	
	8. COVERAGE OF TETANUS TOXOID	
	COVERAGE OF TETANUS TOXOID      COVERAGE OF INTERMITTENT PRESUMPTIVE TREATMENT FOR MALARIA	
	10. COVERAGE OF SYPHILIS SCREENING	
	11. Coverage of Deworming	_
	12. COVERAGE OF MOSQUITO NET DISTRIBUTION	
9.2	Delivery Care	34
	1. CRUDE BIRTH RATE	34
	2. PROPORTION OF BIRTHS ATTENDED BY SKILLED HEALTH WORKER	
	3. Proportion of Births among U18s	34
	4. PROPORTION OF DELIVERIES AT HEALTH CENTRE	34
	5. STILLBIRTH RATE	35
	6. PROPORTION OF LOW BIRTH WEIGHT NEWBORNS	35
	7. TIMING OF WEIGHING OF NEWBORNS	35
	8. Proportion of Deliveries to Nationals	35
	9. OBSTETRIC COMPLICATION RATE	
	10. OBSTETRIC COMPLICATION RATE AMONG U18S	35
9.3	Postnatal Care	36
	1. Postnatal Care Coverage Rate	36
9.4	FAMILY PLANNING	36
	1. CONTRACEPTIVE PREVALENCE RATE	
	2. Proportion of Contraception Users U18	
	3. PROPORTION OF CONDOM USERS U18	
	4. PROPORTIONAL DROPOUT RATE AMONG U18	
	5. PROPORTIONAL FAMILY PLANNING SERVICE USE BY NATIONALS	
9.5	SEXUAL AND GENDER-BASED VIOLENCE (SGBV)	37
	1. Rape Incidence Rate	
	2. TIMING OF ECP PROVISION	37
<u>10.0</u>	HIV/AIDS	38
10.1	CONDOM DISTRIBUTION	39
	1. CONDOM COVERAGE RATE	39
10 2	Voluntary Counselling and Testing	39
	4 NOT II	00

	2. HIV Prevalence Rate (VCT)	39
	3. POST TEST COUNSELING AND RESULT	
	4. PROPORTIONAL VCT SERVICE USE BY NATIONALS	39
10.3	PMTCT (ANTENATAL)	40
	1. PMTCT Coverage Rate	40
	2. PMTCT UPTAKE RATE	
	3. HIV PREVALENCE RATE (PMTCT)	40
	4. Post test Counseling and Result	
	5. HIV PREVALENCE RATE (ANC PARTNERS)	40
	6. Post test Counseling and Result (ANC partners)	41
	7. PROPORTIONAL PMTCT SERVICE USE BY NATIONALS	
10.4	PMTCT (LABOUR AND DELIVERY)	41
	1. PROPORTIONAL NEVIRAPINE USE (MOTHER)	41
	2. PROPORTIONAL NEVIRAPINE USE (INFANT)	41
	3. PROPORTIONAL NEVIRAPINE USE (MOTHER-INFANT PAIR)	41
	4. PROPORTION OF HIV POSITIVE DELIVERIES TO NATIONALS	
10.5	PMTCT (POSTNATAL)	42
	1. EXCLUSIVE BREASTFEEDING RATE	42
	2. PROPORTION WHO RECEIVE HOME-BASED COUNSELLING	42
	3. FAMILY PLANNING ACCEPTANCE BATE	42

Standards and Indicators Guide

# 1.0 Population

#### Note

All numerators and denominators refer to one camp over a one month time period.

# 1.0 Population

S/N	Indicator Name	Description	Formula	Unit of Measure	Standard	Remarks
1	1. Total population	Total number of persons	Population figure taken from ProGRES database	Number		Disaggregated by sex
2	2. Infants under one	Number of infants < 1 year of age	Population figure taken from ProGRES database	Number	4% of total population	Disaggregated by sex
3	3. Children under five	Number of children under 5 years of age	Population figure taken from ProGRES database	Number	20% of total population	Disaggregated by sex
4	4. Female 15-49 years of age	Number of women aged 15-49 (of reproductive age)	Total population x 0.2	Number	20% of total population	
5	5. Pregnant and Lactating women	Number of women who are pregnant and lactating	Total population x 0.04	Number	4% of total population	Assuming CBR of approx. 35 per year.

Standards and Indicators Guide

# 2.0 Mortality

#### Note

All numerators and denominators refer to one camp over a one month time period.

# **Mortality by Age**

S/N	Indicator Name	Description	Formula	Unit of Measure	Standard	Remarks
6	Crude Mortality Rate (CMR)	Rate of deaths in the total population	Total number of deaths / Total population x 1000	/ 1000 population / month	< 1 death / 1000 / month	Disaggregated by sex (see gender specific mortality rate)
7	2. Under 5 Mortality Rate (U5MR)	Rate of deaths among children under five	Number of deaths among under fives / Total under five population x 1000	/ 1000 population / month	< 2 deaths / 1000 / month	Disaggregated by sex (see gender specific mortality rate)
8	3. Infant Mortality Rate (IMR)	Rate of deaths among infants under one	Number of deaths among under ones / Total number of live births x 1000	/ 1000 population / month	< 60 deaths / 1000 live births / month	Disaggregated by sex (see gender specific mortality rate)
9	4. Neonatal Mortality Rate (NNMR)	Rate of deaths among newborns within the first 28 days of life	Total number of deaths for newborns < 28 days of life / Total number of live births x 1000	/ 1000 population / month	< 40 deaths /1000 / month	
10	5. Gender-specific Mortality Rate	Rate of deaths among males (or females) in the population	Number of male (or female) deaths within specified age group / Population within same age group x 1000	/ 1000 population / month		Disaggregated by crude, U5 and infant.

# 2.2 Mortality by Cause

S/N	Indicator Name	Description	Formula	Unit of Measure	Standard	Remarks
11	1. Maternal Mortality Ratio (MMR)	Rate of pregnancy-related deaths* among the population  * Death within pregnancy or within 42 days of termination of pregnancy	Number of pregnancy-related deaths / Total number of live births x 100000	/ 100 000 live births / month		Monthly figures to be interpreted with caution. Annual MMR / more stable reference
12	2. Proportional Mortality Rate	Proportion of deaths attributable to a particular cause among the population	Number of deaths due to a particular cause / Total number of deaths x 100	%	No more than 25% of proportional mortality should be in "others" column	Disaggregated by crude and under five

Standards and Indicators Guide

#### **Morbidity**

#### Note

All numerators and denominators refer to one camp over a one month time period.

#### 3.1 Consultation

S/N	Indicator Name	Description	Formula	Unit of Measure	Standard	Remarks
13	Health Facility     Utilization Rate	Rate at which new visits are made to health facilities in one year	Number of new visits made in one camp / Total population x 12	/ refugee / year	1.0 - 4.0 new visits / refugee / year	
14	2. Consultations per clinician per day	Rate at which consultations are made to a full time clinician each day in one camp	Total number of consultations (new and revisit; Refugee and National) / Number of full-time equivalent trained clinicians in the camp / Number of full days OPD functioning in the month	consultations / clinician / day	< 50 consultations / clinician / day	
15	3. Proportional service use by Nationals	Proportional use of outpatient services by Nationals	Number of consultations to Nationals (new and revisit) / Total number of consultations (new and revisit; Refugee + National) x 100	%		

## Morbidity

S/N	Indicator Name	Description	Formula	Unit of Measure	Standard	Remarks
16	1. Incidence Rate	Rate of occurrence of new diseases or health problems in the population	Number of new cases of particular disease / Total population x 1000	/ 1000 population / month		Disaggregated by crude and under five
17	2. Proportional Morbidity Rate	Proportion of illness attributable to a particular cause among the total population	Number of cases of a particular disease or health event / Total number of cases x 100	%	No more than 25% of proportional morbidity should be in "others" column	Disaggregated by crude and under five

## 3.3 Outbreak Alert and Response

S/I	Indicator Name	Description	Formula	<b>Unit of Measure</b>	Standard	Remarks
18	Timeliness of     Outbreak Investigation	Proportion of reported outbreaks which are investigated within 48 hours	Number of reported outbreaks that are investigated within 48 hours / Number of reported outbreaks	%	100%	

# 3.4 Sexually Transmitted Infection (STI)

S/N	Indicator Name	Description	Formula	Unit of Measure	Standard	Remarks
19	Incidence of Male     Urethral Discharge	Incidence of male urethral discharge among male population	Number of cases of male urethral discharge reported / Total male population x 1000	/ 1000 population / month		
20	2. Incidence of Genital Ulcer Disease	Incidence of genital ulcer disease among total population	Number of cases of genital ulcer disease / Total population x 1000	/ 1000 population / month		
21	3. Proportion of STI among Under 18s	Proportion of syndromic STIs diagnosed among under 18s	Number of STIs diagnosed among under 18s / Total number of STIs diagnosed x 100	%		
22	4. Proportion of STI among Nationals	Proportion of syndromic STIs diagnosed among Nationals	Number of STIs diagnosed among Nationals / Total number of STIs diagnosed (Refugee and National) x 100	%		
23	5. Partner Tracing	Ratio of contacts of suspected STI cases treated to total number of suspected STI cases	Number of contacts treated / Number of suspected cases x 100	%		

Standards and Indicators Guide

#### 4.0 Inpatient Department and Referral

#### Note

All numerators and denominators refer to one camp over a one month time period.

# **Inpatient Department Activities**

S/N	Indicator Name	Description	Formula	Unit of Measure	Standard	Remarks
24	1. Proportional of U5 deaths within 24 hours	Proportion of inpatient deaths among under fives that occur within 24 hours of admission	Number of under five deaths within 24 hours of admission / Total number of under five deaths x 100	%		
25	2. Average Length of Stay	Average length of stay for all authorized discharges	Sum of days spent in hospital for all authorized discharges / Total number of authorized discharges	Days		
26	3. Bed Occupancy Rate	Average number of beds that are occupied at any point in time	(Average length of stay x Number of admissions during reporting period) / (Number of beds x Number of days during reporting period)	%		
27	4. Hospitalisation Rate	Rate at which individuals are admitted to hospital among the population	Number of admissions / Total Population x 1000	/ 1000 population / month		
28	5. Proportional Service use by Nationals	Proportional number of inpatient admissions by Nationals	Number of admissions to Nationals / Total number of admissions (Refugee + National) x 100	%		

## 4.2 Inpatient Department Admissions and Deaths

S/N	<b>Indicator Name</b>	Description	Formula	<b>Unit of Measure</b>	Standard	Remarks
29	1. Proportional Mortality Rate	Proportion of deaths attributable to a particular cause among admissions to IPD	Number of deaths due to a particular cause / Total number of deaths x 100	%	No more than 25% of proportional mortality should be in "others" column	Disaggregated by crude and under five

#### 4.3 Referral

S/N	Indicator Name	Description	Formula	<b>Unit of Measure</b>	Standard	Remarks
30	1. Referral Rate	Rate at which referrals are made to other types and levels of health care	Number of referrals from camp according to department / Total population x 1000	/ 1000 population / month		Disaggregated by Emergency, District, Regional, Zonal, National and Other

Standards and Indicators Guide

#### 5.0 Laboratory

#### Note

All numerators and denominators refer to one camp over a one month time period.

#### Malaria

S/N	<b>Indicator Name</b>	Description	Formula	<b>Unit of Measure</b>	Standard	Remarks
31	1. Malaria Slide Positivity Rate	Proportion of malaria films examined which were positive for malaria parasites	Number of malaria slides which were positive for Plasmodium falciparum / Total number of malaria slides examined x 100	%		

#### 5.2 Tuberculosis

S	/N li	ndicator Name	Description	Formula	<b>Unit of Measure</b>	Standard	Remarks
32		utum Smear ivity Rate	·	Number of sputum smears which were positive for AFB / Total number of sputum smears examined x 100	%		

#### **Blood Donation**

S/N	Indicator Name	Description	Formula	<b>Unit of Measure</b>	Standard	Remarks
33	1. HIV Prevalence Rate (Blood Donors)	Proportion of blood donors, who tested for HIV, who tested HIV positive	Number of tests HIV-positive among blood donors in the camp for one month / Total number of tests among blood donors in the camp for one month x 100	%		

# 5.4 RPR Testing (OPD)

S/N	Indicator Name	Description	Formula	Unit of Measure	Standard	Remarks
34	1. Syphilis Prevalence Rate (OPD)	Proportion of STI patients, who were screened for syphilis using Rapid Plasma Reagin (RPR), who were RPR positive	Number of STI patients tested RPR positive / Total number of STI patients tested x 100	%		
35	2. Syphilis Prevalence Rate among Nationals (OPD)	Proportion of National STI patients, who were screened for syphilis using Rapid Plasma Reagin (RPR), who were RPR positive	Number of National STI patients tested RPR positive / Total number of National STI patients tested x 100	%		
36	3. Partner Tracing	Ratio of contacts of RPR positive cases tested to total number of RPR positive cases	Number of RPR positive contacts tested / Number of RPR positive cases x 100	%		

Standards and Indicators Guide

# 7.0 Expanded Programme on Immunization (EPI)

All numerators and denominators refer to one camp over a one month time period.

#### 7.1 Children Vaccinated

S/N	<b>Indicator Name</b>	Description	Formula	<b>Unit of Measure</b>	Standard	Remarks
37	1. Program Drop Out Rate	Proportion of infants not receiving all three required doses of DTP after receiving an initial dose, compared number of infants who receive an initial dose.	(Number of infants who receive DPT 1 - Number of infants who receive DPT 3) / Number of infants who received DPT 1	%	< 10 %	Disaggregated by Crude and Under five, and by cause
38	2. Vaccination Coverage Rate	Percentage of infants under one year who are fully immunized against target disease	Number of infants who finished antigen course / Total number of infants / 12	%	90%	Disaggregated by BCG, Polio, DPT, Measles, Fully Immunized

## 7.2 Vaccine Wastage

S/N	Indicator Name	Description	Formula	Unit of Measure	Standard	Remarks
39	1. Vaccine Wastage Rate	Proportion of doses of vaccine supplied but not administered	(Number of doses of vaccine supplied - Number of doses administered (Refugee + National) / Number of doses supplied	%	< 8%	Disaggregated by BCG, Polio, DPT, Measles, Tetanus Toxoid

#### 7.3 Vitamin A Distribution

S/N	I Indicator Name	Description	Formula	<b>Unit of Measure</b>	Standard	Remarks
40	Postnatal Vitamin A     Coverage Rate	Proportion of women who received Vitamin A prophylaxis within 6 weeks of delivery	Number of women receiving one dose of Vitamin A within 6 weeks of delivery / Number of live births x 100	%	100%	

## 7.5 Growth Monitoring

S/N	<b>Indicator Name</b>	Description	Formula	<b>Unit of Measure</b>	Standard	Remarks
41	Coverage of Growth Monitoring (U5)	Proportion of expected number of children U5 who were screened for weight-for-age	Number of U5 screened for weight-for-age / Total population of U5 x 100	%	> 90%	

Standards and Indicators Guide

#### 8.0 Nutrition

All numerators and denominators refer to one camp over a one month time period.

# **Supplementary Feeding Program**

S/N	Indicator Name	Description	Formula	Unit of Measure	Standard	Remarks
42	1. Mean Length of Stay (U5)	Average length of stay for U5 children who recovered	Sum number of days of admission for U5 children who recovered / Number U5 exits due to recovery	Days	< 2 months	
43	2. Proportional SFP Admissions due to Other	Proportion of new admissions to SFP due to reasons other than malnutrition	Number of new admissions not due to malnutrition / Total number of new admissions x 100	%		
44	3. Proportional SFP Admissions to Girls U5	Proportion of new admissions to SFP who are females U5	Number of new admissions to girls U5 / Total number of new admissions x100	%		
45	4. Proportional SFP Admissions to Nationals	Proportion of all beneficiaries in SFP who are National	Number Nationals enrolled in SFP at end of month / Total at end of month (Refugee + National) x 100	%		
46	5. Death Rate (U5)	Proportion of U5 exits from SFP due to death	Number of U5 deaths / Total number of U5 exits x 100	%	0%	Disaggregated by Refugee and National
47	6. Default Rate (U5)	Proportion of U5 exits from SFP due to default	Number of U5 defaulters / Total number of U5 exits x 100	%	< 10%	Disaggregated by Refugee and National

48	7. Recovery Rate (U5)	Proportion of U5 exits from SFP due to recovery	Number of U5 recovered / Total number of U5 exits x 100	%	> 90%	Disaggregated by Refugee and National
49	8. Coverage of SFP (U5)	Percentage of expected number of moderately malnourished children U5 who are enrolled in SFP	Number of U5 enrolled at end of the month / (Estimated moderate acute malnutrition rate x population U5) x 100	%	> 90%	
50	9. Coverage of SFP (Pregnant and Lactating)	Percentage of expected number of pregnant and lactating women who are enrolled in SFP	Number of pregnant and lactating in SFP at end of the month / Expected number of pregnant and lactating women in the camp	%		

# 8.2 Therapeutic Feeding Program

S/N	Indicator Name	Description	Formula	Unit of Measure	Standard	Remarks
51	1. Mean Length of Stay (U5)	Average length of stay for U5 children who recovered	Sum number of days of admission for U5 children who recovered / Number U5 exits due to recovery	Days	< 30 days	
52	2. Average Weight Gain (U5)	Average number of grams that recovered children gained per kg per day of admission in TFP	Sum [(weight on exit - lowest weight recorded during recovery(g)) / lowest weight recorded during recovery (kg) x total number of days between exit and lowest weight recorded during recovery] / Number of recovered children	g / kg / day	> 8 g / kg / day	
53	3. Proportional TFP Admissions due to Kwashiorkor	Proportion of new admissions to TFP who have kwashiorkor	Number of new admissions due to kwashiorkor / Total number of new admissions x 100	%		
54	4. Proportional TPF Admissions due to Other	Proportion of new admissions TFP due to 'other' criteria	Number of new admissions due to 'other' criteria / Total number of new admissions x 100	%		
55	5. Proportional TFP Admissions to Girls U5	Proportion of new admissions to TFP who are females U5	Number of new admissions to girls U5 / Total number of new admissions x100	%		

56	6. Proportional TFP Admissions to Nationals	Proportion of all beneficiaries in TFP who are National	Number Nationals enrolled in TFP at end of month / Total at end of month (Refugee + National) x 100	%		
57	7. Death Rate (U5)	Proportion of U5 exits from TFP due to death	Number of U5 deaths / Total number of U5 exits x 100	%	0%	Disaggregated by Refugee and National
58	8. Default Rate (U5)	Proportion of U5 exits from TFP due to default	Number of U5 defaulters / Total number of U5 exits x 100	%	< 10%	Disaggregated by Refugee and National
59	9. Recovery Rate (U5)	Proportion of U5 exits from TFP due to recovery	Number of U5 recovered / Total number of U5 exits x 100	%	> 90%	Disaggregated by Refugee and National
60	10. Coverage of TFP (U5)	Percentage of expected number of severely malnourished children U5 who are enrolled in TFP	Number of U5 enrolled at end of the month / (Estimated severe acute malnutrition rate x population U5) x 100	%	> 90%	

Standards and Indicators Guide

#### 9.0 Reproductive Health

All numerators and denominators refer to one camp over a one month time period.

#### 9.1 Antenatal Care

S/N	Indicator Name	Description	Formula	Unit of Measure	Standard	Remarks
61	1. Timing of first antenatal Visit	Percentage of first time antenatal visits that were made before 16 weeks gestation	Number of first time ANC visits made before 16 weeks / Total number of ANC visits recorded x 100	%		
62	2. Prevalence of Syphilis	Percentage of ANC mothers that tested positive on Rapid Plasma Reagin testing	Number of ANC Mothers testing RPR positive in the camp / Total number of ANC mothers tested for RPR in the camp x 100	%		
63	3. Partner Tracing	Ratio of contacts of RPR positive cases treated to total number of RPR positive cases	Number of RPR positive contacts treated / Number of RPR positive cases x 100	%		
64	4. Abortion Complication Rate	Rate of complications of abortion* in population  * Abortion defined as a spontaneous miscarriage before 22 weeks gestation	Number of women treated for abortion complications in the camp / Total number of live births in the camp x 1000	/ 1000 live births / month		
65	5. Abortion Complication Rate among U18s	Proportion of abortion complications among under 18s	Number of women under 18 treated for abortion complications in the camp / Total number treated for abortion complications in the camp x 100	%		

66	6. Antenatal Service use by Nationals	Proportion of total antenatal visits made by National mothers	Number of ANC visits made by a National mothers / Total number of ANC visits (Refugee + National) x 100	%		
67	7. Coverage of Complete Antenatal Care	Proportion of ANC mothers who made at least 3 antenatal visits during pregnancy	Number of pregnant women who had made at least 3 antenatal visits at the time of delivery / Total number of live births x 100	%	100%	
68	8. Coverage of Tetanus Toxoid	Proportion of ANC mothers who received 2 doses of tetanus toxoid (TT) vaccine during pregnancy	Number of pregnant women who had received 2 doses of TT (or were fully vaccinated) during the antenatal period at the time of delivery / Total number of live births x 100	%	100%	
69	9. Coverage of Intermittent Presumptive Treatment for Malaria	Proportion of ANC mothers who received 2 doses of fansidar (SP) prophylaxis during pregnancy	Number of pregnant women who had received two doses of SP during the antenatal period at the time of delivery / Total number of live births x 100	%	100%	
70	10. Coverage of Syphilis Screening	Proportion of ANC mothers who were screened for syphilis during pregnancy	Number of pregnant women who had been screened for syphilis during the antenatal period at the time of delivery / Total number of live births x 100	%	100%	

71	11. Coverage of Deworming	Proportion of women who received one dose of mebendazole during pregnancy	Number of pregnant women who had received one dose of mebendazole during the antenatal period at the time of delivery / Total number of live births x 100	%	100%	
72	12. Coverage of Mosquito Net Distribution	Proportion of ANC mothers who received one insecticide treated net (ITN) during pregnancy	Number of pregnant women who had received one ITN during the antenatal period at the time of delivery / Total number of live births x 100	%	100%	

# 9.2 Delivery Care

S/N	Indicator Name	Description	Formula	Unit of Measure	Standard	Remarks
73	1. Crude Birth Rate	Rate of live births among the population	Number of live births in the camp / Total population x 1000	/ 1000 population / year		
74	2. Proportion of Births Attended by Skilled Health Worker	Proportion of births attended by skilled health worker*  *Defined as doctors and/or persons with midwifery skills who can diagnose and manage obstetrical emergencies as well as normal deliveries.  Traditional birth attendants (trained or untrained) are not included	Number of deliveries attended by trained health workers / Number of deliveries x 100	%	100%	Deliveries are irrespective of outcome (live or still birth)
75	3. Proportion of Births among U18s	Proportion of deliveries among under 18s.	Number of deliveries among women under 18 / Number of live births x 100	%		
76	Proportion of     Deliveries at Health     Centre	Proportion of deliveries at a health centre*  *Health centre includes maternity wards in the camp and government hospitals	Number of deliveries in a health centre / Number of deliveries x 100	%		Deliveries are irrespective of outcome (live or still birth)

77	5. Stillbirth Rate	Rate of still births* in proportion to number of births  * Still birth defined as a fetal death after 22 weeks gestation	Number of still births / Number of live births and stillbirths x 1000	/ 1000 total births / month		
78	6. Proportion of Low Birth Weight newborns	Proportion of live births that were less than 2500 g	Number of live births < 2500g / Number of live births x 100	%	< 15%	
79	7. Timing of Weighing of Newborns	Proportion of newborns that were weighed with 72 hours of delivery	Number of newborns weighed within 72 hours of birth / Number of live births x 100	%	100%	
80	8. Proportion of Deliveries to Nationals	Proportion of all live births that were to National mothers	Number of live births to National mother / Total number of live births (refugee and National) x 100	%		
81	9. Obstetric Complication Rate	Rate of obstetric complication in proportion to number of births  * Defined as antepartum haemorrhage, post-partum haemorrhage, obstructed labour, pre-eclampsia, eclampsia or puerperal sepsis	Number of obstetric complications reported / Number of live births in the camp x 1000	/ 1000 live births / month		
82	10. Obstetric Complication Rate among U18s	Proportion of obstetric complication among under 18s.	Number of obstetric complication among women under 18 / Number of obstetric complications x 100	%		

#### 9.3 Postnatal Care

3	S/N	Indicator Name	Description	Formula	<b>Unit of Measure</b>	Standard	Remarks
8	33	Postnatal Care     Coverage Rate	Proportion of women who received 3 postnatal visits within six weeks of delivery.	Number of women attended for post-natal care 3 times within 6 weeks of delivery / Number of live births x 100	%	100%	

## 9.4 Family Planning

S/N	Indicator Name	Description	Formula	Unit of Measure	Standard	Remarks
84	Contraceptive     Prevalence Rate	Proportion of women of reproductive age (15-49) who are using (or whose partner is using) a contraceptive method	Number of family planning acceptors (new and repeat) / Number of women 15-49 years x 100	%		
85	2. Proportion of Contraception Users U18	Proportion of total contraceptive users who are under 18	Number of family planning users under 18 (new and repeat) / Total number of family planning users (new and repeat) x 100	%		
86	3. Proportion of Condom Users U18	Proportion of total condom users who are under 18	Number of condom users under 18 (new and repeat) / Total number of condom users (new and repeat) x 100	%		
87	4. Proportional Dropout Rate among U18	Proportion of total drop outs from family planning who are under 18	Number of drop outs under 18 / Total number of drop outs x 100	%		

88	5. Proportional Family	Proportional family planning	Number of National family	%	
	Planning Service use by	service use by Nationals	planning users / Total number		
	Nationals		of family planning users (new		
			and repeat; Refugee +		
			National)		

# 9.5 Sexual and Gender-based Violence (SGBV)

S/N	Indicator Name	Description	Formula	Unit of Measure	Standard	Remarks
89	1. Rape Incidence Rate	Rate at which rapes occur in the population	Number of rape cases reported / Total population x 1000	/ 1000 population / month		
90	2. Timing of ECP Provision	Proportion of rape survivors who receive emergency contraceptive pill (ECP) within 120 hours of an incident occurring	Number of rape survivors who receive ECP within 120 hours of an incident / Total number of rape cases reported	%	100%	

Standards and Indicators Guide

#### 10.0 HIV/AIDS

#### Note

All numerators and denominators refer to one camp over a one month time period.

All indicators refer to refugee data only, unless it is specified that National data should be included.

For VCT and PMTCT numerators and denominators, it is assumed that each client progresses consecutively through each stage of counselling and testing (i.e. an individual who is tested for HIV is assumed to have had pre-test counselling; and an individual who is post-test counselled is assumed to have had pre-test counselling and testing.

#### **10.1 Condom Distribution**

S/N	<b>Indicator Name</b>	Description	Formula	<b>Unit of Measure</b>	Standard	Remarks
91	1. Condom Coverage Rate	Rate of condom distribution among the population	Number of condoms distributed / Total population x 1000	/ 1000 population / month	1 condom / person / month	

## 10.2 Voluntary Counselling and Testing

S/N	Indicator Name	Description	Formula	Unit of Measure	Standard	Remarks
92	1. VCT Uptake	Proportion of VCT clients, who were pre-test counselled, who accepted an HIV test	Number of VCT clients post- test counselled / Total number of VCT clients tested x 100	%		
93	2. HIV Prevalence Rate (VCT)	Proportion of VCT clients, who were tested for HIV, who were HIV positive	Number of VCT clients tested HIV positive / Total number of VCT clients tested x 100	%		
94	3. Post test Counseling and Result	Proportion of VCT clients, who were pre-test counselled and tested for HIV, who received post-test result and counselling	Number of VCT clients post- test counselled / Total number of VCT clients tested x 100	%		
95	4. Proportional VCT service use by Nationals	Proportion of Nationals who were pre-test counselled, out of the total number who were pre-test counseled in VCT	Number of Nationals pre-test counselled in VCT / Total number of VCT clients pre-test counselled (Refugee and National)	%		

# 10.3 PMTCT (Antenatal)

S/N	Indicator Name	Description	Formula	Unit of Measure	Standard	Remarks
96	1. PMTCT Coverage Rate	Proportion of first time ANC visits who were pre-test counselled, HIV tested and who received post-test result and counselling	Number of ANC visits post- test counselled / Total number of first time ANC visits	%		
97	2. PMTCT Uptake Rate	Proportion of ANC visits, who were pre-test counselled, who accepted a HIV test	Number of ANC visits post-test counselled / Total number of ANC visits tested x 100	%		
98	3. HIV Prevalence Rate (PMTCT)	Proportion of ANC visits, who were tested for HIV, who were HIV positive	Number of ANC visits tested HIV positive / Total number of ANC visits tested x 100	%		
99	Post test Counseling and Result	Proportion of ANC visits, who were pre-test counselled and tested for HIV, who received post-test result and counselling	Number of ANC visits post-test counselled / Total number of ANC visits tested x 100	%		
100	5. HIV Prevalence Rate (ANC partners)	Proportion of ANC partners, who were tested for HIV, who were HIV positive	Number of ANC partners tested HIV positive / Total number of ANC partners tested x 100	%		

101	6. Post test Counseling and Result (ANC partners)	Proportion of ANC partners, who were pre-test counselled and HIV tested, who received post-test result and counselling	Number of ANC partners post- test counselled / Total number of ANC partners tested x 100	%	
102	7. Proportional PMTCT service use by Nationals	Proportion of Nationals who were pre-test counselled, out of the total number who were pre-test counseled in PMTCT	Number of Nationals pre-test counselled in PMTCT / Total number of PMTCT clients pre- test counselled (Refugee and National)	%	

## **10.4 PMTCT (Labour and Delivery)**

S/N	<b>Indicator Name</b>	Description	Formula	Unit of Measure	Standard	Remarks
103	Proportional     Nevirapine Use (Mother)	Proportion of HIV positive mothers who swallowed Nevirapine during labour/delivery	Number of HIV positive mothers who swallowed Nevirapine during labour/delivery / Total number HIV positive deliveries x 100	%		
104	2. Proportional Nevirapine Use (Infant)	Proportion of HIV positive infants who swallowed Nevirapine within 72 hours of delivery	Number of HIV positive infants who swallowed Nevirapine within 72 hours of delivery / Total number HIV positive deliveries x 100	%		
105	3. Proportional Nevirapine Use (Mother- Infant Pair)	Ratio of mother-infant pairs that swallowed Nevirapine on time to the number of HIV positive deliveries	Number of mother-infant pairs who swallowed Nevirapine according to protocol / Total number HIV positive deliveries x 100	%		

106	4. Proportion of HIV positive Deliveries to Nationals	Proportion of HIV positive deliveries among National women	Number of HIV positive deliveries among Nationals / Total number HIV positive deliveries (Refugee + National) x 100	%	
			X 100		

# 10.5 PMTCT (Postnatal)

S/N	Indicator Name	Description	Formula	Unit of Measure	Standard	Remarks
107	Exclusive     Breastfeeding Rate	Proportion of HIV positive mothers who plan to exclusively breastfeed after delivery	Number of HIV positive mothers who plan to exclusively breastfeed / Total number of HIV positive mothers x 100	%		
108	2. Proportion who Receive Home-based Counselling	Proportion of HIV positive mothers who received at least one home-based counselling visit after delivery	Number of HIV positive mothers who received at least one home-based counselling visit after delivery/ Total number of HIV positive mothers x 100	%		
109	3. Family Planning Acceptance Rate	Proportion of HIV positive mothers who accepted a modern method of family planning after delivery	Number of HIV positive mothers who accepted a modern method of family planning after delivery / Total number of HIV positive mothers x 100	%		