



PAPER • OPEN ACCESS

## Social and economic impact analysis of solar mini-grids in rural Africa: a cohort study from Kenya and Nigeria

To cite this article: A T Carabajal *et al* 2024 *Environ. Res.: Infrastruct. Sustain.* **4** 025005

View the [article online](#) for updates and enhancements.

You may also like

- [Palm oil industry towards Sustainable Development Goals \(SDGs\) achievements](#)  
M Mardiharini, D H Azahari, R M Chaidirsyah et al.
- [Palm oil's contribution to the United Nations sustainable development goals: outcomes of a review of socio-economic aspects](#)  
Maria Vincenza Chiriaco, Matteo Bellotta, Jasmina Jusi et al.
- [The political economy of gender mainstreaming in energy access in Senegal](#)  
Thomas W Klug, Rajah Saparapa, Victoria Plutshack et al.

ENVIRONMENTAL RESEARCH  
INFRASTRUCTURE AND SUSTAINABILITY

## OPEN ACCESS

RECEIVED  
30 December 2023REVISED  
17 March 2024ACCEPTED FOR PUBLICATION  
20 May 2024PUBLISHED  
5 June 2024

Original Content from  
this work may be used  
under the terms of the  
[Creative Commons  
Attribution 4.0 licence](#).

Any further distribution  
of this work must  
maintain attribution to  
the author(s) and the title  
of the work, journal  
citation and DOI.



## PAPER

## Social and economic impact analysis of solar mini-grids in rural Africa: a cohort study from Kenya and Nigeria

A T Carabajal<sup>1</sup>, A Orsot<sup>2</sup>, M P E Moudio<sup>3</sup> , T Haggai<sup>4</sup>, C J Okonkwo<sup>5</sup>, G T Jarrard III<sup>1</sup> and N S Selby<sup>2,\*</sup> <sup>1</sup> Renewvia Energy Corporation, 2951 Flowers Rd. S., Suite 217, Atlanta, GA 30341, United States of America<sup>2</sup> Renewvia Solar Ethiopia PLC, Bole sub-city, Woreda 03, House No. 174/175, Saya Building, 5th Floor, Addis Ababa, Ethiopia<sup>3</sup> Department of Industrial Engineering and Operations Research, UC Berkeley, 2521 Hearst Ave, Berkeley, CA 94709, United States of America<sup>4</sup> Department of Anthropology, Gender and African Studies, University of Nairobi, PR98+JC9 University Way, Nairobi, Kenya<sup>5</sup> Planetary Health Management Mission Pathway, Entrepreneurial Leadership Program, Africa Leadership University Rwanda Campus, Bumbogo, Kigali, Innovation City, Kigali, Rwanda

\* Author to whom any correspondence should be addressed.

E-mail: [nicholas.selby@renewvia.com](mailto:nicholas.selby@renewvia.com)**Keywords:** mini-grids, sub-Saharan Africa, rural electrification, gender equality, health and safety, productivity, economic activitySupplementary material for this article is available [online](#)

## Abstract

This study presents the first comprehensive analysis of the social and economic effects of solar mini-grids in rural African settings, specifically in Kenya and Nigeria. A group of 2658 household heads and business owners connected to mini-grids over the last five years were interviewed both before and one year after their connection. These interviews focused on changes in gender equality, productivity, health, safety, and economic activity. The results show notable improvements in all areas. Economic activities and productivity increased significantly among the connected households and businesses. The median income of rural Kenyan community members quadrupled. Gender equality also improved, with women gaining more opportunities in decision making and business. Health and safety enhancements were linked to reduced use of hazardous energy sources like kerosene lamps. The introduction of solar mini-grids not only transformed the energy landscape but also led to broad socioeconomic benefits in these rural areas. The research highlights the substantial impact of decentralized renewable energy on the social and economic development of rural African communities. Its findings are crucial for policymakers, development agencies, and stakeholders focused on promoting sustainable energy and development in Africa.

## 1. Introduction

Sub-Saharan Africa (SSA) has vast renewable energy resources, including solar, wind, hydropower, and geothermal [1]. However, these resources remain largely untapped, and the region is still heavily reliant on fossil fuels due to factors including a lack of infrastructure, financing, and technical expertise [2]. Decentralized renewable energy solutions, especially renewable mini-grid (RMG) systems, can offer a promising alternative to grid-based electricity in SSA [3, 4]. RMG systems like the one illustrated in figure 1 are typically smaller in scale and can be installed in rural areas where grid extension is not feasible or cost-effective. RMG systems can also be operated by local communities, empowering these communities and promoting economic development [5, 6]. Several studies have investigated the potential of RMGs as decentralized renewable energy solutions in SSA [7–9]. These studies have found that RMGs can have a significant positive impact on access to electricity, livelihoods, and economic development [10]. RMGs are small power grids that typically serve a few hundred to a few thousand households and businesses. Often powered by renewable energy sources, such as solar or wind, they can provide a reliable and affordable source of electricity to communities that are not connected to the national grid.

Rural electrification is the process of providing fast, reliable, and affordable access to electricity to residents in rural areas who currently lack it. Access to electricity is seen as key to reducing poverty and is a



**Figure 1.** A solar mini-grid in Bayelsa, Nigeria.

critical component of economic development and poverty alleviation due to its ability to improve access to and quality of essential services such as education, healthcare, and clean water [11, 12]. It can also create new employment opportunities and boost agricultural productivity. SSA has the lowest electrification rate in the world and the majority of those without access live in rural areas due to lack of financial ability to extend the grid, population density, and other social and cultural factors [13]. Data from a 2019 World Bank report shows that 14 of the 20 countries in the world with the highest deficit in electricity connections are African countries [14]. Only 45% of the population in SSA currently have access to electricity. The electrification coverage is expected to rise to only about 60% of the SSA population by 2030 given current conditions [15]. Despite representing approximately 14% of the world's population, SSA accounts for only about 4% of global energy consumption [16].

Rural electrification can significantly benefit communities [17]. According to [16], the introduction of electrification via RMG has had significant positive impacts on socioeconomic factors such as health care and economic development. RMG systems promote faster and more flexible energy supply, especially when integrated with additional components such as electricity storage in a hybrid system [18]. The slow extension of conventional grid systems has led to increased interest in RMGs, a decentralized alternative not connected to the public grid and generating electricity based on various technologies [19]. According to [15], the incremental cost of providing electricity access to households is below the cost of alternatives such as kerosene lighting.

Various socioeconomic factors affect rural electrification in SSA. According to [20], income levels are a key driver of rural electrification. As incomes rise, households are more likely to be able to afford more electricity and appliances. The rising demand in RMGs due to growing populations, industrial growth, and government policies can play a significant role in promoting rural electrification [21]. Technological advancements also play an important role in rendering the electrification process more feasible and affordable to provide electricity to rural areas. Moreover, digital and information technologies have several positive effects on the development and regulation of efficient energy consumption [22, 23].

While existing research has acknowledged the significance of social impacts stemming from RMG implementation in SSA, there remains a notable absence in empirical measurements [24]. The prevailing studies predominantly focus on technical and economic aspects, neglecting the quantification of social ramifications [25–28]. A recent study in the Gbamu Gbamu village in Nigeria uses statistical tests to measure the financial impact of RMGs on local businesses using predominantly economic factors including gender, marital status, household size, age, education level, years of business establishment, hours of operation, building tenure, capital source, number of employees, generator ownership, and the days of operation [29].

A few studies have attempted to formally quantify social impacts of RMGs on communities. In [30], researchers apply a mediation model to illustrate how community engagement results in a 1% increase in the perceived renewable energy potential, leading to a 0.195% increase in perceived poverty reduction. These results suggest that community empowerment is indispensable in creating electricity demand and delivering development impact of renewable RMGs in the context of deep poverty. In another study carried out in

Kyenjojo District in western Uganda, the authors incorporated social factors in a study of RMG operation, causes of failure, sources of discomfort to customers, and customer behavior [31]. Moreover, researchers in [32] conducted a systematic review of diverse RMG projects aimed at extracting qualitative insights into the factors driving project success and community benefits. Subsequently, these findings were empirically validated, enabling the identification of key factors contributing to the success and cost-effectiveness of RMG projects [33]. These studies have highlighted the necessity for broader assessments that go beyond solely examining economic impacts and RMG operational challenges in rural areas relying on RMGs. We aim to broaden this perspective by considering both economic and social factors like gender equality and community residents' safety. This shift recognizes the interconnection between socioeconomic elements, addressing a significant gap in understanding the overall transformational impact of RMG initiatives within rural settings.

Our study aims to bridge the gap in empirical measurement of social impact of RMGs on rural communities by introducing a comprehensive framework that delineates five crucial axes encompassing gender equality, productivity, health, safety, and economic activity. By leveraging a survey designed specifically around these axes, we endeavor to quantify the multifaceted impacts of solar RMGs on various social and economic factors within rural African communities. Unlike previous single-region analyses, our research embraces a comparative approach, drawing insights from two distinct countries, Kenya and Nigeria. This deliberate expansion of our dataset yields a richer understanding of the nuanced effects of RMG interventions across diverse sociocultural landscapes. The rest of the paper is organized as follows. In section 2, we discuss the model, data, and estimation techniques. The results and findings are presented in section 3. Further discussion and methodology limitations are shown in section 4. We conclude in section 5.

## 2. Methodology

### 2.1. Project description and data collection

Between 2021 and 2023, we installed solar mini-grids in and conducted a study across 22 communities in Nigeria and Kenya to assess if there were any significant changes regarding the quality of life of the populations connected to their mini-grids. The capacity of the mini-grids varied, starting from 6.24 kWp with 14.8 kWh of battery storage, up to 541 kWp accompanied by 1.10 MWh of battery storage. To collect the necessary information, we used surveys composed of semi-structured questionnaires that captured quantitative and qualitative data such as demographics, access to education for children, access to clean drinking water, creation of jobs and businesses, and economic opportunities for women, as well as many others. Primary data was collected from a variety of respondents categorized either as households or commercial and institutional organizations (e.g. businesses, schools, clinics, etc) through face-to-face interviews by independent, third-party field enumerators.

This study examined the impact of the mini-grids on the key performance indicators (KPIs) by comparing responses before and one year after installing a solar mini-grid in the respective communities. Due to the lack of data from communities without a solar mini-grid, only pre-and post-treatment data have been used in this study. The pre-treatment survey was conducted between 2021 and 2022, while the post-treatment survey was conducted between 2022 and 2023.

### 2.2. Survey design

This study aimed to investigate the impact of installing mini-grids in rural communities in SSA, focusing on five KPIs: gender equality, productivity, safety, health, and economic growth.

A cohort study design was employed, enabling an analysis of the mini-grid's effects on individuals over time. This approach was particularly chosen for its ability to observe changes between pre- and post-mini-grid installation. The survey targeted both commercial and residential mini-grid users in communities shortly before connection and one year after connection to new mini-grids.

The survey was developed based on literature review and global KPIs relevant to mini-grid stakeholders. No pilot testing was conducted. A diverse set of question types was utilized, including demographic queries, Likert-scale items, interval and quantity-specific questions, and open-ended questions. This mix aimed to capture both quantitative and qualitative aspects of the mini-grid's impact. To ensure reliability and validity, the survey employed clear, concise, and neutrally-worded questions. Professional survey administrators were engaged to maintain consistency and integrity in data collection.

Surveys were carried out in person by independent, third-party surveyors who used CommCare electronic forms to minimize transcription bias. Participants were briefed and consent obtained through signed forms, ensuring ethical compliance. No incentives were offered.

Data analysis involved various statistical tests, including paired  $t$ -tests, Wilcoxon signed-rank tests, and linear regression, among others, using R software. This comprehensive approach aimed to rigorously assess the mini-grid's impact across multiple dimensions.

### 2.3. Analysis techniques

#### 2.3.1. Paired samples $t$ -Test

The paired samples  $t$ -test is a parametric statistical method to determine whether the mean difference of paired measurements is 0 or not. It follows the assumptions that the observations are independent, the paired differences are approximately normally distributed, and there are no extreme outliers in the differences. The paired samples  $t$ -test includes the following null and alternative hypotheses:

$$\begin{aligned} H_0 : \mu_d &= 0 \\ H_1 : \mu_d &\neq 0 \end{aligned} \quad (1)$$

where  $\mu_d$  is the mean of differences from the pairs,  $H_0$  the null hypothesis stating the mean paired difference is equal to 0, and  $H_1$  the alternative hypothesis stating that the mean paired difference does not equal 0.

The paired samples  $t$ -test utilizes the  $t$  statistic

$$t = \frac{\bar{d}\sqrt{n}}{\sigma_d} \quad (2)$$

where  $\bar{d}$  is the mean value of the differences between paired samples,  $\sigma_d$  the standard deviation of the differences between paired samples, and  $n$  is the sample size.

#### 2.3.2. Wilcoxon signed-rank test

The Wilcoxon signed-rank test is a statistical method to compare two dependent samples from paired data. While it assumes the distribution of the differences is symmetric, it does not assume any specific distribution of the samples themselves and serves as a non-parametric equivalent to the paired samples  $t$ -test, particularly applicable to categorical variables with meaningful differences between ranks (i.e. ordinal data). The test is evaluated taking into account both the sign and magnitudes of observed differences. The Wilcoxon signed-rank test is implemented using the null and alternative hypotheses:

$$\begin{aligned} H_0 : M &= 0 \\ H_1 : M &\neq 0 \end{aligned} \quad (3)$$

where  $M$  is the median of the paired differences,  $H_0$  the null hypothesis stating no difference between paired observations, and  $H_1$  the alternative hypothesis stating a significant difference between paired observations.

The Wilcoxon signed-rank test utilizes the  $W$  statistic

$$W = \min(T_-, T_+) \quad (4)$$

where  $T_-$  is the sum of the negative differences and  $T_+$  is the sum of the positive differences.

#### 2.3.3. Sign test

The Sign test is a non-parametric statistical method designed to determine if two dependent samples, ordered in pairs, are of equal magnitudes. Unlike the Wilcoxon signed-rank test, it does not assume symmetry and considers only the direction of change, making it suitable for categorical variables where arithmetic differences are not meaningful. It is often viewed as a less powerful test since it does not measure the magnitude of differences between pairs, but it is still useful for assessing the significance of observed changes. Although the Wilcoxon signed-rank test and the Sign test operate similarly, the choice between them depends on the data characteristics. The Wilcoxon signed-rank test is preferable for differences that are approximately normally distributed and have meaningful magnitudes, while the Sign test is more appropriate in other cases. The Sign test is implemented using the null and alternative hypotheses:

$$\begin{aligned} H_0 : & \text{The signs of } + \text{ and } - \text{ of differences are of equal size} \\ H_1 : & \text{The signs of } + \text{ and } - \text{ of differences are not of equal size.} \end{aligned} \quad (5)$$

The sign test utilizes the test statistic

$$Z = \frac{(2S - n)\sqrt{n}}{n} \quad (6)$$

where  $n$  is the total number of signs, ignoring 0 s, and  $S$  the number of less frequent signs.



**Table 1.** McNemar contingency table.

	Post: Yes	Post: No	Total
Pre: Yes	$a$	$b$	$a + b$
Pre: No	$c$	$d$	$c + d$
Total	$a + c$	$b + d$	$n$

#### 2.3.4. McNemar's test

McNemar's test is a non-parametric test used to analyze paired nominal data. It is a test on a  $2 \times 2$  contingency table that checks the marginal homogeneity of two dichotomous variables. The test requires one nominal variable with two categories and one independent variable with two dependent groups.

We use table 1 to calculate the  $\chi^2$  goodness-of-fit statistic with the following null and alternative hypotheses:

$$\begin{aligned} H_0 : P_b &= P_c \\ H_1 : P_b &\neq P_c \end{aligned} \quad (7)$$

where  $H_0$  is the null hypothesis stating that the two marginal probabilities,  $P_b$  and  $P_c$ , for each outcome are the same, and  $H_1$  is the alternative stating otherwise.

McNemar's test utilizes the  $\chi^2$  statistic:

$$\chi^2 = \frac{(b - c)^2}{(b + c)}. \quad (8)$$

#### 2.3.5. Pearson correlation coefficient

The Pearson correlation coefficient is a measure representing the strength of association between two variables and the direction of the relationship. It produces a value between  $-1$  and  $+1$ , serving as a descriptive statistic. A value nearing  $+1$  suggests that a change in one variable will lead to a similar directional change in the other, whereas a value approaching  $-1$  indicates that altering one variable results in a change in the opposite direction for the other. We obtain the Pearson correlation coefficient  $r$  using the formula:

$$r = \frac{\sum ((x_i - \bar{x})(y_i - \bar{y}))}{\sqrt{\sum (x_i - \bar{x})^2 \sum (y_i - \bar{y})^2}} \quad (9)$$

where  $x_i$  is the value of the  $i$ th predictor in a sample,  $\bar{x}$  is the mean of the values of the predictor variable,  $y_i$  is the value of the  $i$ th response in a sample, and  $\bar{y}$  the mean of the values of the response variable.

#### 2.3.6. Linear regression $t$ -test

The simple linear regression is a statistical method to evaluate the relationship between a predictor variable and a response variable by finding the equation of a 'best-fit' line that minimizes the sum of squared residuals between it and the data. It estimates the nature of the relationship, either positive or negative, and the expected change in the response based on a change in the predictor. A one-sample  $t$ -test is applied to the slope to determine if said relationship is statistically significant given the following null and alternative hypotheses:

$$\begin{aligned} H_0 : \beta_1 &= 0 \\ H_1 : \beta_1 &\neq 0 \end{aligned} \quad (10)$$

where  $H_0$  is the null hypothesis stating that there is no relationship between outcome and predictor,  $H_1$  is the alternative stating otherwise, and  $\beta_1$  is the slope of the 'best-fit' line given by

$$\hat{y} = \beta_0 + \beta_1 x \quad (11)$$

where  $\hat{y}$  is the expected value of response;  $\beta_0$  is the intercept, i.e. the expected value of response when the predictor is 0;  $\beta_1$  is the slope coefficient, i.e. the average change in the response given a unit increase in the predictor; and  $x$  is the value of predictor.

The linear regression  $t$ -test utilizes the  $t$ -statistic

$$t = \frac{r\sqrt{n-2}}{\sqrt{1-r^2}} \quad (12)$$

where  $r$  is the Pearson correlation coefficient and  $n$  is the number of data points  $(x, y)$ . Note that this  $t$ -statistic has a  $t$ -distribution with  $n - 2$  degrees of freedom if the null hypothesis is true.

In this study, regression analysis was implemented at two levels:

- At the individual customer level, investigating the relationship between average monthly electricity consumption for a specific user, the predictor, and various survey question responses; and
- At the community level, investigating the relationship between predictor variables of mini-grid PV system capacity, total number of customers in the community, and total mini-grid capital expenditure (CAPEX), and various aggregated survey question responses. For the purposes of this paper, ‘mini-grid PV system capacity’, or simply ‘mini-grid capacity’ or ‘PV Size’ represents the maximum amount of power that the solar panels can produce under ideal conditions, usually given in units of kilowatt-peak (kWp). For example, a 10-kWp solar mini-grid would be expected to produce up to 10 kilowatts of power during peak sunlight conditions.

For ordinal variables with three levels such as  $-1$ ,  $0$ , and  $1$ , additional transformations were carried out to determine a pertinent response variable. First, the proportion for the level of interest (e.g. ‘1’ to denote an increase in schooling for girls) was obtained for each site and then multiplied by the total number of customers for the relevant customer type (e.g. households, schools, businesses, etc) depending on the response variable.

### 2.3.7. Likelihood-ratio test

The likelihood-ratio test is a statistical method used to assess the significance of a predictor variable in the context of logistic regression, which models the relationship between a binary response variable and a ratio predictor variable. Logistic regression predicts the log odds of the occurrence of an event by fitting data to a logistic curve. This study considers only the case of simple binary logistic regressions in which the data are fitted in a probabilistic sense to a function of the form:

$$p(x) = \frac{1}{1 + \exp(-t)}. \quad (13)$$

The likelihood-ratio test compares the goodness-of-fit of two models: one ‘full model’ that includes the predictor variable (i.e.  $t = \beta_0 + \beta_1 x$ ) and one ‘reduced model’ that does not (i.e.  $t = \beta_0$ ). The test evaluates whether the inclusion of the predictor significantly improves the model. The null hypothesis for this test is that the predictor variable has no effect, and the reduced model is sufficient. The alternative hypothesis for this test is that the predictor variable has a significant effect, and the full model is more appropriate.

In logistic regression, the likelihood of observing the given data is maximized, and the test statistic is calculated as:

$$D = -2 \ln \left( \frac{\text{Likelihood of reduced model given the data}}{\text{Likelihood of full model given the data}} \right). \quad (14)$$

This test statistic follows approximately a  $\chi^2$  distribution with degrees of freedom equal to the difference in the number of parameters between the full and reduced models. The decision about the significance of the predictor variable is made based on the  $p$ -value obtained from this  $\chi^2$  distribution.

In this study, we utilize the likelihood-ratio test to determine whether or not the inclusion of the average monthly electricity consumed by a customer significantly improves a logistic regression model’s ability to predict binary or dichotomous survey response variables.

## 3. Results

In this section, we highlight the most notable descriptive statistics and statistically significant findings. A detailed summary of the outcomes for each quantitative, comparative survey question is provided in the [appendix](#).

In instances where survey questions covered multiple KPIs, the findings are presented across multiple subsections. This approach ensures that each KPI is thoroughly addressed and the results are clearly communicated in their respective areas of relevance.

For the paired testing, which compared pre-connection data to post-connection data in that order, a negative result indicates a decrease over time while a positive result signifies an increase.

In this section, where applicable, 95% confidence intervals for a result are denoted using the ‘ $\pm$ ’ symbol (e.g.  $10 \pm 1$ ).




Table 2. Descriptive statistics of households.

Variables			Total	
			Pre-connection	Post-connection
Sample households		Count	564	2202
Gender	Male	Count	400	1518
	Female	Count	164	678
	Unidentified	Count	—	6
		Median	41	38
Age		Median	6	—
Household size		Count	360	—
Employment	Seasonal	Count	139	—
	Regular	Count	60	—
	Unemployed	Count	5	—
	Unidentified	Count	—	—

### 3.1. Survey distribution

There are a total of 86 questions for the pre-connection household survey and 93 and 37 for the post-connection household and organizational surveys, respectively. The pre- and post-connection household surveys shared 64 questions, enabling direct comparison of individual customer responses before and after connection. The questions were distributed among the five KPIs according to figure 2. Correlation tables of the responses are presented in figures 14–16 in the appendix.

### 3.2. Characteristics of the respondents


Out of the 3952 total responses from the initial survey, 564 distinct households (14.3%) were retained for analysis. To isolate the sample from pre-connection households, the remainder of observations at post-connection and duplicate responses were excluded. At post-connection, 2202 responses were retained from the 2603 (84.6%) total responses collected after a similar data validation process. From the pre and post samples, 468 respondents could be paired. The high turnover rate is mainly due to the nomadic or otherwise transitory nature of the communities surveyed.

A demographic overview of the household respondents is presented in table 2. Heads of household were responsible for responding to the survey, and the distribution based on gender shows a predominance of male respondents, with men making up 71% of the pre-connection sample and 69% of post-connection sample. The median age of the respondents was 41 and 38 years old for the pre- and post-survey, respectively.



**Table 3.** Descriptive statistics of commercial and institutional customers.

Variables		Statistic	Post-connection
Sample organizations		Count	465
Status	In operation	Count	449
	Closed	Count	7
	Unidentified	Count	9
Organization type	Business	Count	340
	School	Count	36
	Clinic	Count	22
	Religious and institution	Count	67



Before connection to the mini-grid, the median household had six members, and the breakdown of respondents' employment types was as follows: 64% were seasonally employed, 25% had regular employment, and 11% were unemployed.


Out of the 470 total commercial and institutional responses from the initial survey, 465 distinct entities (99%) were retained for further analysis. The remainder of duplicates and unidentifiable respondents were excluded. An overview of the socio-economic status of commercial and institutional customers is presented in table 3. The distribution based on organization type was broken down with 340 (73%) businesses, 36 (8%) schools, 22 (5%) clinics, and 67 (14%) religious institutions.

### 3.3. Gender equality

The full results of the statistical analysis for questions pertaining to gender equality are available in table 4 in the [appendix](#).

In the pre-survey, respondents reported that 793 out of 1190 boys were attending school while 719 out of 1080 girls were attending school, thus placing the school's enrollment rate at 67%. After the mini-grid, 16% and 18% of respondents noted a positive change in the schooling for girls and boys, respectively. Initially, 144 respondents reported not being able to enroll girls into school and 141 reported similarly for the boys. Investigating the remaining barriers to parents who still did not enroll their children in school even after connection to the mini-grid, 37% of respondents reported that the reason for keeping their children out of school was insufficient funds to support tuition and other school fees.

Community-level regression tests on gender equality showed statistical significance. For example, as illustrated in figure 3, an increase of \$50 000 in total CAPEX on the mini-grid correlated with an increase of



20 ± 12 households reporting an increase in the number of girls attending school and 21 ± 12 households reporting an increase in the number of boys attending school.

One reason behind the increase in school enrollment after connection to the mini-grid is that, in the pre-survey, 53.4% of households reported delegating the responsibility of water collection to school-aged children. After connection to the mini-grid, only 15% reported a similar answer in the post-survey. In the case of paired respondents, a comparable trend was noted, evidenced by a 29 percentage-point decrease in the proportion of households delegating water-fetching responsibilities to school-aged children. Overall, there was a 29% ± 8% decrease in the likelihood of school-aged children being tasked with this chore following the mini-grid installation.

As illustrated in figure 4, there was a notable reduction of 15 ± 8 hours spent collecting water and 36 ± 10 hours spent collecting cooking fuel per 100 households. An increase of 10 kWp in mini-grid PV capacity would lead to 25 ± 22 additional households reporting a decrease in water collection time, and an extra \$50 000 in CAPEX investment would result in an average of 15 ± 15 more households noting a similar improvement.

The proportion of households where men were involved in household chores, like collecting cooking fuel, rose from 10% to 14% between the pre-connection and post-connection surveys. However, this increase was less significant in the context of paired households, where the proportion only grew by 0.4 percentage points.



The analysis of economic opportunities for women involved two key questions directed at households and organizations focusing on business creation and job availability. Initially, 28% of households reported having a woman-owned business, but this figure declined to 19% post-connection. Among paired respondents, this represented a decrease of 4 percentage points. On the other hand, 17% of the organizations surveyed reported employing at least one new female worker after the introduction of the mini-grid, marking a significant change in this aspect. As illustrated in figure 5, it was observed that connecting an additional 100 customers to the mini-grid would lead to 7 ± 5 more organizations employing at least one female worker.

### 3.4. Productivity

The full results of the statistical analysis for questions pertaining to productivity are available in table 5 in the appendix.


As illustrated in figure 6, the installation of the mini-grid also had a notable impact on daily activities, with 58% of respondents able to charge their phones every day and 94% doing so at home, reducing the need to travel to neighbors, shops, or other locations for charging by a reported 66%.

Regarding water and cooking fuel collection time, there was a marked improvement in efficiency post-connection to the mini-grid. In the post-survey, 66% of respondents reported that it took them less than one hour to collect water, a significant increase from the 57% who said the same in the initial survey. This increase was also reflected in the paired sample, where an 18 percentage-point change in proportions



was observed. Similarly, the time spent collecting cooking fuel decreased notably. In the post-survey, 63% of respondents indicated that this task took less than one hour, a substantial improvement from the initial survey, where only 35% reported such efficiency.

Prior to connecting to the mini-grid, a majority of the households had limited or no reliable power sources. Specifically, 55% of households depended on petrol generators. However, one year after the mini-grid connection, this number dramatically decreased to just 1%, with the mini-grid becoming the primary power source for 91% of survey respondents. The shift was also evident in the broader reduction of unclean energy sources, including diesel, petrol, and kerosene, which decreased from 66% in the pre-survey to 19% in the post-survey. Among paired households, this represented a 7 percentage-point reduction. As illustrated in figure 7(a), every 100 additional customers connected to the mini-grid would result in  $47 \pm 45$  fewer households using unclean power sources.



Post-connection, households reported significant improvements in their energy access: an average of seven hours of lighting per day and the use of an average of four electronic devices, compared to only four hours of lighting and two appliances before connection. Moreover, 55% of households acquired new appliances since connecting to the mini-grid. As illustrated in figure 7, for every 100 additional customers connected to the mini-grid,  $87 \pm 45$  acquired new appliances.



With the connection to the mini-grid providing a more reliable source of power, there were extended lighting hours for both schools and households, directly benefiting school-aged children. In this context, both households and schools were surveyed about changes in academic performance following the mini-grid installation. The results, illustrated in figure 8, were telling: 46% of households observed a positive change in the academic performance of their children, while a significant 92% of schools reported similar improvements. Connecting an additional 100 customers to the mini-grid would lead to  $19 \pm 17$  more households observing an improvement in the children's academics. Similarly, an investment of an additional \$50 000 in CAPEX is associated with  $15 \pm 15$  more households reporting a comparable improvement. Furthermore, an increase of 10 kWp in the mini-grid capacity would result in  $2 \pm 2$  more schools noting such an improvement in academic performance.

Among commercial and institutional customers connected to the mini-grid, a substantial 87% reported an increase in their operational hours. Among all establishments, 16% of them have recruited new employees, while 51% have broadened their range of products and services. As illustrated by figure 9, an increase of 10 kWp in the mini-grid capacity is associated with  $9 \pm 5$  more organizations reporting an expansion in their product or service offerings, and every additional 100 customer connections correlates with  $4 \pm 3$  more organizations employing at least one new worker.

### 3.5. Health

The full results of the statistical analysis for questions pertaining to health are available in table 6 in the appendix.

Local health clinics in newly electrified communities benefited greatly from access to power from their mini-grids. The access to electricity in clinics showed a significant improvement in the post-survey, with 82% of respondents indicating that the nearest clinic had electricity, a considerable increase from only 35% in the initial survey. This positive shift was also evident in the paired sample, where an increase of 53 percentage points was observed. One way in which clinics utilized electricity was to provide refrigeration, enabling the safe storage of vaccines, medications, and blood supplies: 86% of post-survey responses confirmed refrigeration availability, up from 41% initially, translating to a 48 percentage-point improvement in the



paired sample. Among all the clinics surveyed, 79% reported the addition or enhancement of at least one service they provide, with a median of three services being improved or added.

Electrification of clinics significantly influenced community members' views on their health. Following the mini-grid installation, 58% of respondents reported an enhancement in their lives owing to improved healthcare facilities. The connection of an additional 100 customers to a mini-grid results in an average of  $76 \pm 18$  more households reporting access to better healthcare. Furthermore, it leads to approximately  $47 \pm 14$  more households reporting an overall enhancement in their quality of life. These effects are illustrated in figure 10.

Connecting 100 additional households to the mini-grid is expected to result in a significant reduction in the use of kerosene lamps: connecting 100 households results in  $36 \pm 20$  fewer kerosene lamps used.






Figure 11 illustrates the profound effect of mini-grids on reducing kerosene usage. Put simply, the median household used one kerosene lamp before the mini-grid connection, and none one year after connection.

The installation of mini-grids has led to notable improvements in water quality for the surveyed communities. There was a decrease in the use of dirty water, with pre-survey respondents reporting a 38% usage rate, which dropped to just 15% in the post-survey. Concurrently, the majority of households shifted to using community wells or pumps, accounting for 50% of the water sources post-connection.

When specifically asked about access to clean drinking water, 61% of post-survey respondents confirmed having such access, a significant rise from 36% in the initial survey. In the paired samples, this represented a





positive increase of 12 percentage points. The primary source of this clean drinking water shifted dramatically, with 60% of post-survey respondents sourcing it from the community, up from 22% initially. This shift also led to a reduced reliance on boiling water for purification, which decreased from 41% to 23%. One year after connection to a mini-grid, households were 1.9 times more likely to have access to clean drinking water.

### 3.6. Safety

The full results of the statistical analysis for questions pertaining to safety are available in table 7 in the [appendix](#).

Although there was no statistically significant change in the overall number of respondents who reported feeling safe in their communities, statistically significant shifts were observed in the reasons cited by those who felt unsafe. The perceived threat from potential theft saw a significant increase, rising from 31% pre-connection to 73% one year after connection. Conversely, concerns related to the lack of community lighting decreased substantially from 40% to 17%, and the lack of safety due to unsafe travel dropped from 23% to 7%. This change is partly attributed to the improvement in community lighting, with 56% of respondents acknowledging its presence post-connection, a considerable increase from just 22% pre-connection. This represents a 13 percentage-point increase in the paired sample proportions.


Household lighting saw improvement, with exterior lights increasing from 21% to 58% of households post-connection, and 68% being powered by the mini-grid.

### 3.7. Economic activity

The full results of the statistical analysis for questions pertaining to economic activity are available in table 8 in the [appendix](#).

Following the mini-grid installation, there was a noticeable shift in the occupational dynamics within households. Specifically, 20% of households reported a change in the occupation of the primary income provider during the first year after connection to the mini-grid. Part of this is due to a discernible increase in entrepreneurial activity. Post-mini-grid installation, 73% of households confirmed having a business owner in the household, a rise from 70% observed initially. Notably, 19% of these households reported that the business was established immediately following the mini-grid installation. This represents a 10 percentage-point increase in business ownership within the paired sample.

Among the commercial and institutional customers surveyed, a substantial 85% reported an increase in their overall earnings following the mini-grid installation. As illustrated in figure 12, for every additional 10 kWp in mini-grid capacity, there is an increase of  $6 \pm 4$  organizations reporting a boost in their earnings.



**Figure 13.** Installing a mini-grid in a community reduced the cost of phone and appliance charging, cooking energy, kerosene lamps, and water.

In Kenya, the median monthly income in the communities rose from 5000 to 6000 Kenyan Shillings (KES) post-connection, while in Nigeria, the median household income actually decreased from 47 500 to 25 000 Nigerian Naira (NGN) after the mini-grid connection. Notably, 24% of Kenyan households reported a positive increase in their incomes, compared to 18% of Nigerian households. Among the paired respondents, the income change was significant: in Nigeria, there was a decrease of  $24\,079 \pm 4\,496$  NGN, whereas in Kenya, there was an increase of  $13\,037 \pm 1\,662$  KES. Every 10 additional customer connections in Kenya is correlated with  $5 \pm 3$  more households reporting an increase in their average household income.

As illustrated in figure 13, before the mini-grid installation, 18% of Nigerian households spent between 0 and 5000 NGN monthly on water. Post-installation, 90% of respondents indicated zero water costs, instead getting all their water from community wells, marking a 94 percentage-point increase in those not paying anything and a substantial decrease of 3000 NGN per household for water costs. For every 10 customer connections in Nigeria,  $2 \pm 2$  more households would report a decrease in water cost. In Kenya, prior to connection, 74% of households spent between 0 and 3000 KES monthly on water, and 27% paid 5000 KES or more. After connection, 57% of households reported no water expenses.

Before connecting to the mini-grid, 84% of Nigerian households were spending between 0 and 1000 NGN monthly to charge their phones due to the absence of electricity. Post-connection, a significant reduction in this expense occurred, with 96% of post-survey respondents reporting no additional costs beyond their household power bill. In the paired sample, this equates to a 97 percentage-point increase in those not paying for phone charging and a marked decrease of  $900 \pm 100$  NGN per household each month. For every additional 10 customer connections in Nigeria,  $7 \pm 4$  more households would report a decrease in phone charging cost. In Kenya, pre-connection, 43% of households spent between 0 and 750 KES monthly on phone charging, and 55.5% paid 1000 KES or more. After connection, a considerable number of households saw this cost alleviated, with 45% of post-connection respondents indicating no extra expenses beyond their household power bill. In the paired sample, this translates to a 15 percentage-point increase in those not incurring phone charging costs and a significant monthly reduction of 100 KES per household.

Initially, 84% of Nigerian households incurred costs between 0 and 6000 NGN monthly for appliance charging due to unreliable power sources. However, one year after connecting to the mini-grid, 93% of respondents no longer faced any additional charging costs. In the paired sample, there was a 94 percentage-point increase in households reporting no appliance charging costs and a significant monthly reduction of 3000 NGN per household. In Kenya, 99% of households initially spent between 0 and 4000 KES monthly to charge appliances. A year after mini-grid connection, 37% of households reported no longer

having this expense. The paired sample showed a 13 percentage-point increase in those not paying for appliance charging and a notable decrease of 150 KES per household each month.

In Nigeria, before the mini-grid installation, 84% of respondents spent between 0 and 3000 NGN monthly on cooking energy. One year after installation, 34% reported their cooking costs had fallen to between 0 and 1000 NGN, a significant increase from 14% pre-connection. In the paired sample, this shift represented a 26 percentage-point increase in those with a lower cooking energy bill in the 0 to 1000 NGN range, alongside a notable monthly decrease in cooking energy costs of 1500 NGN per household. In Kenya, prior to the mini-grid connection, 96% of households were spending between 0 and 2000 KES monthly on cooking energy. Post-connection, a cost reduction was observed, with 79% now paying either nothing or between 0 and 1500 KES. The paired sample analysis showed a 4 percentage-point increase in households paying nothing, a 27 percentage-point decrease in those spending between 0 and 1000 KES, and a 17 percentage-point increase in those now spending between 1000 and 1500 KES on cooking energy.

Prior to the mini-grid connection, 57% of Nigerian households were spending between 0 and 1400 NGN monthly on expenses related to kerosene lamps. A year after connection, a significant change was observed: 91% of post-survey respondents reported no expenditure on kerosene. In the paired sample, this equated to an 89 percentage-point increase in households no longer incurring costs for kerosene lamps, with a substantial monthly reduction of  $1000 \pm 400$  NGN per household. For every additional 10 customer connections in Nigeria,  $6 \pm 2$  more households would report a decrease in the amount spent on kerosene lamps. In Kenya, initially, 98% of households spent between 0 and 1000 KES on kerosene lamp-related costs. After a year of mini-grid connectivity, 72% of respondents reported eliminating these expenses. This change represented a 47 percentage-point increase in the paired sample for those not needing to spend on kerosene lamps, and a notable monthly decrease of 200 KES per household.

#### 4. Discussion and qualitative insights

This study conducts a thorough analysis of solar mini-grids' impact in surveyed communities, examining changes across a wide range of variables in the first year post-installation. Utilizing both descriptive and inferential statistics, it highlights key observed changes. Although not exhaustive, the study captures diverse socio-economic benefits of electrification, shedding light on its potential positive impact on African rural communities. The findings are organized into themes: gender equality, productivity, health, safety, and economic activity, enabling detailed exploration of implications and study limitations. This approach aims to comprehensively understand the multifaceted impact of solar mini-grid implementation.

In this context, gender equality was defined as increased equal access to education for both boys and girls, enhanced economic opportunities for women, and reduced time spent on household chores typically assigned to young and adult females in those communities. There were 11 questions pertaining to this KPI from which several variables were extracted for analysis. The results indicate a notable and significant improvement ranging from access to education for boys and girls alike to increased economic inclusion for women. The associated investment into the installation and capacity of the mini-grid proved to be positively correlated with higher school enrollment rates across communities. Responses from open-ended survey questions added depth to these findings. Post-connectivity, school-aged children, especially girls, reported higher grades, attributed to extended study hours into the night and the ability to complete schoolwork more effectively. Additionally, the mini-grid connection facilitated access to the internet, providing children with additional learning materials. This connectivity proved particularly beneficial for girls, who gained increased exposure to and knowledge about feminine care and hygiene issues. Furthermore, the reduction in time spent on chores like water and cooking fuel collection offered relief to the primary caregivers in the household, who were often young or adult women. Furthermore, the availability of nighttime lighting allowed for the completion of chores later in the evening, resulting in earlier meal preparations. The broader economic landscape also saw a transformation, with the mini-grid connection opening up new job opportunities from which women substantially benefited.

Before the mini-grid connection, many economically productive activities were often determined by the natural light hours and were limited by little-to-no access to electricity. For instance, many residents had to travel to charge electronic appliances such as phones and, so, restrict the time they could spend on other activities. Respondents involved in the fishing industry noted that their fishing activities were limited due to the absence of ice for preserving their catch before reaching shore. Consequently, they restricted their daily catch to quantities they could sell immediately, as smoking was the only available method for preservation. These inefficiencies were curtailed or eliminated by a reliable power source. More broadly, productivity is related to light hours for households, time spent on and distance traveled for specific activities like water collection and appliance charging, and enhanced operational hours and workforce capacity for organizations. The surveys contained 31 productivity-related questions for households and 7 for businesses.

Analyses of the metrics related to productivity demonstrated gains and savings in terms of resources allocated to various activities, thus pointing to greater efficiency at the individual and community levels. Connecting to the mini-grid gave more light hours, reduced reliance on unclean or non-renewable power sources, and provided on-demand charging stations at home for all their electronic devices. This result affirms the conclusions of [26, 27], where the installations of solar panels and a small hydroelectric power plant in Ethiopian and Rwandan communities, respectively, led to increased employment, educational attainment, and business activity. Our study expands upon this result by examining a broader set of questions that capture economic productivity both at the household and business level. The responses from open-ended survey questions provided additional depth and nuance to these findings. The availability of electronic information devices such as televisions and radios has expanded access to information for residents, while the convenience of charging phones has enhanced communication within families and the community at large. The ability to access social media platforms has also heightened residents' awareness of local, national, and international news. Furthermore, the acquisition of electric appliances like clothes irons has enabled residents to wear ironed clothes, contributing to an improved sense of self-presentation. There was also an improvement in the academic performance of school-aged children affirmed by both households and schools. Children could now extend their study hours at home, and schools could provide more services to support the student body, potentially at later hours. Most organizations also had a notable increase in their hours of operation—now with a reliable source of electricity—thus driving more business growth in hiring more workers and expanding their lines of products and services.

Sixteen health-related questions were posed to households, focusing on the ease of access to the nearest clinic, use of kerosene lamps, water purification methods, and the overall quality of healthcare. The results highlighted a significant positive impact on the health and well-being of communities connected to mini-grids. Residents gained access to clean drinking water, primarily through community wells or pumps, reducing health risks associated with the use of unclean water. Clinics reported shorter wait times, extended hours of operation, the capacity to treat more patients, and improved cold storage for vaccines and medicines. Residents directly confirmed an overall enhancement in healthcare services and living conditions. The adoption of mini-grids led many households to discontinue the use of hazardous kerosene lamps, known for their risks of poisoning, fires, and explosions. Here, too, open-ended survey responses further enriched the findings. The consistent voltage supply from the mini-grid has enabled a shift away from petrol-powered generators, significantly reducing noise and pollution in residential areas. Residents, like clinics, also benefit from cold storage facilities, allowing access to cold drinking water and other chilled beverages, alongside a notable reduction in food wastage. This transition has contributed to an improved quality of life for the residents, underscoring the multifaceted health and lifestyle benefits brought about by the mini-grid installation.

The safety of residents was assessed based on how safe they felt and any potential reasons they might feel unsafe, including due to theft, unsafe travel, and lack of community lighting, with 10 questions allocated from the surveys. Households were more likely to have exterior lighting, thus contributing to a feeling of safety in and around the house. On the feeling of safety, there was no significant increase or decrease, thus indicating that most residents did not affirm feeling more or less safe. However, there was a notable and positive change in the reasons related to electrification. Indeed, there was a drop in respondents denoting community lighting and lack of safety when traveling as reasons for feeling unsafe. Even without an overall increase in the feeling of safety, those two reasons indicate that the mini-grid installation reduced the incidence of electrification-related concerns. On the other hand, there was a significant increase in the perceived threat of theft following the mini-grid installation. This observation suggests a need for further investigation to assert a direct correlation with the mini-grid installation. Future work should avoid this limitation by expanding the number of questions dedicated to assessing safety.

Survey questions measuring economic activity assessed changes in household incomes and spending, earnings for businesses, employment, and business ownership. This section contained 17 questions. The median household income in Nigeria decreased between 2021 and 2023, but this can likely be best explained by macroeconomic trends [34, 35]. On the other hand, Kenyan households observed an increase in income after mini-grid connection. Among the paired respondents—those community members who were present both before the mini-grid installation and at least until the post-survey one year after connection—there was a significant rise in median monthly income. This group saw their median income increase from 4000 KES to 18 000 KES, highlighting a substantial economic uplift due to the mini-grid installation. This is in contrast to the findings of [28], which did not find meaningful impacts on economic and non-economic outcomes after the expansion of electric grid infrastructure in rural Kenya, potentially due to the low energy utilization they observed at the household level.

Across both countries, business ownership was higher, and previously established businesses had increased earnings. The mini-grid installation bolstered the entrepreneurial economy as electrification

brought additional economic opportunities. Households could also save on the charging cost for phones and appliances, cooking energy, and water costs, freeing up money for other investments.

## 5. Conclusion

This paper offers an in-depth evaluation of the tangible socioeconomic impacts of solar mini-grids in rural communities across SSA. It utilizes robust empirical methods to examine five KPIs: gender equality, productivity, health, safety, and economic activity. This constitutes the first comprehensive analysis of the social and economic effects of solar mini-grids in rural African settings.

Surveys were conducted in Nigeria and Kenya at selected sites before and one year after solar mini-grid installation, yielding a detailed insight into the mini-grids' impacts. Generating both quantitative and qualitative data, the surveys provided a holistic perspective on various aspects such as household chores, education access, time use, healthcare, and incomes. Descriptive statistics and comparative tests, including the paired *t*-test and McNemar's test, were used to evaluate significant differences pre- and post-installation.

The study showed marked improvements in children's schooling, including better academic performance and less involvement in household chores, indicating that mini-grids enhanced educational opportunities and potentially raised literacy rates. Additional lighting hours and reduced time for water and cooking fuel collection from the mini-grid led to increased productivity. Additionally, replacing hazardous kerosene lamps with the cleaner, reliable power of the mini-grid improved both community health and productivity.

The mini-grid's on-demand home electricity significantly reduced household expenses, notably in services like phone charging. This installation led to diverse improvements, positively affecting many aspects of community life.

Despite the study's positive findings, certain limitations were encountered. The survey's structure led to an imbalance between discrete and continuous variables, limiting the use of regression analyses. This restriction affected the robustness of testing electricity consumption effects at the household level. Site-level analyses provided some compensation, but they offered only community-wide results, amalgamating individual household and business impacts. Furthermore, many survey questions yielded outputs unsuitable for parametric hypothesis testing due to their lack of meaningful order or magnitude.

This study's insights on solar mini-grids in Nigeria and Kenya pave the way for future research. Longitudinal studies tracking participants over years would deepen understanding of mini-grids' long-term effects. Comparing these communities with nearby unelectrified ones could create a natural quasi-experiment. Broadening the study to other regions would enhance understanding of mini-grids' diverse impacts. Assessing how evolving renewable technologies affect these impacts, and examining the influence of government policies, subsidies, and international aid, are also crucial. Addressing these aspects will enrich the knowledge base, aiding the effective use and optimization of solar mini-grids for greater social and economic advantages.

Solar mini-grids have significantly driven positive transformations in communities, leading to enhanced opportunities for women and girls, better healthcare, and economic growth. Their impact on various socioeconomic factors highlights their role in achieving the Sustainable Development Goals by 2030.

## Data availability statements

All data that support the findings of this study are included within the article (and any supplementary information files).


## Conflict of interest

This study was conducted with the involvement of several authors who have direct employment ties with the primary funder, Renewvia Energy Corporation. Specifically, authors A T Carabajal, A Orsot and N S Selby are employed by Renewvia Energy Corporation. Additionally, G T Jarrard III holds the position of CEO at Renewvia Energy Corporation.


## Funding statement


This project was primarily funded by Renewvia Energy Corporation. While no specific grants were allocated for this project, authors employed by Renewvia Energy Corporation led the study design, analysis, interpretation, and writing of the report. This collaboration was in partnership with the African Leadership University; the University of Nairobi; and the University of California, Berkeley. Data collection was carried out by independent, third-party surveyors.

Appendix









**Figure 16.** Correlation matrix of c&i post-survey responses to 3 numerical questions.

Table 4. Statistical testing results for gender equality.

Variable	Sample	Test	Estimate	Predictor	Result	95% CI	p-value
Increase in schooling for girls	Post	Linear regression	Slope of regression line	PV size (kWp)	1.824*	(0.425, 3.223)	0.0140
				Customer count	0.0680	(0.1181, 0.2541)	0.448
				CAPEX (k USD)	0.4134**	(0.1793, 0.6475)	0.0020
Increase in schooling for boys	Post	Linear regression	Slope of regression line	PV size (kWp)	1.764*	(0.273, 3.256)	0.0235
				Customer count	0.0674	(−0.1252, 0.2601)	0.467
				CAPEX (k USD)	0.4184**	(0.1722, 0.6645)	0.0027
Water collection time	Paired	Paired t-test Linear regression	Mean difference Slope of regression line	RMG presence	0.1483	(0.0708, 0.2259)	0.0002
				PV size (kWp)	2.455*	(0.2576, 4.652)	0.0320
				Customer count	0.0735	(−0.2225, 0.3695)	0.592
				CAPEX (k USD)	0.3348**	(0.0279, 0.6418)	0.0354
Water collection responsibility (School-aged vs. Not)	Paired	McNemar	Odds Ratio	RMG Presence	0.2894***	(0.2104, 0.3927)	$2 \times 10^{-16}$
				PV size (kWp)	4.019	(−0.8265, 8.892)	0.0942
				Customer count	0.2279	(−0.3544, 0.8117)	0.4035
Cooking fuel collection time	Paired	Paired t-test Linear regression	Mean difference Slope of regression line	CAPEX (k USD)	0.0333	(−0.7445, 0.8111)	0.9259
				RMG presence	0.3610***	(0.2668, 0.4551)	$4.3 \times 10^{-13}$
				PV size (kWp)	0.0440	(−4.2914, 4.3795)	0.9824
				Customer count	−0.0134	(−0.4792, 0.4524)	0.9503
Women-led business ownership	Paired	McNemar	Odds ratio	CAPEX (k USD)	0.2247	(−0.3544, 0.8037)	0.4076
				RMG presence	0.7957	(0.5783, 1.092)	0.164
Employment opportunity for women	Post	Likelihood-ratio test Linear regression	Odds ratio Slope of regression line	Consumption (kWh)	0.0036	(−0.0071, 0.0126)	0.4618
				PV size (kWp)	−0.1333	(−0.8511, 0.5845)	0.6878
				Customer count	0.0697*	(0.0155, 0.1239)	0.0168
				CAPEX (k USD)	0.0334	(−0.0686, 0.1353)	0.4825

\*\*\*, \*\*, and \* represent statistical significance at  $p < 0.001$ ,  $p < 0.01$ , and  $p < 0.05$ , respectively.

Table 5. Statistical testing results for productivity.

Variable	Sample	Test	Estimate	Predictor	Result	95% CI	p-value
Light hours	Paired	Paired <i>t</i> -test	Mean difference	RMG presence	−3.1211***	(−3.5087, −2.7336)	$2 \times 10^{-16}$
Power source (Clean vs Unclean)	Paired	McNemar Linear regression	Odds ratio	RMG presence	0.1449***	(0.0954, 0.2132)	$2 \times 10^{-16}$
			Slope of regression Line	PV size (kWp)	−1.398	(−6.4602, 3.6642)	0.5521
				Customer count	0.4686*	(0.0235, 0.9137)	0.0409
				CAPEX (k USD)	0.2525	(−0.4390, 0.9440)	0.4348
Appliances count	Paired	Paired <i>t</i> -test Linear regression	Mean difference	RMG presence	−1.5867***	(−1.7789, −1.3945)	$2 \times 10^{-16}$
			Slope of regression Line	PV size (kWp)	0.2424	(−6.8040, 7.2888)	0.9404
				Customer count	0.8710**	(0.4270, 1.3149)	0.0014
				CAPEX (k USD)	0.6005	(−0.2788, 0.1480)	0.1591
Phone charging travel distance	Paired	Wilcoxon Linear regression	Median	RMG presence	0.9999***	(0.9999, 1.0000)	$2 \times 10^{-16}$
			Slope of regression Line	PV size (kWp)	−4.410	(−10.7694, 1.9484)	0.1533
				Customer count	0.0901	(−0.6679, 0.8480)	0.7965
				CAPEX (k USD)	−0.1692	(−0.1142, 0.8034)	0.7064
Water collection travel distance	Paired	Wilcoxon Linear regression	Median	RMG presence	$6.5 \times 10^{-6}$ *	( $-5.2 \times 10^{-5}$ , $6.7 \times 10^{-7}$ )	0.0429
			Slope of regression Line	PV size (kWp)	0.8506	(−2.0535, 3.7547)	0.5287
				Customer count	0.0472	(−0.2697, 0.3641)	0.7470
				CAPEX (k USD)	0.2094	(−0.1738, 0.5925)	0.2513
Clinic travel distance	Paired	Wilcoxon	Median	RMG presence	$-3.6 \times 10^{-5}$	( $-2.8 \times 10^{-5}$ , $6.1 \times 10^{-7}$ )	0.9765
Academic performance (Households)	Post	Linear regression	Slope of regression line	PV size (kWp)	1.4668	(−0.1765, 3.1100)	0.0765
				Customer count	0.1874*	(0.0139, 0.3609)	0.0361
				CAPEX (k USD)	0.3049*	(0.2175, 0.5880)	0.0367

(Continued.)

Table 5. (Continued.)

Academic performance (Schools)	Post	Linear regression	Slope of regression line	PV size (kWp)	0.2344** −0.0089 0.0201	(0.0803, 0.3885) (−0.0355, 0.0178) (−0.017, 0.0572)	0.0074 0.4712 0.2514
				Customer count			
				CAPEX (k USD)			
Hours of operations	Post	Linear regression	Slope of regression line	PV size (kWp)	1.0059 0.0872 0.0568	(−0.0224, 2.0343) (−0.0439, 0.2183) (−0.1396, 0.2533)	0.0545 0.1758 0.5449
				Customer count			
				CAPEX (k USD)			
Employment opportunity for all	Post	Linear regression	Slope of regression line	PV size (kWp)	0.0348 0.0382* 0.0039	(−0.3229, 0.3925) (0.0090, 0.0674) (−0.0511, 0.0589)	0.8344 0.0149 0.8783
				Customer count			
				CAPEX (k USD)			
Change in products/services	Post	Likelihood-ratio test Linear regression	Odds ratio Slope of regression Line	Consumption (kWh)	0.0037 0.8667** 0.0376 0.0743	(−0.0045, 0.0133) (0.3663, 1.3671) (−0.0435, 0.1187) (−0.0369, 0.1856)	0.3808 0.0023 0.3374 0.1737
				PV size (kWp)			
				Customer count			
				CAPEX (k USD)			

\*\*\*, \*\*, and \* represent statistical significance at  $p < 0.001$ ,  $p < 0.01$ , and  $p < 0.05$ , respectively.

Table 6. Statistical testing results for health.

Variable	Sample	Test	Estimate	Predictor	Result	95% CI	p-value
Access to clean drinking water	Paired	McNemar Linear regression	Odds ratio	RMG presence	1.8689***	(1.3577, 2.5941)	0.0001
			Slope of regression Line	PV size (kWp)	−1.364	(−6.0004, 3.2721)	0.5269
				Customer count	−0.1371	(−0.6367, 0.3624)	0.5545
				CAPEX (k USD)	−0.1735	(−0.8175, 0.4706)	0.5618
Kerosene lamps	Paired	Paired <i>t</i> -test Linear regression	Mean difference	RMG presence	0.3627***	(0.1658, 0.5597)	0.0004
			Slope of regression Line	PV size (kWp)	−2.148	(−6.2876, 1.9919)	0.2745
				Customer count	0.0951	(−0.3739, 0.5639)	0.6612
				CAPEX (k USD)	−0.3178	(−0.8855, 0.2499)	0.2407
Kerosene lamp usage	Paired	Linear regression	Slope of regression Line	PV size (kWp)	−3.6820	(−8.4022, 1.0379)	0.1171
				Customer count	0.7038**	(0.2907, 1.1170)	0.0025
				CAPEX (k USD)	−0.2940	(−1.1234, 0.5355)	0.4598
New health services	Paired	Linear regression	Slope of regression line	PV size (kWp)	0.0262	(−0.1488, 0.2012)	0.7335
				Customer count	0.0062	(−0.0125, 0.0249)	0.4585
				CAPEX (k USD)	−0.0016	(−0.0318, 0.0285)	0.9007
Clinic access to electricity	Paired	McNemar	Odds ratio	RMG presence	117***	(32.03, 971.8)	$2 \times 10^{-16}$
Clinic access to refrigeration	Paired	McNemar	Odds ratio	RMG presence	11.895***	(7.4418, 20.126)	$2 \times 10^{-16}$
Better access to healthcare	Post	Likelihood-ratio test Linear regression	Log odds	Consumption (kWh)	−0.0174	(−0.0513, 0.0316)	0.4269
			Slope of regression line	PV size (kWp)	−0.949	(−5.0190, 3.1209)	0.6264
				Customer count	0.7576***	(0.5821, 0.9331)	$1.48 \times 10^{-7}$
Self-reported improvement	Post	Likelihood-ratio test Linear regression	Log odds Slope of regression Line	CAPEX (k USD)	0.1364	(−0.5194, 0.7922)	0.6623
				Consumption (kWh)	−0.0140	(−0.0379, 0.0089)	0.2299
				PV size (kWp)	0.7911	(−1.8564, 3.4386)	0.5338
				Customer count	0.4694***	(0.3253, 0.6135)	$4.72 \times 10^{-6}$
				CAPEX (k USD)	0.2127	(−0.2632, 0.6886)	0.3540

\*\*\*, \*\*, and \* represent statistical significance at  $p < 0.001$ ,  $p < 0.01$ , and  $p < 0.05$ , respectively.



Table 7. Statistical testing results for safety.

Variable	Sample	Test	Estimate	Predictor	Result	95% CI	p-value
Feeling unsafe due to unsafe travel	Paired	McNemar Linear regression	Odds ratio Slope of regression line	RMG presence	0.1759***	(0.1020, 0.2882)	$2.7 \times 10^{-16}$
				PV size (kWp)	1.0250	(−1.7876, 3.8377)	0.4357
				Customer count	−0.0609	(−0.3700, 0.2482)	0.6699
				CAPEX (k USD)	0.1351	(−0.2555, 0.5257)	0.4587
Feeling unsafe due to no community lighting	Paired	McNemar Linear regression	Odds ratio Slope of regression Line	RMG presence	0.4094***	(0.2988, 0.5550)	$1.1 \times 10^{-9}$
				PV size (kWp)	−3.145	(−7.5491, 1.2582)	0.1426
				Customer count	0.3992	(−0.0497, 0.8482)	0.0757
				CAPEX (k USD)	−0.1154	(−0.7931, 0.5623)	0.7123
Feeling unsafe due to potential theft	Paired	McNemar Linear regression	Odds ratio Slope of regression line	RMG presence	5.925***	(4.2245 8.5047)	$2 \times 10^{-16}$
				PV size (kWp)	0.9278	(−0.7589, 2.6144)	0.2484
				Customer count	−0.0562	(−0.2465, 0.1341)	0.5252
				CAPEX (k USD)	0.1628	(−0.0599, 0.3854)	0.1344
Presence of home exterior lights	Paired	McNemar Linear regression	Odds ratio Slope of regression line	RMG presence	4.1395***	(2.9526, 5.9187)	$2 \times 10^{-16}$
				PV size (kWp)	−1.141	(−5.8565, 3.5753)	0.6018
				Customer count	0.3410	(−0.1134, 0.7955)	0.1255
				CAPEX (k USD)	0.1380	(−0.5171, 0.7932)	0.6489

\*\*\*, \*\*, and \* represent statistical significance at  $p < 0.001$ ,  $p < 0.01$ , and  $p < 0.05$ , respectively.

Table 8. Statistical testing results for economic activity.

Variable	Sample	Test	Estimate	Predictor	Result	95% CI	p-value
Average household income—Nigeria	Paired	Paired <i>t</i> -test Linear regression	Mean difference Slope of regression line	RMG presence	24.080***	(19.583, 28.574)	$2 \times 10^{-16}$
				PV size (kWp)	0.3541	(−5.4645, 6.1727)	0.8179
				Customer count	0.0896	(−0.3758, 0.5550)	0.4946
				CAPEX (k USD)	−0.2976	(−8.4745, 7.8792)	0.7242
Average household income—Kenya	Paired	Paired <i>t</i> -test Linear regression	Mean difference Slope of regression line	RMG presence	−13.037***	(−11.375, −14.698)	$2 \times 10^{-16}$
				PV size (kWp)	1.0640	(−4.4101, 6.5380)	0.6511
				Customer count	0.4714**	(0.1781, 0.7648)	0.0077
				CAPEX (k USD)	0.0867	(−0.6213, 0.7946)	0.7747
Household income signed change	Post	Linear regression	Slope of regression line	PV size (kWp)	0.7668	(−0.7463, 2.2798)	0.2971
				Customer count	0.1416	(−0.0130, 0.2963)	0.0698
				CAPEX (k USD)	0.1492	(−0.0065, 0.3050)	0.0590
Business earnings signed change	Post	Linear regression	Slope of regression line	PV size (kWp)	1.1001*	(0.1734, 2.0269)	0.0233
				Customer count	0.0904	(−0.0325, 0.2133)	0.1370
				CAPEX (k USD)	0.0894	(−0.0928, 0.2717)	0.3105
Business ownership	Paired	McNemar Linear regression	Odds ratio Slope of regression line	RMG presence	6.1111***	(2.9962, 14.0661)	$3.5 \times 10^{-5}$
				PV size (kWp)	−0.4382	(−5.8828, 5.0065)	0.8613
				Customer count	0.1741	(−0.3990, 0.7471)	0.5139
				CAPEX (k USD)	−0.4673	(−1.14676, 0.2122)	0.1564
Phone charging cost—Nigeria	Paired	Sign Linear regression	Median Slope of regression line	RMG presence	−4***	(−5, −4)	$9 \times 10^{-52}$
				PV size (kWp)	7.729	(−0.0621, 15.5200)	0.0507
				Customer count	0.7266*	(0.2671, 1.1861)	0.0209
				CAPEX (k USD)	0.7277	(−4.4249, 5.8804)	0.3236
Phone charging cost—Kenya	Paired	Sign Linear regression	Median Slope of regression line	RMG presence	−1**	(−1, −1)	0.0022
				PV size (kWp)	−4.4173	(−11.3411, 2.5066)	0.3741
				Customer count	−0.2931	(−1.0558, 0.4696)	0.3834
				CAPEX (k USD)	−0.6168	(−1.4672, 0.2335)	0.1263
Appliances charging cost—Nigeria	Paired	Sign Linear regression	Median Slope of regression line	RMG presence	−3***	(−3, −3)	$1 \times 10^{-50}$
				PV size (kWp)	7.4115	(−1.9588, 16.7818)	0.0765
				Customer count	0.7266	(0.4684, 0.9848)	0.0067
				CAPEX (k USD)	0.7450	(−9.764, 11.254)	0.5332

(Continued.)

Table 8. (Continued.)

Appliances charging cost—Kenya	Paired	Sign Linear regression	Median Slope of regression line	RMG presence PV size (kWp) Customer count CAPEX (k USD)	−1*** −4.0440 −0.2322 −0.6206	(−1, −1) (−11.5460, 3.4581) (−1.0476, 0.5833) (−1.5169, 0.2757)	$2.60 \times 10^{-6}$ 0.2353 0.5121 0.1412
Cooking energy cost—Nigeria	Paired	Wilcoxon Linear regression	Median Slope of regression line	RMG presence PV size (kWp) Customer count CAPEX (k USD)	1.49*** 4.560 0.6825 −0.3187	(0.99, 1.5) (−23.6620, 32.7829) (−1.293, 2.658) (−43.6965, 43.059)	$6 \times 10^{-12}$ 0.5588 0.2755 0.9407
Cooking energy cost—Kenya	Paired	Wilcoxon Linear regression	Median Slope of regression line	RMG presence PV size (kWp) Customer count CAPEX (k USD)	$-4.89 \times 10^{-5}$ ** 0.2391 0.0074 0.0295	(−0.99, $-1.91 \times 10^{-5}$ ) (−2.2511, 2.7294) (−0.2414, 0.2562) (−0.2891, 0.3481)	0.001442 0.8221 0.9442 0.8285
Kerosene lamps cost—Nigeria	Paired	Sign Linear regression	Median Slope of regression line	RMG presence PV size (kWp) Customer count CAPEX (k USD)	−3*** 6.0134 0.6042** 0.734	(−4, −3) (−2.674, 14.701) (0.4334, 0.7749) (−11.1702, 12.6383)	$1 \times 10^{-20}$ 0.0967 $4 \times 10^{-3}$ 0.5769
Kerosene lamps cost—Kenya	Paired	Sign Linear regression	Median Slope of regression line	RMG presence PV size (kWp) Customer count CAPEX (k USD)	−1*** −3.1656 −0.1546 −0.6074	(−1, −1) (−9.5667, 3.2356) (−0.8480, 0.5388) (−1.2898, 0.0750)	$5 \times 10^{-12}$ 0.2718 0.6051 0.0723
Water cost—Nigeria	Paired	Sign Linear regression	Median Slope of regression line	RMG presence PV size (kWp) Customer count CAPEX (k USD)	−2*** 2.2100 0.2098* 0.1136	(−2, −2) (−0.6804, 5.1004) (0.0157, 0.4039) (−1.138, 1.365)	$3 \times 10^{-4}$ 0.0812 0.0433 0.4547
Water cost—Kenya	Paired	Sign Linear regression	Median Slope of regression line	RMG presence PV size (kWp) Customer count CAPEX (k USD)	−0.5 0.3696 −0.1981 0.1584	(−1.0, $-1.7 \times 10^{-5}$ ) (−3.8569, 4.5962) (−0.5710, 0.1748) (−0.3607, 0.6774)	0.0062 0.8376 0.2414 0.4835

\*\*\*, \*\*, and \* represent statistical significance at  $p < 0.001$ ,  $p < 0.01$ , and  $p < 0.05$ , respectively.

## ORCID iDs

M P E Moudio  <https://orcid.org/0000-0002-1221-0529>

N S Selby  <https://orcid.org/0000-0001-9476-4850>

## References

- [1] Hafner M, Tagliapietra S, de Strasser L, Hafner M, Tagliapietra S and de Strasser L 2018 *Energy in Africa: Challenges and Opportunities* (Springer) pp 47–75
- [2] Irena A 2022 International renewable energy agency and African development bank, Abu Dhabi and Abidjan (available at: [www.irena.org/publications/2022/Jan/Renewable-Energy-Market-Analysis-Africa](http://www.irena.org/publications/2022/Jan/Renewable-Energy-Market-Analysis-Africa))
- [3] Moro B and Apollinaire A 2018 Ensuring sustainable electricity for all in West Africa through innovative decentralised renewable energy solutions: an analysis of ivoirien context *Master's Thesis PAUWES*
- [4] Rasagam G and Zhu D 2018 *Curr. Sustain. Renew. Energy Rep.* **5** 230–9
- [5] Deshmukh A 2009 Maharashtra case study (available at: <http://lup.lub.lu.se/luur/download>)
- [6] Edwards I 2018 Quaker United Nations Office (QUONO), Geneva
- [7] Rabetanetiarimanana J C I et al 2018 *Smart Grid Renew. Energy* **9** 171
- [8] Okunlola A, Evbuomwan O, Zaheer H and Winklmaier J 2018 Assessment of decentralized hybrid mini-grids in sub-saharan africa: market analysis, least-cost modelling and job creation analysis *Africa-EU Renewable Energy Research and Innovation Symp. 2018 (RERIS 2018)* (Springer) pp 21–34
- [9] Moner-Girona M, Solano-Peralta M, Lazopoulou M, Ackom E, Vallve X and Szabó S 2018 *Renew. Sustain. Energy Rev.* **91** 1148–61
- [10] Dawoud S M, Lin X and Okba M I 2018 *Renew. Sustain. Energy Rev.* **82** 2039–62
- [11] Hussein M A et al 2012 *Sci. Res. Essays* **7** 2656–66
- [12] Hanjra M A, Ferede T and Gutta D G 2009 *Agri. Water Manage.* **96** 1062–70
- [13] Zebra E I C, van der Windt H J, Nhumaio G and Faaij A P 2021 *Renew. Sustain. Energy Rev.* **144** 111036
- [14] 2019 Tracking SDG7: the energy progress report 2019 Report World Bank (available at: [www.worldbank.org/en/topic/energy/publication/tracking-sdg7-the-energy-progress-report-2019](http://www.worldbank.org/en/topic/energy/publication/tracking-sdg7-the-energy-progress-report-2019))
- [15] Valickova P and Elms N 2021 *Energy Policy* **148** 111935
- [16] Falk J, Angelmahr M, Schade W and Schenk-Mathes H 2021 *Energy Ecol. Environ.* **6** 513–30
- [17] Chakravorty U, Emerick K and Ravago M L 2016 Resources for the Future Discussion paper pp 16–22
- [18] Mazzeo D, Matera N, De Luca P, Baglivo C, Congedo P M and Olivetti G 2021 *J. Clean. Prod.* **295** 126070
- [19] Korkovelos A, Zerriffi H, Howells M, Bazilian M, Rogner H-H and Fuso Nerini F 2020 *Sustainability* **12** 1793
- [20] Poblete-Cazenave M and Pachauri S 2021 *Energy Econ.* **98** 105266
- [21] Antonanzas-Torres F, Antonanzas J and Blanco-Fernandez J 2021 *Energies* **14** 990
- [22] Shabalov M Y, Zhukovskiy Y L, Buldysko A, Gil B and Starshaia V 2021 *Energy Rep.* **7** 2664–80
- [23] Consultant B K, Klooss B and Consultant S 2021 Making energy transition possible: how technology can help (available at: [www.opml.co.uk/blog/making-energy-transition-possible-how-technology-can-help](http://www.opml.co.uk/blog/making-energy-transition-possible-how-technology-can-help))
- [24] Eales A, Walley L, Buckland H, Frame D and Strachan S 2018 Social impacts of mini-grids: towards an evaluation methodology 2018 *IEEE PES/IAS PowerAfrica* (IEEE) pp 354–9
- [25] Pueyo A and DeMartino S 2018 *Energy Sustain. Dev.* **45** 28–37
- [26] Wassie Y T and Adaramola M S 2021 *Energy Sustain. Dev.* **60** 52–66
- [27] Uwineza M P 2021 Analysis of socio-economic impact of mini-Grids for rural area development in Rwanda. Case of Mukungu mini-hydropower plant *PhD Thesis* University of Rwanda College of Science and Technology
- [28] Lee K, Miguel E and Wolfram C 2020 *J. Pol. Econ.* **128** 1523–65
- [29] Babalola S O, Daramola M O and Iwarere S A 2022 *Phil. Trans. R. Soc. A* **380** 20210140
- [30] Liu Y and Bah Z 2021 *Energy Policy* **154** 112294
- [31] Cartland R, Sendegeya A M and Hakizimana Khan J d D 2022 *J. Energy South. Africa* **33** 36–50
- [32] Duran A S and Sahinyazan F G 2021 *Socio-Econ. Plan. Sci.* **77** 100999
- [33] Nyarko K, Whale J and Urmee T 2023 *Heliyon* **9** E16710
- [34] 2023 Macro poverty outlook for nigeria : April 2023 - datasheet Brief 181380 World Bank
- [35] 2023 Nigeria development update - turning the corner: from reforms and renewed hope, to results Report 186416 World Bank