

## TELUS Component Library

# SideNav

Multi-Platform Component | [Figma UI KIT](#)

Level 1

Group 1

✓

Level 1 - 2

Group 2

✓

```
<SideNav>
  <SideNav.Item href="#level-1-1">Level 1</SideNav.Item>
  <SideNav.ItemsGroup label="Group 1">
    <SideNav.Item href="#level-2-1">Level 2 - 1</SideNav.Item>
    <SideNav.Item href="#level-2-2">Level 2 - 2</SideNav.Item>
    <SideNav.Item href="#level-2-3">Level 2 - 3</SideNav.Item>
  </SideNav.ItemsGroup>
  <SideNav.Item href="#level-1-2">Level 1 - 2</SideNav.Item>
  <SideNav.ItemsGroup label="Group 2">
    <SideNav.Item href="#level-2-4">Level 2 - 4</SideNav.Item>
  </SideNav.ItemsGroup>
</SideNav>
```

## Introduction

A stacked, in-page navigation widget.


[Follow the appropriate instructions](#) to add this component in to your app.

## Guidance

- Use in conjunction with a large amount of educational / informational content

- Use in conjunction with a large amount of educational / informational content
- Allow the user to navigate between options frequently and efficiently

SideNav is typically used alongside long text content that is broken down into sections.



## Example long content

### 1: Heading for a section of the page

This is some example long textual content broken into multiple sections. There is a lot of text in multiple paragraphs so the page containing all this content will require scrolling.

Some paragraphs will be longer than others. This is some example long textual content broken into multiple sections. There is a lot of text in multiple paragraphs so the page containing all this content will require scrolling.

### 2: Heading for a section with subsections

#### 2a: First nested subsection

This is some example long textual content broken into multiple sections. There is a lot of text in multiple paragraphs so the page containing all this content will require scrolling.

Some paragraphs will be longer than others. This is some example long textual content broken into multiple sections. There is a lot of text in multiple paragraphs so the page containing all this content will require scrolling.

## 2b: Second nested subsection

This is some example long textual content broken into multiple sections. There is a lot of text in multiple paragraphs so the page containing all this content will require scrolling.

Some paragraphs will be longer than others. This is some example long textual content broken into multiple sections. There is a lot of text in multiple paragraphs so the page containing all this content will require scrolling.

## 2c: Third nested subsection

This is some example long textual content broken into multiple sections. There is a lot of text in multiple paragraphs so the page containing all this content will require scrolling.

Some paragraphs will be longer than others. This is some example long textual content broken into multiple sections. There is a lot of text in multiple paragraphs so the page containing all this content will require scrolling.

### 3: Heading for another section of the page

This is some example long textual content broken into multiple sections. There is a lot of text in multiple paragraphs so the page containing all this content will require scrolling.

Some paragraphs will be longer than others. This is some example long textual content broken into multiple sections. There is a lot of text in multiple paragraphs so the page containing all this content will require scrolling.

### 4: Heading for last section of the page

#### 4a: Last nested subsection

This is some example long textual content broken into multiple sections. There is a lot of text in multiple paragraphs so the page

containing all this content will require scrolling.

Some paragraphs will be longer than others. This is some example long textual content broken into multiple sections. There is a lot of text in multiple paragraphs so the page containing all this content will require scrolling.

Expand editable code

### `accordion` prop

By default, only one SideNav panel may be open.

If the `accordion` prop is passed as `false`, any number of panels may be open at a time.

Level 1 - 1

Group 1



Level 1 - 2

Group 2



```
<SideNav accordion={false}>
  <SideNav.Item href="#level-1-1">Level 1 - 1</SideNav.Item>
  <SideNav.ItemsGroup label="Group 1">
    <SideNav.Item href="#level-2-1">Level 2 - 1</SideNav.Item>
    <SideNav.Item href="#level-2-2">Level 2 - 2</SideNav.Item>
    <SideNav.Item href="#level-2-3">Level 2 - 3</SideNav.Item>
  </SideNav.ItemsGroup>
</SideNav>
```

```
</SideNav.ItemsGroup>
<SideNav.Item href="#level-1-2">Level 1 - 2</SideNav.Item>
<SideNav.ItemsGroup label="Group 2">
  <SideNav.Item href="#level-2-4">Level 2 - 4</SideNav.Item>
</SideNav.ItemsGroup>
</SideNav>
```

## Accessibility

Expanded item groups are marked with `aria-expanded`, while the active item has an `aria-selected` attribute. Similar patterns are applied on the native platforms.

## Platform considerations

The component is available on both native platforms and web.

## Props

### SideNav

| Name      | Type    | Platform | Default | Description   |
|-----------|---------|----------|---------|---|
| children  | custom  | standard |         | Specifies the structure and links of the `SideNav`. It may only consist of `SideNav.Item` and `SideNav.ItemsGroup`. |
| accordion | bool    | standard |         | Identifies if only one `SideNav.ItemsGroup` should be open at a time.   |
| variant   | variant | standard |         | System variant prop, see <a href="#">variants</a> for more  |

| Name        | Type   | Platform | Default | Description   |
|-------------|--------|----------|---------|---|
|             |        |          |         | details   |
| tokens      | tokens | standard |         | System tokens prop, see <a href="#">tokens</a> for more details |
| itemTokens  | custom | standard |         | Custom tokens for `SideNav.Item`                                |
| groupTokens | custom | standard |         | Custom tokens for `SideNav.ItemsGroup`                          |

## SideNav.Item

| Name      | Type   | Platform | Default | Description  |
|-----------|--------|----------|---------|--|
| children* | node   | standard |         | Text content of the `Item`.  |
| onPress   | func   | standard |         |  |
| href      | string | standard |         |  |
| hrefAttrs | shape  | standard |         | On Web if href is passed, React Native Web maps this object's props to `rel`, `target` and `download` attrs. |
| testID    | number | standard |         |  |

| Name    | Type    | Platform | Default | Description  |
|---------|---------|----------|---------|--|
| tokens  | tokens  | standard |         | System tokens prop, see <a href="#">tokens</a> for more details    |
| variant | variant | standard |         | System variant prop, see <a href="#">variants</a> for more details |

## SideNav.ItemsGroup

| Name       | Type    | Platform | Default | Description   |
|------------|---------|----------|---------|---|
| children   | custom  | standard |         | Specifies the links contained within. It may only contain `SideNav.Item`. |
| label*     | string  | standard |         | Text content of the group's parent `SideNav.Item`.                        |
| variant    | variant | standard |         | System variant prop, see <a href="#">variants</a> for more details        |
| tokens     | tokens  | standard |         | System tokens prop, see <a href="#">tokens</a> for more details           |
| itemTokens | custom  | standard |         | Custom tokens for `SideNav.Item`  |

## Tokens



In exceptional circumstances, the following tokens can be passed to this component to override its default styles. **Do not do this unless absolutely necessary.** [Read more about overriding styles.](#)

► View Tokens

## Variants

This component does not have any stylistic variants.

## Feedback

- Spotted a problem with this component? Raise an [issue on GitHub](#)
- See any [existing issues](#) for this component
- Contact the team on slack in [#ds-support](#)