


Available online at www.sciencedirect.com


Journal of Theoretical Biology 232 (2005) 71-81

Journal of
Theoretical
Biology

## Network theory and SARS: predicting outbreak diversity

Lauren Ancel Meyers<sup>a,b,\*,1</sup>, Babak Pourbohloul<sup>c,1,2</sup>, M.E.J. Newman<sup>b,d</sup>,
Danuta M. Skowronski<sup>c,2</sup>, Robert C. Brunham<sup>c,2</sup>






## Answer in the form of a question: How correlated are the in- and out-degrees?


 $R_0 = \frac{\langle k_{\rm in} k_{\rm out} \rangle}{\langle k_{\rm in} \rangle}$  2. Expected probability of an epidemic is mainly governed by the *forward* friendship paradox (out-degrees)

1.  $R_0$  depends on the correlation between in-and out-degrees

3. Expected outbreak size is mainly governed by the *backward* friendship paradox (in-degrees)

## Answer in the form of a question: How correlated are the in- and out-degrees?





1.  $R_0$  depends on the correlation between in-and out-degrees

$$R_0 = \frac{\langle k_{\rm in} k_{\rm out} \rangle}{\langle k_{\rm in} \rangle}$$

- 2. Expected probability of an epidemic is mainly governed by the *forward* friendship paradox (out-degrees)
- 3. Expected outbreak size is mainly governed by the *backward* friendship paradox (in-degrees)

## Message #1: distinction between "risk" and "spread"

- risk : contacts through which an individual can become infected (in-degree)
- spread : number of potential secondary infections if infected (out-degree)
- correlation between risk and spread greatly affects the likelihood of an epidemic as well as its size

