


## Reciprocity in the directed S<sup>1</sup> model

A reciprocal connection between node i and node j occurs with probability  $p_{ij}p_{ji}$ .

292 network datasets downloaded from Netzschleuder (networks.skewed.de).



A realistic model will need to go beyond fortuitous reciprocity.

 $\kappa^{\rm in}$ : in-degree  $\kappa^{\mathrm{out}}$ : out-degree

 $\beta$ : density of triangles


 $r = \mathbb{E}\left[\frac{L^{\leftrightarrow}}{L}\right] = \mathbb{E}\left[\frac{k^{\leftrightarrow}}{k^{\text{out}}}\right] \approx \frac{\mathbb{E}\left[k^{\leftrightarrow}\right]}{\mathbb{E}\left[k^{\text{out}}\right]}$ 

 $\simeq \iiint \frac{\kappa_i^{\text{out}} \kappa_j^{\text{in}}}{\langle \kappa \rangle^2} \frac{1 - \left(\frac{\kappa_i^{\text{out}}}{\kappa_i^{\text{in}}} \frac{\kappa_j^{\text{in}}}{\kappa_j^{\text{out}}}\right)^{\beta - 1}}{1 - \left(\frac{\kappa_i^{\text{out}}}{\kappa_i^{\text{in}}} \frac{\kappa_j^{\text{in}}}{\kappa_j^{\text{out}}}\right)^{\beta}}$ 

 $\times \rho(\kappa_i^{\text{in}}, \kappa_i^{\text{out}}) \rho(\kappa_j^{\text{in}}, \kappa_j^{\text{out}}) d\kappa_i^{\text{in}} \kappa_i^{\text{out}} d\kappa_i^{\text{in}} \kappa_j^{\text{out}}$ 

## Reciprocity in the directed S<sup>1</sup> model


A reciprocal connection between node i and node j occurs with probability  $p_{ij}p_{ji}$ .



 $\kappa^{\mathrm{in}}:$  in-degree

 $\kappa^{\mathrm{out}}:$  out-degree

 $\beta$ : density of triangles



292 network datasets downloaded from Netzschleuder (networks.skewed.de).

A realistic model will need to go beyond fortuitous reciprocity.

## Deliberate reciprocity in random directed networks

A random network model defines the probability  $p_{ij}$  for a directed link to exist from node i to node j.

