





A CUT ABOVE THE REST

BLUEDIAMOND IMPLANT



MegaGen never stops developing....
for lifetime smiles



Fixture Sizes & Packaging

I. Fixture Sizes

NC Ø3.3 Regular Thread

- Cover Screw included

Fixture Diameter	Connection	Length (mm)	Ref.C
Ø3.3	NC	7	ARO3307C
		8.5	ARO3308C
		10	ARO3310C
		11.5	ARO3311C
		13	ARO3313C
		15	ARO3315C
		18	ARO3318C



NC Ø3.7 Regular Thread

- Cover Screw included

Fixture Diameter	Connection	Length (mm)	Ref.C
Ø3.7	NC	7	ARO3707C
		8.5	ARO3708C
		10	ARO3710C
		11.5	ARO3711C
		13	ARO3713C
		15	ARO3715C
		18	ARO3718C



RC Ø4.1 Regular Thread

- Cover Screw included

Fixture Diameter	Connection	Length (mm)	Ref.C
Ø4.1	RC	7	ARO4107C
		8.5	ARO4108C
		10	ARO4110C
		11.5	ARO4111C
		13	ARO4113C
		15	ARO4115C
		18	ARO4118C



RC Ø4.4 Regular Thread

- Cover Screw included

Fixture Diameter	Connection	Length (mm)	Ref.C
Ø4.4	RC	7	ARO4407C
		8.5	ARO4408C
		10	ARO4410C
		11.5	ARO4411C
		13	ARO4413C
		15	ARO4415C
		18	ARO4418C



RC Ø4.8 Regular Thread

- Cover Screw included

Fixture Diameter	Connection	Length (mm)	Ref.C
Ø4.8	RC	7	ARO4807C
		8.5	ARO4808C
		10	ARO4810C
		11.5	ARO4811C
		13	ARO4813C
		15	ARO4815C
		18	ARO4818C



RC Ø5.3 Regular Thread (Coming Soon)

- Cover Screw included

Fixture Diameter	Connection	Length (mm)	Ref.C
Ø5.3	RC	7	ARO5307C
		8.5	ARO5308C
		10	ARO5310C
		11.5	ARO5311C
		13	ARO5313C
		15	ARO5315C
		18	ARO5318C



NC Ø3.3 Deep Thread

- Cover Screw included

Fixture Diameter	Connection	Length (mm)	Ref.C
Ø3.3	NC	7	ARO3307DC
		8.5	ARO3308DC
		10	ARO3310DC
		11.5	ARO3311DC
		13	ARO3313DC
		15	ARO3315DC
		18	ARO3318DC



NC Ø3.7 Deep Thread

- Cover Screw included

Fixture Diameter	Connection	Length (mm)	Ref.C
Ø3.7	NC	7	ARO3707DC
		8.5	ARO3708DC
		10	ARO3710DC
		11.5	ARO3711DC
		13	ARO3713DC
		15	ARO3715DC
		18	ARO3718DC



RC Ø4.1 Deep Thread

- Cover Screw included

Fixture Diameter	Connection	Length (mm)	Ref.C
Ø4.1	RC	7	ARO4107DC
		8.5	ARO4108DC
		10	ARO4110DC
		11.5	ARO4111DC
		13	ARO4113DC
		15	ARO4115DC
		18	ARO4118DC



RC Ø4.4 Deep Thread

- Cover Screw included

Fixture Diameter	Connection	Length (mm)	Ref.C
Ø4.4	RC	7	ARO4407DC
		8.5	ARO4408DC
		10	ARO4410DC
		11.5	ARO4411DC
		13	ARO4413DC
		15	ARO4415DC
		18	ARO4418DC



RC Ø4.8 Deep Thread

- Cover Screw included

Fixture Diameter	Connection	Length (mm)	Ref.C
Ø4.8	RC	7	ARO4807DC
		8.5	ARO4808DC
		10	ARO4810DC
		11.5	ARO4811DC
		13	ARO4813DC
		15	ARO4815DC
		18	ARO4818DC



RC Ø5.3 Deep Thread (Coming Soon)

- Cover Screw included

Fixture Diameter	Connection	Length (mm)	Ref.C
Ø5.3	RC	7	ARO5307DC
		8.5	ARO5308DC
		10	ARO5310DC
		11.5	ARO5311DC
		13	ARO5313DC
		15	ARO5315DC
		18	ARO5318DC



RC Ø5.8 Deep Thread (Coming Soon)

- Cover Screw included

Fixture Diameter	Connection	Length (mm)	Ref.C
Ø5.8	RC	7	ARO5807DC
		8.5	ARO5808DC
		10	ARO5810DC
		11.5	ARO5811DC
		13	ARO5813DC
		15	ARO5815DC
		18	ARO5818DC



RC Ø6.3 Deep Thread (Coming Soon)

- Cover Screw included

Fixture Diameter	Connection	Length (mm)	Ref.C
Ø6.3	RC	7	ARO6307DC
		8.5	ARO6308DC
		10	ARO6310DC
		11.5	ARO6311DC
		13	ARO6313DC
		15	ARO6315DC
		18	ARO6318DC



Cover Screws & Healing Abutments

Cover Screw

- Cover screw (AROCSN3005 / AROCSR3705) included

- For use with submerged-type surgery
- Protects inner structure of fixture
- Different height options
- 1mm & umbrella (wide dia.) cover screw can be purchased separately
- Recommended torque: by hand (5 - 8Ncm)
- Use with Hand Driver(1.2 Hex)



NC

Diameter	Height (mm)	Ref.C
Ø3.0	0.5	AROCSN3005
Ø3.0	1.0	*AROCSN3010
Ø5.0	0.5	*AROCSN5005

(*) Separate sales item



RC

Diameter	Height (mm)	Ref.C
Ø3.7	0.5	AROCSR3705
Ø3.7	1.0	*AROCSR3710
Ø6.0	0.5	*AROCSR6005

(*) Separate sales item

Umbrella Cover Screw




Prevents implant from falling into maxillary sinus
Suitable for simple GBR surgery



Use with Hand Driver

Healing Abutment

- For use with non-submerged-type surgery & 2-stage surgery
- Different diameter & height options
- Helps to form suitable emergence profile during gingival healing
- Recommended torque: by hand (5 - 8Ncm)
- Use with Hand Driver (1.2 Hex)



NC

Profile Diameter	Height (mm)	Ref.C
Ø3.0	2	AROAN302
	3	AROAN303
	4	AROAN304
	5	AROAN305
	6	AROAN306
	7	AROAN307
	8	AROAN308
	9	AROAN309
Ø4.0	2	AROAN402
	3	AROAN403
	4	AROAN404
	5	AROAN405
	6	AROAN406
	7	AROAN407
	8	AROAN408
	9	AROAN409
Ø5.0	2	AROAN502
	3	AROAN503
	4	AROAN504
	5	AROAN505
	6	AROAN506
	7	AROAN507
	8	AROAN508
	9	AROAN509

RC

Profile Diameter	Height (mm)	Ref.C
Ø4.0	2	AROHAR402
	3	AROHAR403
	4	AROHAR404
	5	AROHAR405
	6	AROHAR406
	7	AROHAR407
	8	AROHAR408
	9	AROHAR409
Ø5.0	2	AROHAR502
	3	AROHAR503
	4	AROHAR504
	5	AROHAR505
	6	AROHAR506
	7	AROHAR507
	8	AROHAR508
	9	AROHAR509
Ø6.0	2	AROHAR602
	3	AROHAR603
	4	AROHAR604
	5	AROHAR605
	6	AROHAR606
	7	AROHAR607
	8	AROHAR608
	9	AROHAR609
Ø7.0	2	AROHAR702
	3	AROHAR703
	4	AROHAR704
	5	AROHAR705
	6	AROHAR706
	7	AROHAR707
	8	AROHAR708
	9	AROHAR709

Healing Abutment

(Anatomic type)

- Abutment screw (H=4 AROHAS1604/ H=5 AROHAS1605/ H=7 AROHAS1607) included

- For use with non-submerged type surgery & 2-stage surgery
- Different diameter & height options
- Helps to form suitable emergence profile during gingival healing
- Recommend torque: by hand (5 - 8Ncm)
- Use with Hand Driver(1.2 Hex)



Type	MD (mm)	LL (mm)	Height (mm)	Connection	Ref.C
Incisor	4.0	5.0	4	Octa	AROHIN40504T
			5		AROHIN40505T
			7		AROHIN40507T
	4.5	4.5	4		AROHIN45454T
			5		AROHIN45455T
			7		AROHIN45457T
	6.0	5.0	4		AROHIN60504T
			5		AROHIN60505T
			7		AROHIN60507T
	7.0	6.0	4		AROHIN70604T
			5		AROHIN70605T
			7		AROHIN70607T
	4.0	5.0	4	Non-Octa	AROHIN40504NT
			5		AROHIN40505NT
			7		AROHIN40507NT
	4.5	4.5	4		AROHIN45454NT
			5		AROHIN45455NT
			7		AROHIN45457NT
	6.0	5.0	4		AROHIN60504NT
			5		AROHIN60505NT
			7		AROHIN60507NT
	7.0	6.0	4		AROHIN70604NT
			5		AROHIN70605NT
			7		AROHIN70607NT

Type	MD (mm)	LL (mm)	Height (mm)	Connection	Ref.C
Incisor	4.0	5.0	4	Octa	AROHIR40504
			5		AROHIR40505
			7		AROHIR40507
	4.5	4.5	4		AROHIR45454
			5		AROHIR45455
			7		AROHIR45457
	6.0	5.0	4		AROHIR60504
			5		AROHIR60505
			7		AROHIR60507
	7.0	6.0	4		AROHIR70604
			5		AROHIR70605
			7		AROHIR70607
	4.0	5.0	4	Non-Octa	AROHIR40504N
			5		AROHIR40505N
			7		AROHIR40507N
	4.5	4.5	4		AROHIR45454N
			5		AROHIR45455N
			7		AROHIR45457N
	6.0	5.0	4		AROHIR60504N
			5		AROHIR60505N
			7		AROHIR60507N
	7.0	6.0	4		AROHIR70604N
			5		AROHIR70605N
			7		AROHIR70607N



Type	MD (mm)	LB (mm)	Height (mm)	Connection	Ref.C
Canine	5.0	5.5	4	Octa	AROHCN50654T
			5		AROHCN50655T
			7		AROHCN50657T
	5.0	5.5	4	Non-Octa	AROHCN50654NT
			5		AROHCN50655NT
			7		AROHCN50657NT

Type	MD (mm)	LB (mm)	Height (mm)	Connection	Ref.C
Canine	5.0	5.5	4	Octa	AROHC50654T
			5		AROHC50655T
			7		AROHC50657T
	5.0	5.5	4	Non-Octa	AROHC50654NT
			5		AROHC50655NT
			7		AROHC50657NT



Type	MD (mm)	LB (mm)	Height (mm)	Connection	Ref.C
Pre-Molar	4.5	6.0	4	Octa	AROHMR45604T
			5		AROHMR45605T
			7		AROHMR45607T
	5.0	7.0	4		AROHMR50704T
			5		AROHMR50705T
			7		AROHMR50707T
	4.5	6.0	4	Non-Octa	AROHMR45604NT
			5		AROHMR45605NT
			7		AROHMR45607NT
	5.0	7.0	4		AROHMR50704NT
			5		AROHMR50705NT
			7		AROHMR50707NT



Type	MD (mm)	LB (mm)	Height (mm)	Connection	Ref.C
Special	4.5	6.0	4	Octa	AROHMR45604T
			5		AROHMR45605T
			7		AROHMR45607T
	5.0	6.5	4		AROHMR50654T
			5		AROHMR50655T
			7		AROHMR50657T
	5.0	7.0	4		AROHMR50704T
			5		AROHMR50705T
			7		AROHMR50707T
	6.0	7.0	4		AROHMR60704T
			5		AROHMR60705T
			7		AROHMR60707T
	6.0	8.0	4		AROHMR60804T
			5		AROHMR60805T
			7		AROHMR60807T
	6.0	9.0	4		AROHMR60904T
			5		AROHMR60905T
			7		AROHMR60907T
	7.0	8.0	4		AROHMR70804T
			5		AROHMR70805T
			7		AROHMR70807T
	7.0	9.0	4		AROHMR70904T
			5		AROHMR70905T
			7		AROHMR70907T
	7.0	10.0	4		AROHMR70104T
			5		AROHMR70105T
			7		AROHMR70107T
	8.0	9.0	4		AROHMR80904T
			5		AROHMR80905T
			7		AROHMR80907T
Special	8.0	10.0	4	Non-Octa	AROHMR80104T
			5		AROHMR80105T
			7		AROHMR80107T
	4.5	6.0	4		AROHMR45604NT
			5		AROHMR45605NT
			7		AROHMR45607NT
	5.0	6.5	4		AROHMR50654NT
			5		AROHMR50655NT
			7		AROHMR50657NT
	5.0	7.0	4		AROHMR50704NT
			5		AROHMR50705NT
			7		AROHMR50707NT
	6.0	7.0	4		AROHMR60704NT
			5		AROHMR60705NT
			7		AROHMR60707NT
	6.0	8.0	4		AROHMR60804NT
			5		AROHMR60805NT
			7		AROHMR60807NT
	6.0	9.0	4		AROHMR60904NT
			5		AROHMR60905NT
			7		AROHMR60907NT
	7.0	8.0	4		AROHMR70804NT
			5		AROHMR70805NT
			7		AROHMR70807NT
	7.0	9.0	4		AROHMR70904NT
			5		AROHMR70905NT
			7		AROHMR70907NT
	7.0	10.0	4		AROHMR70104NT
			5		AROHMR70105NT
			7		AROHMR70107NT
	8.0	9.0	4		AROHMR80904NT
			5		AROHMR80905NT
			7		AROHMR80907NT
	8.0	10.0	4		AROHMR80104NT
			5		AROHMR80105NT
			7		AROHMR80107NT

Type	MD (mm)	LB (mm)	Height (mm)	Connection	Ref.C
Molar	6.0	7.0	4	Octa	AROHMR60704T
			5		AROHMR60705T
			7		AROHMR60707T
	6.0	8.0	4		AROHMR60804T
			5		AROHMR60805T
			7		AROHMR60807T
	6.0	9.0	4		AROHMR60904T
			5		AROHMR60905T
			7		AROHMR60907T
	7.0	8.0	4		AROHMR70804T
			5		AROHMR70805T
			7		AROHMR70807T
	7.0	9.0	4		AROHMR70904T
			5		AROHMR70905T
			7		AROHMR70907T
	7.0	10.0	4		AROHMR70104T
			5		AROHMR70105T
			7		AROHMR70107T
	8.0	9.0	4	Non-Octa	AROHMR80904T
			5		AROHMR80905T
			7		AROHMR80907T
	8.0	10.0	4		AROHMR80104T
			5		AROHMR80105T
			7		AROHMR80107T
	6.0	7.0	4		AROHMR60704NT
			5		AROHMR60705NT
			7		AROHMR60707NT
	6.0	8.0	4		AROHMR60804NT
			5		AROHMR60805NT
			7		AROHMR60807NT
	6.0	9.0	4		AROHMR60904NT
			5		AROHMR60905NT
			7		AROHMR60907NT
	7.0	8.0	4		AROHMR70804NT
			5		AROHMR70805NT
			7		AROHMR70807NT
	7.0	9.0	4		AROHMR70904NT
			5		AROHMR70905NT
			7		AROHMR70907NT
	7.0	10.0	4		AROHMR70104NT
			5		AROHMR70105NT
			7		AROHMR70107NT
	8.0	9.0	4		AROHMR80904NT
			5		AROHMR80905NT
			7		AROHMR80907NT
	8.0	10.0	4		AROHMR80104NT
			5		AROHMR80105NT
			7		AROHMR80107NT