


Sheet: /midi/ File: midi.kicad_sch		
Title:		
Size: A4	Date:	Rev:
KiCad E.D.A. 8.0.3	Id: 3/9	

FFC connection to backpack eurorack-pmod



Sheet: /pmod_audio/
File: pmod_audio.kicad_sch

Title:


Size: A4
KiCad E.D.A. 8.0.3

Date:


Rev:

Id: 5/9


+/- 12V Eurorack PWR



+5V buck pre-regulator



+3.3V linear post-regulator



Sheet: /power/
File: power.kicad_sch


Title:

Size: A4
KiCad E.D.A. 8.0.3

Date:

Rev:
Id: 6/9

Digital Video Interface / GPD



Not using ULX3S' questionable capacitor trick
 means we only support DVI OUTPUT for now, instead
 of electrically questionable input + output

loosely inspired by
 ULX3S and Wren6991 PicoDVI

Sheet: /gpd/
 File: gpd.kicad_sch

Title:


Size: A4

Date:

KiCad E.D.A. 8.0.3

Rev:

Id: 6/9



Sheet: /encoder/
File: encoder.kicad_sch

Title:

Size: A4 Date:


KiCad E.D.A. 8.0.3

Rev:

Id: 7/9



Programmable (Device / Host / Dual-role) USB C



Sheet: /usbc/
File: usbc.kicad_sch

Title:

Size: A4
KiCad E.D.A. 8.0.3

Date:

Rev:
Id: 9/9