

Despliegue aplicaciones web - Anton Blagodarnyy

Tarea 1 \_ Tema 3

1.-Configuramos el archivo named.conf.local

```
GNU nano 6.2 /etc/bind/named.conf.local *

//

// Do any local configuration here

//

// Consider adding the 1918 zones here, if they are not used in your

// organization
//include "/etc/bind/zones.rfc1918";

zone "antonBlagodarnyyTareal.com" {
    type master;
    file "/etc/bind/zones/db.antonBlagodarnyyTareal.com";
};

zone "56.168.192.in-addr.arpa" {
    type master;
    file "/etc/bind/zones/db.56.168.192.in-addr.arpa"; # Nuestra subnet
};
```

2.-Copiamos el archivo de resolución de dominios.

```
ubuntu@ubuntuserver2204:~$ sudo cp /etc/bind/zones/db.antonBlagodarnyyTarea1.com /etc/bind/zones/db.56 .168.192.in-addr.arpa ubuntu@ubuntuserver2204:~$ |
```

3.-Configuramos el archivo ip-inversa.in-addr-arpa.

```
    ubuntu@ubuntuserver2204: - ×

 GNU nano 6.2
                                /etc/bind/zones/db.56.168.192.in-addr.arpa *
 BIND data file for local loopback interface
$TTL
        604800
        IN
                SOA
                        ns1.antonBlagodarnyyTarea1.com. admin.antonBlagodarnyyTarea1.com. (
@
                              2024011601 ; Serial (use a date-based format and increment for each ch>
                                           Refresh
                              86400
                                           Retry
                              2419200
                                           Expire
                              604800 )
                                           Negative Cache TTL
 Name servers
       ΙN
                NS
                        ns1.antonBlagodarnyyTarea1.com.
 PTR Records
                                             ; DNS server name
101 IN PTR ns1.antonBlagodarnyyTarea1.com.
                                             ; Apache server name
101 IN PTR www.antonBlagodarnyyTarea1.com.
101 IN PTR antonBlagodarnyyTarea1.com.
                                              Primary domain
```

4.-Comprobamos que la sintaxis esta bien y reiniciamos el servidor.

```
ubuntu@ubuntuserver2204:~$ sudo named-checkconf /etc/bind/named.conf.local
ubuntu@ubuntuserver2204:~$ sudo named-checkzone 56.168.192.in-addr.arpa /etc/bind/zones/db.56.168.192
.in-addr.arpa
zone 56.168.192.in-addr.arpa/IN: loaded serial 2024011601
OK
ubuntu@ubuntuserver2204:~$ sudo systemctl restart bind9
ubuntu@ubuntuserver2204:~$
```