


```
app = Flask(__name__)
```

```
app.secret_key = config['APP']['SECRET_KEY']
```

```
oauth = OAuth(app)
```



@jiesstermpora!

```
oauth.register(  
    "auth0",  
    client_id=client_id,  
    client_secret=client_secret,  
    client_kwargs={  
        "scope": "openid profile email",  
    },  
    server_metadata_url=f'https://{domain}/.well-known/openid-  
configuration'  
)
```


```
domain = config['AUTH0']['DOMAIN']
```

```
client_id = config['AUTH0']['CLIENT_ID']
```

```
client_secret = config['AUTH0']['CLIENT_SECRET']
```

```
app = Flask(__name__)  
app.secret_key = config['APP']["SECRET_KEY"]  
oauth = OAuth(app)
```

```
domain = config['AUTH0']["DOMAIN"]  
client_id = config['AUTH0']["CLIENT_ID"]  
client_secret = config['AUTH0']["CLIENT_SECRET"]
```



```
oauth.register(  
    "auth0",  
    client_id=client_id,  
    client_secret=client_secret,  
    client_kwargs={  
        "scope": "openid profile email",  
    },  
    server_metadata_url=f'https://{domain}/.well-known/openid-  
configuration'  
)
```



@jesstemporal