AgentDesk

Microsoft Copilot connection setup guide

How to connect AgentDesk to Microsoft 365 Copilot (Preview) or to a Microsoft Copilot Studio agent, either by yourself or with the help of your IT team.

Version 2026-11-04 · English

Other languages: castellon.ch/docs/agent-desk/copilot-setup-es.pdf (ES), -de (DE), -fr (FR), -it (IT)

Questions: support@castellon.ch

Microsoft, Microsoft 365, Copilot, Copilot Studio, Entra and Azure are trademarks of the Microsoft group of companies. Screenshots show the English Microsoft user interface as of November 2026; menus can change over time.

Contents

1. About AgentDesk and this guide
2. Which Microsoft engine to choose
3. Path A – Set it up yourself
4. Path B – Hand it over to IT
5. Troubleshooting

1. About AgentDesk and this guide

AgentDesk is a portable Windows "agent desk" by Castellon.CH. It offers a local chat interface with job-specific bots. Each bot has its own instructions and its own memory, kept on your computer. A bot can work with different AI engines, including Microsoft Copilot.

When you chat with a bot that uses a Microsoft engine, AgentDesk sends your message to Microsoft, together with the bot's instructions and the context needed for the answer (for example earlier messages, notes from the bot's memory, or text from files you add). The answer appears in the chat.

> **What is sent and what is not**
>
> - Sent: your message, the bot's instructions and the context needed for the answer.
> - Kept on your computer: the bots, their memory and your settings.
> - Files: AI engines write only in the output folders you allow. Both Microsoft connections use read-only Microsoft permissions.
> - Web search: off by default. For Microsoft 365 Copilot you can turn it on with **Allow web search**. For Copilot Studio, the agent's own settings decide (this guide recommends turning web search off).
> - Answers come from Microsoft's AI service. A person reviews them before relying on them, especially for regulated work.

This guide covers the two Microsoft engines in AgentDesk:

- **Microsoft 365 Copilot (Preview)** – uses the Microsoft 365 Copilot licence of your work account.
- **Copilot Studio** – uses a Copilot Studio agent published in your organisation.

Both forms are in AgentDesk **Settings**, under the engine list. They are shown when the Pro feature is unlocked. The **?** in each form's heading opens this guide.

There are two ways to set them up. In **Path A** you do the steps yourself (if you have the rights) or ask IT only for the parts you cannot do. In **Path B** IT does everything and gives you a few values to enter.

2. Which Microsoft engine to choose

	Microsoft 365 Copilot (Preview)	Microsoft Copilot Studio
Status	Preview. Uses the Microsoft Graph Copilot Chat API (beta). Microsoft states that it is not supported for production use.	Generally available.
What each user needs	A Microsoft 365 Copilot licence.	Access to a published Copilot Studio agent that has been shared with them.
One-time IT work	An app registration and admin consent for 7 delegated Microsoft Graph permissions.	An app registration and admin consent for 1 delegated Power Platform API permission. Someone with maker rights creates and publishes one agent.
Values entered in AgentDesk	Tenant, Client ID, *Allow web search* (off by default).	Tenant, Client ID, Cloud, and either Environment ID + Schema name or a direct connect URL.
Cloud	Microsoft global cloud only (not US Government, not China).	Prod for commercial tenants; other clouds can be chosen.
Good choice when	Your users already have Microsoft 365 Copilot licences and nobody can build a Copilot Studio agent.	You need a generally available service, or you want to control the agent's instructions and settings.

> **In short:** if you have Microsoft 365 Copilot licences and no Copilot Studio maker rights, start with Microsoft 365 Copilot (Preview). For routine use in validated processes, prefer Copilot Studio because it is generally available. You can set up both and switch between them in AgentDesk.

3. Path A – Set it up yourself

Use this path if you have the necessary rights in Microsoft Entra ID and Copilot Studio, or if you want to prepare everything and ask IT only for specific steps. Section 3.3 lists what to ask IT for, with a ready-to-send request.

3.1 Microsoft 365 Copilot (Preview)

Rights needed. Creating an app registration is allowed for many users. Granting admin consent needs an administrator role that can grant tenant-wide consent (for example Global Administrator, Privileged Role Administrator or Cloud Application Administrator). Assigning licences needs a licence or user administrator.

Step 1 – Register the application

1. Open the Microsoft Entra admin center (entra.microsoft.com) or the Azure portal (portal.azure.com) and go to **Microsoft Entra ID > App registrations > New registration**.
2. **Name:** for example `AgentDesk – Microsoft 365 Copilot`.
3. **Supported account types:** *Accounts in this organizational directory only* (single tenant).
4. **Redirect URI:** choose the platform **Public client/native (mobile & desktop)** and enter `http://localhost` (http, not https).
5. Select **Register**.




Figure 1 – "Register an application" in the Azure portal: name, supported account types and redirect URI (platform: Public client/native, value http://localhost). Account details are hidden.

Step 2 – Allow public client flows

1. In the new app registration, open **Authentication**.
2. Under **Advanced settings**, set **Allow public client flows** to **Yes** and select **Save**.
3. Do **not** create a client secret or a certificate. AgentDesk is a public client and does not need one.

Screenshot pending

Authentication page of the app registration: platform "Mobile and desktop applications" with http://localhost and "Allow public client flows" = Yes.

Step 3 – Add the 7 Microsoft Graph permissions

1. Open **API permissions > Add a permission > Microsoft Graph > Delegated permissions**.
2. Search for and tick each of these permissions, then select **Add permissions**:

Permission (delegated)	Why Microsoft requires it
`Sites.Read.All`	Copilot can read SharePoint and OneDrive content the user can already see.
`Mail.Read`	Copilot can read the user's mail.
`People.Read.All`	Copilot can look up people relevant to the user.
`OnlineMeetingTranscript.Read.All`	Copilot can read meeting transcripts the user has access to.
`Chat.Read`	Copilot can read the user's Teams chats.
`ChannelMessage.Read.All`	Copilot can read Teams channel messages the user can see.
`ExternalItem.Read.All`	Copilot can read content from Microsoft 365 Copilot connectors.

Microsoft requires all seven for the Copilot Chat API. They are delegated and read-only: Copilot only sees what the signed-in user can already see. AgentDesk sends the conversation text itself; it does not call mail, chat or file interfaces on its own. When answering, Copilot may still use the user's own Microsoft 365 data.




Figure 2 – "API permissions" page of an example app registration (name hidden). Here you use "Add a permission" and later "Grant admin consent".




Figure 3 – The "Request API permissions" panel. Choose Microsoft Graph, then Delegated permissions.

Step 4 – Grant admin consent

1. On **API permissions**, select **Grant admin consent for <your organisation>** and confirm.
2. Check that the **Status** column shows *Granted* for all seven permissions.

If the button is greyed out, your account cannot grant consent. Ask IT (see 3.3).

Step 5 – Assign Microsoft 365 Copilot licences

In the Microsoft 365 admin center, go to **Users > Active users**, select each person who will use AgentDesk, open **Licenses and apps** and assign **Microsoft 365 Copilot**. A new licence can take some time to become active.

Step 6 – Copy the two values

On the app registration's **Overview** page, copy:

- **Directory (tenant) ID** – a GUID. Alternatively, users can enter `organizations`.
- **Application (client) ID** – a GUID.

These values identify your organisation and the app registration. They are not secrets.

Screenshot pending

Overview page of the app registration showing where "Application (client) ID" and "Directory (tenant) ID" are displayed (values to be hidden).

Step 7 – Enter the values in AgentDesk

1. In AgentDesk, open **Settings**. Under the engine list, find the form **Microsoft 365 Copilot (Preview)**. (It is shown when the Pro feature is unlocked. The **?** in its heading opens this guide.)
2. **Tenant id (GUID or organizations):** paste the Directory (tenant) ID, or enter `organizations`.
3. **Application (client) id:** paste the Application (client) ID.
4. **Allow web search:** leave it off unless you want questions to also use the web.
5. Save, then sign in. The official Microsoft sign-in page opens. Sign in with your work account (MFA and Conditional Access apply as usual).
6. Choose Microsoft 365 Copilot (Preview) as the engine for the bots that should use it, and send a short test message.

Screenshot pending

AgentDesk – Settings – Microsoft 365 Copilot (Preview) form with Tenant id (GUID or organizations), Application (client) id and Allow web search.

3.2 Microsoft Copilot Studio

Rights needed. To create an agent you need access to Copilot Studio and the **Environment Maker** role in a Power Platform environment that has **Dataverse**. If you open *Agents* > *New* and see *"Dataverse isn't set up in this environment"*, you cannot create the agent there yourself. Ask IT or a colleague with maker rights to publish one agent and share it with you (see 3.3 or Path B). Registering the app and granting consent need the same rights as in 3.1.




Figure 4 – Copilot Studio message when the environment has no Dataverse: "Dataverse isn't set up in this environment". An administrator needs to provision Dataverse, or another environment is used.

Step 1 – Create a minimal agent

1. Open copilotstudio.microsoft.com and check that the right environment is selected.
2. Select **Agent** on the home page (or **Agents > New agent**).
3. Give it a clear name, for example `AgentDesk assistant`, and a short description.

4. In **Instructions**, enter a short text such as:

```
You are the AI engine behind AgentDesk bots. Each message may contain the
bot's instructions, earlier conversation, notes from the bot's memory and
text from files the user added. Follow the bot's instructions. Base your
answer on the text provided. If something is not in it, say so. Answer in
the language of the user.
```

5. Do not add knowledge sources or tools. AgentDesk sends the needed context in each message.
6. In the agent's settings, turn off web search (and, if your policy prefers, general knowledge), so that answers rely on the text AgentDesk sends.
7. Under **Settings > Security > Authentication**, keep **Authenticate with Microsoft** (the default for new agents).
8. Create or save the agent.




Figure 5 – Copilot Studio home page. "Agent" starts a new agent. The user's name is hidden.

Step 2 – Publish and share the agent

1. Select **Publish** and confirm. Publish again after every change.
2. If your organisation limits who can use agents, use **Share** to add the people or the security group who will use AgentDesk.

Screenshot pending

Copilot Studio – Publish dialog of the agent, and the Share dialog.

Step 3 – Find the agent values

You need **either** the Environment ID and the Schema name, **or** a direct connect URL:

- **Environment ID and Schema name:** open the agent, then **Settings > Advanced > Metadata**. The schema name looks like `cr123_agentDeskAssistant`.
- **Direct connect URL:** open **Channels**, select **Web app** or **Native app**, and under **Microsoft 365 Agents SDK** copy the connection string.

Screenshot pending

Copilot Studio – Settings > Advanced > Metadata with Environment ID and Schema name (values to be hidden).

Screenshot pending

Copilot Studio – Channels > Web app / Native app with the Microsoft 365 Agents SDK connection string.

Step 4 – Register the application for Copilot Studio

1. Create an app registration as in 3.1, Step 1 (platform **Public client/native (mobile & desktop)**, redirect URI `http://localhost`) and set **Allow public client flows** to **Yes**. No client secret.
2. Open **API permissions > Add a permission > APIs my organization uses**, search for **Power Platform API**, choose **Delegated permissions > CopilotStudio**, tick `CopilotStudio.Copilots.Invoke` and select **Add permissions**.
3. Select **Grant admin consent for <your organisation>**.
4. From **Overview**, copy the **Directory (tenant) ID** and the **Application (client) ID**.

If *Power Platform API* does not appear in the list, an administrator first has to add it to the tenant (see Microsoft Learn: "Power Platform API authentication").

You can use one app registration for both engines (with both sets of permissions) or two separate ones. Separate registrations keep each one to the minimum permissions.

Step 5 – Enter the values in AgentDesk

1. In AgentDesk, open **Settings** and, under the engine list, find the **Copilot Studio** form. (It is shown when the Pro feature is unlocked. The **?** in its heading opens this guide.)
2. Fill in **Tenant id (Microsoft Entra)**, **Application (client) id** and **Cloud** (`Prod` for normal commercial tenants).
3. Fill in **Environment id** and **Agent schema name**, or only the **Direct connect URL (optional, ...)** – it replaces the other two.
4. Save, then sign in with your work account.
5. Choose Copilot Studio as the engine for the bots that should use it, and send a short test message.

Screenshot pending

AgentDesk – Settings – Copilot Studio form with Tenant id (Microsoft Entra), Application (client) id, Cloud, Environment id, Agent schema name and Direct connect URL.

3.3 What to ask IT for

If you cannot do some of the steps above, ask IT only for those parts:

- **Microsoft 365 Copilot (Preview):** an app registration as described in 3.1, admin consent for the 7 Graph permissions, a Microsoft 365 Copilot licence for each user, and the tenant ID and application (client) ID.
- **Copilot Studio:** an app registration with `CopilotStudio.Copilots.Invoke` and admin consent; and either the Environment Maker role in an environment with Dataverse, or one published agent shared with you, plus its Environment ID and Schema name (or direct connect URL).

Request template for IT (copy and adapt)

```
Subject: Request – connect AgentDesk to Microsoft Copilot

Hello,

I would like to use AgentDesk (Castellon.CH), a portable Windows desktop
application with a local chat interface and job-specific bots. For a bot
that uses Microsoft Copilot, it sends my message, the bot's instructions and
the needed context to Microsoft and shows the answer. The bots and their
memory stay on my computer, and AI engines write only in the output folders
I allow. It uses only delegated read permissions, has no client secret, and
signs in through the official Microsoft login. Tokens are stored encrypted
for my Windows user.
Setup guide: https://castellon.ch/docs/agent-desk/copilot-setup-en.pdf

Option 1 – Microsoft 365 Copilot (Preview, Graph Copilot Chat API, beta)
- App registration in Microsoft Entra ID: platform "Mobile and desktop
  applications", redirect URI http://localhost, Allow public client flows =
  Yes, no client secret.
- Admin consent for the delegated Microsoft Graph permissions:
  Sites.Read.All, Mail.Read, People.Read.All,
  OnlineMeetingTranscript.Read.All, Chat.Read, ChannelMessage.Read.All,
  ExternalItem.Read.All
- A Microsoft 365 Copilot licence for my account.

Option 2 – Copilot Studio (generally available)
- App registration as above, with the delegated permission
  CopilotStudio.Copilots.Invoke (Power Platform API) and admin consent.
- Either the Environment Maker role in an environment with Dataverse, or a
  minimal published agent shared with me.

Please send me back:
- Directory (tenant) ID
- Application (client) ID
- For Copilot Studio: Environment ID and agent Schema name
  (or the direct connect URL)

Thank you.
```

4. Path B – Hand it over to IT

This section is written for the IT team. It explains what AgentDesk does, how it handles data, what to configure and what to send back to the user.

4.1 About the application

- **AgentDesk** by Castellon.CH (Biel/Bienne, Switzerland) is a portable Windows desktop application: a local chat interface with job-specific bots, each with its own memory stored on the user's computer.
- For the Microsoft engines it connects to Microsoft as a **public client** (MSAL). There is **no client secret** and no certificate.
- Sign-in uses the **official Microsoft sign-in**. Conditional Access and MFA apply as usual.
- The token cache is **encrypted per Windows user** (Windows data protection) and kept outside the settings file.
- The application **never reads or reuses browser sessions or cookies**.
- Microsoft 365 Copilot (Preview) works in the **Microsoft global cloud only**. Network access to `graph.microsoft.com` and the Microsoft sign-in endpoints is needed.

4.2 Data handling

- **Sent:** the user's message, the bot's instructions and the context needed for the answer (earlier messages, notes from the bot's memory, text from files the user adds). Microsoft 365 Copilot receives the context with the chat message; Copilot Studio receives it as the message to the agent.
- **Where it goes:** directly from the user's computer to your Microsoft 365 / Power Platform tenant. Your tenant's Microsoft commitments for Copilot (data protection, residency, sensitivity labels) apply.
- **Stored locally:** bots, their memory and settings stay on the user's computer.
- **Files:** AI engines write only in the output folders the user allows. All Microsoft permissions are delegated read permissions.
- **Web search:** off by default for Microsoft 365 Copilot; the user can turn it on with *Allow web search*. For Copilot Studio, the agent's settings decide.
- **Preview terms:** the Microsoft 365 Copilot engine uses the Microsoft Graph Copilot Chat API (beta). Microsoft states it is not supported for production use, and its use is subject to the Microsoft 365 Copilot APIs Terms of Use (preview).
- **Human review:** answers come from Microsoft's AI service and are reviewed by a person.

4.3 What IT configures and returns

	Microsoft 365 Copilot (Preview)	Copilot Studio
App registration	Public client. Platform *Mobile and desktop applications*, redirect URI `http://localhost`, *Allow public client flows* = Yes, no secret.	Same.
Permissions (delegated)	Microsoft Graph: `Sites.Read.All`, `Mail.Read`, `People.Read.All`, `OnlineMeetingTranscript.Read.All`, `Chat.Read`, `ChannelMessage.Read.All`, `ExternalItem.Read.All`	Power Platform API: `CopilotStudio.Copilots.Invoke`

	Microsoft 365 Copilot (Preview)	Copilot Studio
Admin consent	Yes, tenant-wide.	Yes, tenant-wide.
Licences / capacity	Microsoft 365 Copilot licence for each user.	Copilot Studio access and capacity for the agent's messages in your tenant.
Agent	Not needed.	One published agent (see 3.2, Step 1 and 2), in an environment with Dataverse, shared with the users. Web search off is recommended.
Send back to the user	Directory (tenant) ID (or tell users to use `organizations`) and Application (client) ID.	Directory (tenant) ID, Application (client) ID, Cloud (usually `Prod`), Environment ID + Schema name, or the direct connect URL.

4.4 Checklist for IT

Microsoft 365 Copilot (Preview)

- ☐ App registration created (single tenant), platform Mobile and desktop applications, redirect URI http://localhost
- ☐ Allow public client flows = Yes; no client secret or certificate
- ☐ 7 delegated Microsoft Graph permissions added
- ☐ Admin consent granted; status "Granted" for all seven
- ☐ Microsoft 365 Copilot licence assigned to each user
- ☐ Conditional Access allows the sign-in for these users
- ☐ Tenant ID and Application (client) ID sent to the users

Copilot Studio

- ☐ Environment with Dataverse available
- ☐ Minimal agent created, web search off, published
- ☐ Agent shared with the users (if your organisation limits access)
- ☐ App registration with CopilotStudio.Copilots.Invoke (delegated), admin consent granted
- ☐ Tenant ID, Application (client) ID, Cloud and Environment ID + Schema name (or direct connect URL) sent to the users

After receiving the values, the user enters them in AgentDesk as described in 3.1 Step 7 or 3.2 Step 5.

5. Troubleshooting

What you see	What it means	What to do
A message that the work account has no Microsoft 365 Copilot licence	The signed-in account has no Microsoft 365 Copilot licence.	Ask IT to assign the licence. Wait until it is active, then sign out and sign in again.

What you see	What it means	What to do
A message that an administrator must approve the app (or a Microsoft page asking for admin approval)	Admin consent is missing for one or more permissions.	IT grants admin consent on the app registration (3.1 Step 4 or 3.2 Step 4). Then sign in again.
Dataverse isn't set up in this environment (Copilot Studio)	The environment has no Dataverse, so agents cannot be created there.	A Power Platform administrator adds Dataverse to the environment, or you use another environment with Dataverse, or IT publishes and shares an agent for you (Path B).
A message that Copilot is busy or that capacity is used up (HTTP 429)	Microsoft is limiting the number of requests for a short time (throttling), or the tenant's Copilot Studio capacity is used up.	Wait a moment, then try again with a shorter message or fewer files. For Copilot Studio, IT can check the capacity.
A message that the Copilot Studio agent was not found	Environment id or Agent schema name is wrong, or the agent is not published.	Check the values in Settings > Advanced > Metadata in Copilot Studio and publish the agent again.
Power Platform API is missing in "APIs my organization uses"	The API has not been added to the tenant yet.	An administrator adds it (Microsoft Learn: "Power Platform API authentication").
The answer takes too long or does not arrive	Very long context can time out at the Microsoft service.	Shorten the message or the attached text, or try again later.

If the problem continues, write to **support@castellon.ch** with the message shown in AgentDesk (please do not send tokens or passwords).