

S08 individual evidence form

Blank native Word form and static print reference | EN-GB | Version 1.2.0

Use this form for your individual P01 work, required P03 portfolio and bounded Gemini review. Complete the controls with your own evidence, then export the single submission PDF.

- Full P01 and the eight-part P03 portfolio are required. P02 is optional without a mark cap.
- Record one actual sanitised bounded Gemini claim and an independent check. Synthetic practice is not an automatic substitute.
- Fill the native controls. Use explicit pending labels for gaps; never copy supplied expectations as observations.
- In the HTML route, JSON export/import and opt-in local saving share a 2,000,000-byte UTF-8 limit for the complete serialised draft. Over-limit export/save stops without truncation: shorten bounded excerpts or use this DOCX route. Import resets declarations and review states; any answer change clears prepared print and JSON fallback text. Browser behaviour and native Word interaction remain unqualified.
- Insert your own sanitised evidence below the corresponding control, then index every embedded image/log/snippet.
- Export one PDF named TW2026_S08_GROUP_Surname_Firstname.pdf. Saving a PDF is not institutional submission.

The DOCX contains 55 native Word controls. Click a grey prompt to enter text or open a date/status control. Long answers can grow; insert sanitised screenshots, logs or snippets below the corresponding control and add their page/label to the evidence index. Do not delete a field or its heading.

This supplied PDF is a static blank print/reference copy. It has no fillable PDF fields and contains no recorded student observations. To prepare a completed PDF, fill the DOCX or the offline HTML form and review the newly exported file.

1 Identity and evidence class

Record actual work; use explicit pending labels for unfinished evidence. Never convert a model result into a React observation.

Student identity and group

Enter GROUP | Surname | Firstname. Use your student identity only; no identity-document numbers. These three parts propose the PDF filename.

[Click or tap here to enter your answer.](#)

Package/source identity

Record S08 v1.2.0 and the historical source v1.1.0 from the immutable original archive identified in README.md, PACKAGE_ID.txt and your assessed file identity. Historical source_reference/v1.1.0 is excluded from this edition. Distinguish student source from any teaching preview.

[Click or tap here to enter your own evidence.](#)

Actual Node/npm and execution environment

Copy actual node --version and npm --version output plus OS and browser/version where used. Do not copy the prescribed pin as an observation.

[Click or tap here to enter your own evidence.](#)

SOURCE_REASONING / MODEL / REACT_TEST / REACT_BROWSER / NOT_EXECUTED

Choose the strongest actual evidence class represented. MODEL and SOURCE_REASONING are not actual React execution. Per-check classes still belong in the traces.

Available choices: SOURCE_REASONING / MODEL / REACT_TEST / REACT_BROWSER / NOT_EXECUTED / SEPARATELY_AUTHORISED_ALTERNATIVE

Choose a status

Environment block or qualification limit

State the actual block or write NONE for no known block. No field value qualifies the environment.

[Click or tap here to enter your own evidence.](#)

Seminar date

Record your actual seminar date. This is not a submission deadline.

Choose your actual seminar date

Actual operating system

Record your actual OS and version or explicitly mark unknown; do not copy an example.

[Click or tap here to enter your answer.](#)

Actual browser and tool versions

Record actual browser/version and relevant installed editor/tools. Preserve NOT_EXECUTED for absent observations.

[Click or tap here to enter your own evidence.](#)

2 Prediction and ownership

Record actual work; use explicit pending labels for unfinished evidence. Never convert a model result into a React observation.

Prediction before the selected individual action

Record before your selected action: fixture, input, predicted state/output and a falsifying observation. A reconstructed prediction must be labelled retrospective.

[Click or tap here to enter your own evidence.](#)

Vanilla responsibility to React owner map

Map initialisation, input, items, filter, counts, events, rendering and storage to owners. Include all four required child responsibilities.

[Click or tap here to enter your own evidence.](#)

Exact initial items and storage fixture

Paste exact initial items and stored JSON or the explicit absence. Use the same valid fixture for both compared implementations. State the storage namespace.

[Click or tap here to enter your own evidence.](#)

App.jsx-only assessment diff boundary

Record the assessed path `projects/p01/student/src/App.jsx` and boundary-check result. Preview changes are separate and do not enlarge the permitted student edit.

[Click or tap here to enter your own evidence.](#)

3 P01 complete implementation evidence

Record actual work; use explicit pending labels for unfinished evidence. Never convert a model result into a React observation.

P01 implementation status and unfinished work

Keep `IN_PROGRESS` until the full P01 contract is evidenced. An 18-minute implementation segment is not project completion.

Available choices: `NOT_STARTED` / `IN_PROGRESS` / `COMPLETE_RECORDED`

Choose a status

Add/toggle/remove/filter trace with input and output

Give named steps for trim/blank add, toggle, remove, all/remaining/read counts, empty view and semantic controls; include actual outputs and evidence locators.

[Click or tap here to enter your own evidence.](#)

Initialisation and filter-only storage observation

Distinguish initial writes from later events. State exact complete-array output and the filter-only write count from your actual check.

[Click or tap here to enter your own evidence.](#)

ID uniqueness and reload evidence or explicit gap

State actual add-after-reload evidence with source/preview path and IDs, or label the gap. Fresh allocation cannot repair duplicate IDs already stored or guarantee concurrent-tab uniqueness.

[Click or tap here to enter your own evidence.](#)

Baseline command/name/result and evidence

Final candidate format: `ACTUAL_RECORDED: PASS; command; named checks; evidence locator`. Otherwise use `NOT_EXECUTED/BLOCKED/FAIL` with cause.

[Click or tap here to enter your own evidence.](#)

Objective command/named failure class/result

Record all six canonical P01 objective checks separately from additional checks. Use ACTUAL_RECORDED: PASS only for actual execution.

[Click or tap here to enter your own evidence.](#)

Regression command/result

Record canonical regression command, result and locator. It is not a substitute for a React objective or reload test.

[Click or tap here to enter your own evidence.](#)

Build command/output or explicit not-run status

Record actual build command/output and locator. A build does not prove behavioural parity. No installation is part of this form.

[Click or tap here to enter your own evidence.](#)

Actual browser observations or pending

Record actual browser/OS, selected steps, visible outcomes and locator. Include controls, initialisation/reload and storage limits. MODEL is not a browser result.

[Click or tap here to enter your own evidence.](#)

Sanitised bounded diff and unchanged-source check

Paste the bounded App.jsx diff or complete changed file with locator. Add pages in the DOCX route for long evidence. Do not paste a private reference solution.

[Click or tap here to enter your own evidence.](#)

Individual action — P01

Name the exact file, fixture, action/command and evidence class. Use a reproducible bounded action.

[Click or tap here to enter your own evidence.](#)

Expected result before action — P01

Record the prediction before the selected action; label retrospective reconstruction if necessary. Include a falsifier.

[Click or tap here to enter your own evidence.](#)

Observed result — P01

Record the actual result and embedded evidence locator. Source reasoning or a synthetic/model trace is not a React/browser observation.

[Click or tap here to enter your own evidence.](#)

Expected versus observed difference — P01

Compare your prediction with the observed result. State NO DIFFERENCE only with a named witness; do not silently rewrite the prediction.

[Click or tap here to enter your own evidence.](#)

Mechanism and causal explanation — P01

Explain owners, props/callbacks, rendering and persistence with the named witness. Allocate an injected ID in the event handler before a pure functional updater.

[Click or tap here to enter your own evidence.](#)

4 Required P03 portfolio

Record actual work; use explicit pending labels for unfinished evidence. Never convert a model result into a React observation.

Predicted debounce/cleanup/publication timeline

Before execution, draw old/new timing, debounce, cleanup and publication expectations with a named fake.

[Click or tap here to enter your own evidence.](#)

Diagnosis tied to weak evidence and exact source

Tie your diagnosis to exact weak-source lines; separate missing-signal TypeError from lifecycle failures.

[Click or tap here to enter your own evidence.](#)

SearchPanel.jsx-only bounded patch excerpt and identity

Paste your SearchPanel.jsx-only patch/explanation and file identity. Keep generated evidence/tests unchanged.

[Click or tap here to enter your own evidence.](#)

Old/new/short-query/unmount evidence and ordering

Record call order, timer steps, signals and settlements for old/new, shortened query and unmount. Label source/model versus actual test/browser.

[Click or tap here to enter your own evidence.](#)

Which guards and which fake were used

Record A: active and numeric guards retained; B: numeric guards removed while active remains; C: abort-only with no publication guards. Name the non-cooperative fake and record B settles then old A settles. Removing numeric guards alone need not race. Restore the assessed implementation after the comparison.

[Click or tap here to enter your own evidence.](#)

Unexpected error identity and sanitised display observation

Record abort rejection separately from an unexpected error; compare the same error object delivered to the logger with the sanitised visible message. Record the omitted-callback case and instance isolation or a precise gap. Use fabricated test data only.

[Click or tap here to enter your own evidence.](#)

Named P03 baseline/objective/regression/build results

Final candidate format contains BASELINE: PASS; OBJECTIVE: PASS; REGRESSION: PASS; BUILD: PASS; with commands, evidence IDs and ACTUAL_RECORDED. Extra checks are separate and may remain explicitly unqualified.

[Click or tap here to enter your own evidence.](#)

Untested edge case including callback or runtime limit

Record omitted-callback, unmount, accessibility and runtime checks not performed. Do not infer coverage from a test title.

[Click or tap here to enter your own evidence.](#)

Individual action — P03

Name the exact file, fixture, action/command and evidence class. Use a reproducible bounded action.

[Click or tap here to enter your own evidence.](#)

Expected result before action — P03

Record the prediction before the selected action; label retrospective reconstruction if necessary. Include a falsifier.

[Click or tap here to enter your own evidence.](#)

Observed result — P03

Record the actual result and embedded evidence locator. Source reasoning or a synthetic/model trace is not a React/browser observation.

[Click or tap here to enter your own evidence.](#)

Expected versus observed difference — P03

Compare your prediction with the observed result. State NO DIFFERENCE only with a named witness; do not silently rewrite the prediction.

[Click or tap here to enter your own evidence.](#)

Mechanism and causal explanation — P03

Separate timer cancellation, abort signal and permission to publish. Explain the three guard variants and the role of a non-cooperative fake; a missing-signal TypeError is not a stale-publication witness.

[Click or tap here to enter your own evidence.](#)

5 Actual Gemini claim and independent review

Record actual work; use explicit pending labels for unfinished evidence. Never convert a model result into a React observation.

ACTUAL_RECORDED / PENDING / separately authorised alternative

ACTUAL_RECORDED means a real bounded exchange. Synthetic practice remains PENDING unless a prior, separate teacher authorisation specifies an alternative.

Available choices: ACTUAL_RECORDED / PENDING / SEPARATELY_AUTHORIZED_ALTERNATIVE

Choose a status

Relevant sanitised prompt actually used

Keep only the sanitised prompt actually used. Ask about one ownership/effect claim, not a complete implementation.

[Click or tap here to enter your own evidence.](#)

Relevant claim actually received

Keep the relevant answer extract and tool/date reference. Do not paste the full conversation or label synthetic text as received.

[Click or tap here to enter your own evidence.](#)

Independent method and evidence locator

State your independent method, actual result and evidence locator, not agreement between two AI answers.

[Click or tap here to enter your own evidence.](#)

ACCEPTED / REJECTED / PARTIALLY ACCEPTED / UNKNOWN

Assess the claim, not the student. PARTIALLY_ACCEPTED is the stored code for PARTIALLY ACCEPTED. UNKNOWN is not PASS or an automatic waiver.

Available choices: ACCEPTED / REJECTED / PARTIALLY_ACCEPTED / UNKNOWN

Choose a status

Correction justified by the witness

State the correction supported by the witness, or explain why no change is justified.

[Click or tap here to enter your own evidence.](#)

Scope and unresolved uncertainty

State what your check does not establish; an honest uncertainty can remain even after the check.

[Click or tap here to enter your own evidence.](#)

6 Transfer remaining work and evidence index

Record actual work; use explicit pending labels for unfinished evidence. Never convert a model result into a React observation.

One ownership/identity lesson for the semester project

Explain one ownership/identity/lifecycle lesson for the semester project in your own words.

[Click or tap here to enter your own evidence.](#)

Remaining work and smallest next check

List remaining required work and smallest next check. Use NONE only when no required work remains. Optional P02 may remain undone.

[Click or tap here to enter your own evidence.](#)

Locator list for snippets/screenshots/logs embedded in the PDF

List only evidence embedded in this PDF: section/page/label. File paths alone do not embed screenshots or logs. Use the DOCX route to insert images.

[Click or tap here to enter your own evidence.](#)

7 Declaration and submission boundary

Record actual work; use explicit pending labels for unfinished evidence. Never convert a model result into a React observation.

Truthful individual work, actual observations distinguished from expectations

I performed the individual work described, distinguish actual observations from expectations/models and have not invented an AI exchange. This is not a teacher approval.

☐ I confirm the declaration above only after reviewing my own work.

Prior explicit authorisation if any; absence gives no exception

Leave blank if none. If an alternative was explicitly authorised beforehand, record teacher, date, scope, reference and required replacement evidence. Writing here or choosing a selector neither grants nor authenticates authorisation. The automated form cannot approve an exception.

[Click or tap here to enter your own evidence.](#)

Draft/final candidate and local PDF review status

Choose DRAFT_NOT_REVIEWED for a working draft. FINAL_CANDIDATE_NOT_YET_SAVED records your intention before saving. LOCAL_PDF_REVIEWED_NOT_MOODLE_RECEIPT records a separately reopened and reviewed PDF; regenerate after a changed answer. No state proves Moodle submission.

Available choices: DRAFT_NOT_REVIEWED / FINAL_CANDIDATE_NOT_YET_SAVED / LOCAL_PDF_REVIEWED_NOT_MOODLE_RECEIPT

Choose a status

Privacy review before sharing/export

Select reviewed only after checking snippets, images and extracts. Exclude passwords, tokens, API keys, cookies, real personal data beyond your required student identity, Moodle records and unauthorised private code.

Available choices: PENDING / REVIEWED_NO_EXCLUDED_DATA

Choose a status

Upload preflight checklist — before PDF upload

Before first candidate PDF export choose PENDING because the saved file has not been reviewed. After reopening the actual saved PDF, complete the preflight before upload: one correctly named readable PDF, all sections and embedded evidence, honest required-route gaps and no secrets. Choose PREFLIGHT_REVIEWED_NOT_MOODLE_RECEIPT only for that actual review. Actual submitted state, filename and timestamp are checked separately after submission; never require a Moodle receipt inside this PDF.

Available choices: PENDING / PREFLIGHT_REVIEWED_NOT_MOODLE_RECEIPT

Choose a status