

S09 Individual evidence record

Blank editable template v1 2 0 local production candidate

S09 | Version v1.2.0

This is your individual S09 evidence record. Complete the full P01 Routed Notes contract and the required P03 repair portfolio in one PDF. P02 is a conceptual capstone transfer; its full implementation is not another S09 completion gate.

Stop at 60 content minutes with an honest draft. Complete remaining required work before the actual deadline supplied by your teacher. No deadline or institutional mark is invented here.

A completed field, a model, an actual run, a saved PDF and a final Moodle submission are separate facts. This form checks record structure and awards no marks.

Use one filename: TW2026_S09_GROUP_Surname_Firstname.pdf. Do not submit a separate P03 PDF or upload node_modules. A ZIP is not required by default.

The HTML route is text-only. It cannot insert screenshot files. If your evidence includes captures, use the matching DOCX route, insert the genuine images with captions inside that document and export the same single PDF.

Using the editable response fields

Click inside a response field and replace PENDING with your own response. For a declaration, leave the box unchecked until the individual review is complete. The document is unlocked. No Word action here certifies code, observations or Moodle submission.

Including genuine captures

1. Open FORM_S09_EN_GB.docx in an authorised document editor. Find the field that cites your capture, such as link_history_trace or p03_qualification.
2. Use the editor's picture insertion control, often Insert > Pictures > This Device or an equivalent label. Select your own sanitised capture. These labels are illustrative; they may differ in your editor.
3. Insert the image inside the document near its related response. Add a stable label and caption such as E01 — initial route and observed state. State what the capture establishes and what it cannot prove.
4. Add E01 to evidence_index. A typed filename does not attach an image. Every image or log cited as included must actually appear in the final PDF.
5. Review the source image for private browser tabs, credentials, tokens, account details and unnecessary personal data before inserting it. Do not upload private teacher reference code or a full Gemini conversation.
6. After exporting, open the exact saved PDF and inspect every page for clipped text, missing images and readable captions. Correct the document and inspect a successor if any page is defective.

First PDF and later submission

1. Before first export: check identity, name, evidence locators, included captures, truthful pending work, privacy and your individual accuracy declaration. Do not claim that the first PDF has already been saved or reviewed.
2. Save the first PDF. The printed state may honestly be FIRST_EXPORT_CANDIDATE_NOT_YET_REVIEWED. A closed print dialog is not evidence that a file was saved.

3. Open the exact saved file and inspect every page. Keep its actual saved-file review in a separate personal or private record outside that already-saved snapshot.
4. Later, in the actual assigned S09 Moodle activity, check the title, attach the one PDF, wait for upload, save changes and complete the final submit/confirmation controls if they appear. Labels vary and were not observed here.
5. Only after the real submission, inspect and record the actual status, filename and timestamp. If the activity remains Draft, STOP: the submission is incomplete. Keep this post-submission observation outside the first-PDF prerequisite; do not invent a receipt inside the PDF.

Identity and boundaries

Record what you actually did. PENDING, BLOCKED and NOT_EXECUTED are allowed evidence states and do not become a technical PASS.

Student and group

Field ID: student_identity

Use GROUP | Surname | Firstname consistently; collect no identity-document data.

PENDING

Package and source identity

Field ID: package_identity

Separate observed kit version/PACKAGE_ID/source locator from filename guesses; S09 is also an explicit fixed field.

PENDING

Actual environment

Field ID: actual_environment

Write actual measured versions only when observed; keep prescribed pins in a separate instruction, never an observation.

PENDING

Evidence classes

Field ID: evidence_class

Classify each witness individually; a summary label cannot promote source/model evidence to runtime or browser.

PENDING

Blocks and limits

Field ID: environment_limit

Allow truthful NOT_EXECUTED/BLOCKED with exact reason and remediation status; never require made-up success to export a report.

PENDING

Permitted paths

Field ID: permitted_edit

Name full project-relative allowed files; protected files remain byte-identical; P02 is a later capstone boundary.

PENDING

Session date

Field ID: session_date

Actual local seminar date or NOT_RECORDED; do not infer a student date from package production.

PENDING

Seminar ID

Field ID: seminar_id

Fixed teaching identifier S09; this label is a schema constant, not an observation.

Fixed identifier; keep S09.

S09

Evidence and remediation status

Field ID: record_status_ledger

Per case/check: truthful status, exact failure category, available witness, pending remediation and whether a real prior teacher decision is recorded; no automatic substitute or mark.

PENDING

P01 ownership and prediction

Record what you actually did. PENDING, BLOCKED and NOT_EXECUTED are allowed evidence states and do not become a technical PASS.

Pre experiment prediction

Field ID: p01_prediction

Write two numbered falsifiable predictions before observing P01. Include the initial fixture, action, expected result and a result that would falsify each prediction. Keep retrospective notes clearly labelled.

PENDING

Exact seed and route fixture

Field ID: fixture

Record seed 1/2, initial URL, store lifetime and exact precondition; seed restoration is distinct from persistence.

PENDING

Route and parameter ownership

Field ID: route_owner_map

Explain which owner controls the URL route, note id, current selection and unsaved draft. Use your own case record.

PENDING

Push replace expectation

Field ID: history_policy

Show initial stack and expected push/replace/cancel; final destination alone is insufficient.

PENDING

Shared controlled form

Field ID: form_owner_map

Explain shared controlled form, target reset, trim/blank boundary and no-write cancel.

PENDING

P01 individual evidence

Record what you actually did. PENDING, BLOCKED and NOT_EXECUTED are allowed evidence states and do not become a technical PASS.

Direct route trace

Field ID: direct_url_trace

Use named P01 case row with exact initial URL, fixture, observed visible state, evidence class and locator.

PENDING

Link back forward witness

Field ID: link_history_trace

Record how the initial stack was established and actual Back/Forward observation; distinguish MemoryRouter from REAL_BROWSER.

PENDING

Create and local validation

Field ID: create_trace

Happy trimmed create and rejected blank input: expected/observed write count, navigation and returned id; no synthesized output.

PENDING

Edit identity and reset

Field ID: edit_trace

Addressed identity, trim/update, direct target change and absence of stale values/body-id override.

PENDING

Missing note and unknown route

Field ID: unknown_route_trace

Separate missing note, missing edit target, unknown client path and server missing-document events.

PENDING

Named actual checks

Field ID: p01_test_results

Structured named check ledger with exact command/source/output locator and truthful outcome. PASS text is neither truth validation nor a mark.

PENDING

Whole P01 status

Field ID: p01_completion

Choose your true progress. COMPLETE_RECORDED is your declaration, not technical verification or a mark. Pending work remains exportable.

Allowed choices: not chosen; NOT_STARTED; IN_PROGRESS; COMPLETE_RECORDED

PENDING

P01 case records

Field ID: p01_case_ledger

For each P01 case: case ID, before-run prediction, fixture/initial route/history, action, expected, observed, difference, evidence class/locator, mechanism and status.

PENDING

Counterexample

Field ID: counterexample_record

One claimed general rule, a distinct counterexample and what it falsifies; source/model/actual evidence labelled and no invented AI response.

PENDING

Why the output occurs

Field ID: mechanism_explanation

Explain URL/parameter versus draft ownership, mutation/history policy and server-delivery versus client-routing middleware causality; outputs alone are insufficient.

PENDING

P03 required repair portfolio

Record what you actually did. PENDING, BLOCKED and NOT_EXECUTED are allowed evidence states and do not become a technical PASS.

Delivery prediction

Field ID: p03_prediction

Before P03 observation, write two numbered predictions with mode, method, path, Accept, expected status/body and a falsifier.

PENDING

Static only witness

Field ID: p03_static_only

Broken static-only nested-route witness with method/path/Accept/status/type/body/log; actual observation stays separate from expected policy.

PENDING

Universal witness

Field ID: p03_universal

Use missing-asset or affected-method witness; do not invent a broken API case because universal mounts the completing API router first.

PENDING

API control

Field ID: p03_api_control

Known and missing API control retain exact namespace, status, envelope and order; /apiary is distinct from /api.

PENDING

Eligibility matrix

Field ID: p03_matrix

Case-labelled method/path/Accept/prediction/observed status/type/body/locator; cover GET/HEAD, API, assets, non-HTML, non-GET and error-fixture distinction.

PENDING

Actual middleware order

Field ID: p03_middleware

Observed request-log stages versus inferred source ordering explicitly separated; connect to causal mechanism explanation.

PENDING

One file repair

Field ID: p03_diff

Concise one-file repair diff and rationale; preserve supplied client-dist, source, broken evidence, API router, harness, tests and lockfile.

PENDING

Asset and fixture identity

Field ID: p03_assets

Record served/local byte equality or actual hashes with exact algorithm, source and locator; fixed hash-looking filename is not identity evidence.

PENDING

Actual P03 checks

Field ID: p03_qualification

Named original/supplementary check outcomes, HTTP delivery and REAL_BROWSER nested boot separate. No P03 client rebuild and no automatic all-PASS gate.

PENDING

P03 request records

Field ID: p03_case_ledger

For each P03 case: case ID, source mode/repair identity, method/path/Accept, prediction, actual status/type/body/log, expected–observed difference, evidence class/locator and status.

PENDING

Bounded AI critique and independent check

Record what you actually did. PENDING, BLOCKED and NOT_EXECUTED are allowed evidence states and do not become a technical PASS.

Actual exchange status

Field ID: gemini_mode

Choose ACTUAL_RECORDED only for a genuine bounded exchange. PENDING, NOT_EXECUTED and BLOCKED are honest draft states. Selecting an alternative does not authorise it.

Allowed choices: not chosen; PENDING; NOT_EXECUTED; BLOCKED; ACTUAL_RECORDED; SEPARATELY_AUTHORISED_ALTERNATIVE

PENDING

Sanitised bounded prompt

Field ID: gemini_prompt

Keep only the minimal actual prompt about one claim. Remove credentials, private data, full conversations and Moodle details.

PENDING

Relevant response excerpt

Field ID: gemini_claim

Keep the relevant actual answer excerpt only. If no exchange occurred, leave this blank and record PENDING or BLOCKED in the mode/status ledger.

PENDING

Independent evaluation

Field ID: independent_check

A falsifiable source comparison or actual named observation with locator; another model paraphrase is insufficient. State the check evidence class.

PENDING

Verdict

Field ID: gemini_verdict

ACCEPTED, REJECTED, PARTIALLY_ACCEPTED or UNKNOWN with evidence; well justified UNKNOWN can earn critique credit without asserting technical completion.

Allowed choices: not chosen; ACCEPTED; REJECTED; PARTIALLY_ACCEPTED; UNKNOWN
PENDING

Correction and limitation

Field ID: correction_limit

Correct only the supported proposition and identify untested remainder; do not overgeneralize source/model evidence.

PENDING

P02 semester integration not a second S09 implementation gate

Record what you actually did. PENDING, BLOCKED and NOT_EXECUTED are allowed evidence states and do not become a technical PASS.

Server UI submission mapping

Field ID: p02_transfer_map

Conceptual M4b transfer: confirmed server notes, current selection/form draft and submission state. list/create/update/remove; no individual get endpoint or database invented.

PENDING

Capstone progress

Field ID: p02_integration_status

Truthful NOT_STARTED is permitted; full P02 completion is outside S09 P01/P03 technical criteria.

Allowed choices: not chosen; NOT_STARTED; IN_PROGRESS; COMPLETE_RECORDED

PENDING

Available capstone evidence

Field ID: p02_evidence_optional

Retain actual existing capstone evidence only; blank incurs no additional implementation deduction.

PENDING

Economic Informatics transfer

Field ID: economic_informatics_transfer

Apply route identity versus unsaved draft and confirmed server record to an order/invoice workflow; navigation success is not proof of a saved transaction.

PENDING

Reflection PDF and declaration

Record what you actually did. PENDING, BLOCKED and NOT_EXECUTED are allowed evidence states and do not become a technical PASS.

Learning transfer

Field ID: learning_transfer

Changed mental model with one concrete example; align with exit ticket and precise Economic Informatics transfer.

PENDING

Evidence locator index

Field ID: evidence_index

Stable E01 etc locators must resolve inside the same PDF, including genuine inserted captures/log excerpts.

PENDING

Unfinished work

Field ID: pending_work

Separate required P01/P03/AI work, platform blocks and separate capstone tasks. REQUIRED: NONE only when true, never an export precondition.

PENDING

Prior authorisation if relevant

Field ID: teacher_exception

Record an actual prior teacher decision and replacement evidence if applicable. This text cannot grant or authenticate approval.

PENDING

Draft export review state

Field ID: pdf_status

This field describes the pre-export snapshot only. A print request cannot prove that a PDF was saved, reopened or submitted. Record later saved-file and Moodle observations separately.

Allowed choices: DRAFT_NOT_REVIEWED;
FIRST_EXPORT_CANDIDATE_NOT_YET_REVIEWED;
EXPORT_REQUESTED_NOT_CONFIRMED

DRAFT_NOT_REVIEWED

Individual accuracy declaration

Field ID: declaration

I declare that this is my individual record and that its observations, evidence classes, pending work and limitations are stated accurately. This is not a declaration that every test passed.

[] Not declared | Type X only after your individual review

Limit of the evidence

Field ID: reflection_limit

Per-witness limits of SOURCE/MODEL/React/HTTP/browser, no distributed consistency, storage durability or deployment conclusion beyond the actual scope.

PENDING

Exit ticket at content STOP

Field ID: exit_ticket

One statement the URL owns, one state the draft owns, one unproved result and the next required step. Incomplete work is an honest draft.

PENDING

Privacy review

Field ID: privacy_check

I reviewed this record for credentials, tokens, private paths, unnecessary personal data, institutional records, Moodle details and full conversations. No such sensitive material remains.

[] Not declared | Type X only after your individual review

First export checklist

Field ID: pre_export_checklist

Identity/name, readable evidence/captions, truthful status/limits, privacy and declaration checked before first PDF. Do not require saved-file review or Moodle receipt yet.

PENDING