


INSTRUMENT APPROACH CHART

AERODROME ELEV 92 ft
HEIGHTS RELATED TO
THR RWY 22 - ELEV 84 ft

APP	119.7	TWR	118.2
GND	121.9	ATIS	132.2


AD-2.MHLM IAC RWY22 ILS
XX APR 18

SAN PEDRO SULA /
RAMON VILLEDA MORALES INTL
ILS or LOC Y RWY 22



TRANSITION ALT: 19 500'

MISSD APCH: MAX IAS 185KT until VOR LMS
Climb on R-220 until reaching 1000FT AMSL,
turn LEFT to LMS VOR climbing to +2000ft AMSL
climb on R-020 to 20DME turn right on 22 DME
ARC to holding at LOKKO. Request
ATC instructions.



Rate of Descent	GS (VELOCITY)	70	90	100	120	140	160	CIRCLE TO LAND NOT AUTHORIZED AT NIGHT RWY04		
	Ft/min GS 3.0°	377	484	538	646	753	861			
FAF - MAPT 3.9 NM	min	3:21	2:36	2:20	1:57	1:40	1:28			
straight in approach	ILS DA (H) 333' (248')			LOC (GS OUT) MDA (H) 500' (415')			MAX Kts		CIRCLE TO LAND	
CAT	Ceiling - Visibility								MDA (H)	Ceiling - Visibility
A	250' – ¾ (1200m)			500' – 1 (1600m)			90		550' (465')	500' – 1 (1600m)
B							120			500' – 1½ (2400m)
C							140			500' – 2¼ (3600m)
D				500 - 1¼ (2000m)			165		650' (565')	500' - 2¼ (3600m)

CHANGES: NEW PROCEDURE