

CAPTURAS CRUD EXAMEN 4

LISTAR TODOS LOS PRODUCTOS

GET http://localhost:8080/products

Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Query Params

| KEY | VALUE | DESCRIPTION |
|-----|-------|-------------|
| Key | Value | Description |

Body Cookies Headers (5) Test Results

Status: 200 OK Time: 167 ms Size: 1.09 KB Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   {
3     "id": 1,
4     "name": "Cristasol",
5     "descrip": "PRODUCTO PRODUCTO",
6     "image_url": "https://127.0.0.1",
7     "sku": "sku sku",
8     "price": 6.99,
9     "quantity": 34,
10    "category": {
11      "id": 2,
12      "name": "BLA",
13      "descrip": "BLA BLA BLA"
14    }
15  },
16  {
17    "id": 2,
18    "name": "Mayonesa Heinz",
19    "descrip": "PRODUCTO Nuevo",
20    "image_url": "https://localhost",
21    "sku": "sku sku",
22    "price": 3.99,
23    "quantity": 20,
24    "category": {
25      "id": 4,
26      "name": "NOM",
27      "descrip": "NOM NOM NOM"
28    }
29  },
30 }
```

LISTAR UN PRODUCTO

GET http://localhost:8080/products/4

Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Query Params

| KEY | VALUE | DESCRIPTION |
|-----|-------|-------------|
| Key | Value | Description |

Body Cookies Headers (5) Test Results

Status: 200 OK Time: 14 ms Size: 351 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 4,
3   "name": "Coca Cola",
4   "descrip": "DESCRIP DESCRIP",
5   "image_url": "https://127.0.0.1",
6   "sku": "sku sku",
7   "price": 1.85,
8   "quantity": 89,
9   "category": {
10    "id": 3,
11    "name": "DES",
12    "descrip": "DES DES DES"
13  }
14 }
```

CREAR PRODUCTO

The screenshot shows a REST client interface with a POST request to `http://localhost:8080/products`. The request body is a JSON object with the following fields: `name`, `descrip`, `image_url`, `sku`, `price`, `quantity`, `category`, and `id`. The `id` field is set to 2, and the `descrip` field is set to "BLA BLA BLA". The response status is 200 OK, with a time of 142 ms and a size of 362 B.

```
1 {
2   "name": "Leche Entera Puleva",
3   "descrip": "DESCRIP DESCRIP",
4   "image_url": "https://localhost",
5   "sku": "sku sku",
6   "price": 1.10,
7   "quantity": 120,
8   "category": [
9     {
10      "id": 2,
11      "name": "BLA",
12      "descrip": "BLA BLA BLA"
13    }
14  ]
15 }
```

Body Cookies Headers (5) Test Results Status: 200 OK Time: 142 ms Size: 362 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 6,
3   "name": "Leche Entera Puleva",
4   "descrip": "DESCRIP DESCRIP",
5   "image_url": "https://localhost",
6   "sku": "sku sku",
7   "price": 1.10,
8   "quantity": 120,
9   "category": [
10    {
11      "id": 2,
12      "name": "BLA",
13      "descrip": "BLA BLA BLA"
14    }
15  ]
16 }
```

ACTUALIZAR PRODUCTO

The screenshot shows a REST client interface with a PUT request to `http://localhost:8080/products/3`. The request body is a JSON object with the following fields: `id`, `name`, `descrip`, `image_url`, `sku`, `price`, `quantity`, `category`, and `id`. The `id` field is set to 3, and the `descrip` field is set to "BLA BLA BLA". The response status is 200 OK, with a time of 20 ms and a size of 366 B.

```
1 {
2   "id": 3,
3   "name": "Galletas Maria Magdalena",
4   "descrip": "DESCRIP DESCRIP",
5   "image_url": "https://127.0.0.1",
6   "sku": "sku sku",
7   "price": 1.50,
8   "quantity": 90,
9   "category": [
10    {
11      "id": 2,
12      "name": "BLA",
13      "descrip": "BLA BLA BLA"
14    }
15  ]
16 }
```

Body Cookies Headers (5) Test Results Status: 200 OK Time: 20 ms Size: 366 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 3,
3   "name": "Galletas Maria Magdalena",
4   "descrip": "DESCRIP DESCRIP",
5   "image_url": "https://127.0.0.1",
6   "sku": "sku sku",
7   "price": 1.50,
8   "quantity": 90,
9   "category": [
10    {
11      "id": 2,
12      "name": "BLA",
13      "descrip": "BLA BLA BLA"
14    }
15  ]
16 }
```

BORRAR PRODUCTO

DELETE

http://localhost:8080/products/4

Send

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Settings

Cookies

Query Params

| KEY | VALUE | DESCRIPTION | | Bulk Edit |
|-----|-------|-------------|--|-----------|
| Key | Value | Description | | |

Body

Cookies

Headers (3)

Test Results

Status: 204 No Content

Time: 17 ms

Size: 112 B

Save Response

Pretty

Raw

Preview

Visualize

Text

1