

```

SELECT id_cliente,
       razon_social,
       cif,
       email_contacto,
       fecha_alta,
       AGE(CURRENT_DATE, fecha_alta) AS antiguedad
FROM   clientes
ORDER BY fecha_alta ASC;

```

```

SELECT c.id_cliente,
       c.razon_social,
       COUNT(DISTINCT f.id_factura)   AS num_facturas,
       SUM(lf.subtotal_linea)         AS facturado_neto,
       ROUND(SUM(lf.subtotal_linea) * 1.21, 2) AS facturado_con_iva
FROM   clientes      c
INNER JOIN facturas   f ON c.id_cliente = f.id_cliente
INNER JOIN lineas_factura lf ON f.id_factura = lf.id_factura
WHERE  f.estado <> 'Anulada'
GROUP BY c.id_cliente, c.razon_social
ORDER BY facturado_neto DESC;

```

```

SELECT s.nombre           AS servicio,
       SUM(lf.cantidad)    AS unidades_vendidas,
       SUM(lf.subtotal_linea) AS ingresos_totales,
       COUNT(DISTINCT lf.id_factura) AS num_facturas
FROM   servicios      s
INNER JOIN lineas_factura lf ON s.id_servicio = lf.id_servicio
GROUP BY s.id_servicio, s.nombre
ORDER BY ingresos_totales DESC
LIMIT 5;

```

```

SELECT f.numero_factura,
       c.razon_social,
       f.fecha_emision,
       f.fecha_vencimiento,
       (CURRENT_DATE - f.fecha_vencimiento) AS dias_vencida,
       CASE
         WHEN CURRENT_DATE > f.fecha_vencimiento THEN 'VENCIDA - Reclamar'
         WHEN CURRENT_DATE = f.fecha_vencimiento THEN 'Vence hoy'
         ELSE 'En plazo'
       END AS situacion
FROM   facturas f

```

```

INNER JOIN clientes c ON f.id_cliente = c.id_cliente
WHERE f.estado = 'Pendiente'
ORDER BY f.fecha_vencimiento ASC;

```

```

SELECT s.nombre          AS sala,
       r.codigo_rack     AS rack,
       COUNT(e.id_equipo) AS num_equipos,
       SUM(CASE WHEN e.estado = 'Activo' THEN 1 ELSE 0 END) AS activos,
       SUM(CASE WHEN e.estado = 'Averiado' THEN 1 ELSE 0 END) AS averiados,
       SUM(CASE WHEN e.estado = 'Stock' THEN 1 ELSE 0 END) AS en_stock
FROM   salas s
INNER JOIN racks r ON s.id_sala = r.id_sala
LEFT JOIN equipos e ON r.id_rack = e.id_rack
GROUP BY s.id_sala, s.nombre, r.codigo_rack
ORDER BY s.nombre, r.codigo_rack;

```

```

SELECT e.numero_serie,
       CONCAT(e.marca, ' ', e.modelo) AS equipo,
       s.nombre                      AS sala,
       e.fin_garantia,
       (e.fin_garantia - CURRENT_DATE) AS dias_restantes
FROM   equipos e
INNER JOIN salas s ON e.id_sala = s.id_sala
WHERE  e.fin_garantia BETWEEN CURRENT_DATE AND CURRENT_DATE + INTERVAL
'18 months'
AND e.estado <> 'Baja'
ORDER BY e.fin_garantia ASC;

```

```

SELECT CONCAT(em.nombre, ' ', em.apellidos) AS tecnico,
       c.nombre                          AS cargo,
       COUNT(t.id_ticket)                AS total_tickets,
       SUM(CASE WHEN t.estado = 'Cerrado' THEN 1 ELSE 0 END) AS cerrados,
       SUM(CASE WHEN t.estado = 'En Proceso' THEN 1 ELSE 0 END) AS en_proceso,
       SUM(CASE WHEN t.estado = 'Abierto' THEN 1 ELSE 0 END) AS abiertos,
       SUM(CASE WHEN t.estado = 'Escalado' THEN 1 ELSE 0 END) AS escalados
FROM   empleados em
INNER JOIN cargos c ON em.id_cargo = c.id_cargo
LEFT JOIN tickets t ON em.id_tecnico = t.id_tecnico_asignado
GROUP BY em.id_tecnico, em.nombre, em.apellidos, c.nombre
HAVING COUNT(t.id_ticket) > 0
ORDER BY total_tickets DESC;

```

```

SELECT prioridad,
       COUNT(*) AS total_resueltos,
       ROUND(AVG(EXTRACT(EPOCH FROM (fecha_cierre - fecha_apertura)) /
3600)::numeric, 2) AS horas_medias,
       MIN(EXTRACT(EPOCH FROM (fecha_cierre - fecha_apertura)) / 3600) AS
horas_min,
       MAX(EXTRACT(EPOCH FROM (fecha_cierre - fecha_apertura)) / 3600) AS
horas_max
FROM tickets
WHERE estado = 'Cerrado'
AND fecha_cierre IS NOT NULL
GROUP BY prioridad
ORDER BY CASE prioridad
          WHEN 'Critica' THEN 1
          WHEN 'Alta' THEN 2
          WHEN 'Media' THEN 3
          WHEN 'Baja' THEN 4
          END;

```

```

SELECT c.departamento,
       COUNT(e.id_tecnico) AS num_empleados,
       ROUND(AVG(e.salario_bruto), 2) AS salario_medio,
       MIN(e.salario_bruto) AS salario_min,
       MAX(e.salario_bruto) AS salario_max,
       SUM(e.salario_bruto) AS coste_total_dpto
FROM cargos c
INNER JOIN empleados e ON c.id_cargo = e.id_cargo
WHERE e.fecha_baja IS NULL
GROUP BY c.departamento
ORDER BY salario_medio DESC;

```

```

SELECT e.numero_serie,
       CONCAT(e.marca, ' ', e.modelo) AS equipo,
       s.nombre AS sala,
       (SELECT COUNT(*)
        FROM tickets t
        WHERE t.id_equipo_afectado = e.id_equipo) AS num_tickets
FROM equipos e
INNER JOIN salas s ON e.id_sala = s.id_sala
WHERE e.id_equipo IN (
    SELECT id_equipo_afectado
    FROM tickets
    GROUP BY id_equipo_afectado
    HAVING COUNT(*) >= 2

```

```
)
ORDER BY num_tickets DESC;
```

```
SELECT t.id_ticket,
       t.asunto,
       t.prioridad,
       t.estado,
       hc.fecha,
       CONCAT(em.nombre, ' ', em.apellidos) AS tecnico_comenta,
       ca.nombre AS cargo,
       hc.texto_comentario
FROM tickets t
LEFT JOIN historial_comentarios hc ON t.id_ticket = hc.id_ticket
LEFT JOIN empleados em ON hc.id_tecnico = em.id_tecnico
LEFT JOIN cargos ca ON em.id_cargo = ca.id_cargo
WHERE t.estado = 'Escalado'
ORDER BY t.id_ticket, hc.fecha;
```

```
SELECT c.razon_social,
       c.cif,
       COALESCE(SUM(DISTINCT lf_total.total_cliente), 0) AS facturacion_total,
       COUNT(DISTINCT t.id_ticket) AS tickets_generados,
       SUM(CASE WHEN t.estado IN ('Abierto','En Proceso','Escalado') THEN 1 ELSE 0 END)
AS tickets_abiertos
FROM clientes c
LEFT JOIN tickets t ON c.id_cliente = t.id_cliente
LEFT JOIN (
    SELECT f.id_cliente,
           SUM(lf.subtotal_linea) AS total_cliente
    FROM facturas f
    INNER JOIN lineas_factura lf ON f.id_factura = lf.id_factura
    WHERE f.estado <> 'Anulada'
    GROUP BY f.id_cliente
) lf_total ON c.id_cliente = lf_total.id_cliente
GROUP BY c.id_cliente, c.razon_social, c.cif
ORDER BY facturacion_total DESC;
```