Understanding the trade-offs of causal replication solutions through simulation

António Nunes Duarte, João Leitão, and Pedro Fouto

NOVA School of Science and Technology

Abstract. Causal replication is a weak consistency model, that works by tracking causal dependencies between operations of a system and making sure that they are propagated and displayed, to users of that system, in a causally consistent order. Many ways of achieving causal consistency have been proposed in the literature over the years, (e.g. usage of Logical Clocks[1], Logical Clocks with Physical Timestamps[5, 2], tracking Direct Dependencies[4], usage of specific node topologies that naturally ensure consistency[3]) but each comes with it's own set of tradeoffs which turn the decision complicated and highly dependent on the specification of the system that one is looking to develop. The aim of this work, is exploring those trade-offs through the usage of a simulator, to more thoroughly understand the limits, and optimal use cases of each proposed solution.

Keywords: Causality Tracking · Consistency · Simulator

- 1 Introduction
- 2 Related Work
- 3 Causality Tracking
- 4 Progress Report

References

- 1. Baquero, C., Preguiça, N.: Why logical clocks are easy. Communications of the ACM **59**(4), 43–47 (2016)
- 2. Du, J., Iorgulescu, C., Roy, A., Zwaenepoel, W.: Gentlerain: Cheap and scalable causal consistency with physical clocks. In: Proceedings of the ACM Symposium on Cloud Computing. pp. 1–13 (2014)
- 3. van der Linde, A., Fouto, P., Leitão, J., Preguiça, N.: The intrinsic cost of causal consistency. In: Proceedings of the 7th Workshop on Principles and Practice of Consistency for Distributed Data. pp. 1–6 (2020)
- Lloyd, W., Freedman, M.J., Kaminsky, M., Andersen, D.G.: Don't settle for eventual: Scalable causal consistency for wide-area storage with cops. In: Proceedings of the Twenty-Third ACM Symposium on Operating Systems Principles. pp. 401–416 (2011)
- Roohitavaf, M., Demirbas, M., Kulkarni, S.S.: Causalspartan: Causal consistency for distributed data stores using hybrid logical clocks. In: SRDS. pp. 184–193 (2017)