

Three bedrooms. Two bathrooms. Better separation.

Shared full bathroom on each floor / 8 guests / 1 car | Furnished schematic, meters | A3 at 1:100 when printed at 100%



3 bedrooms / 2 full bathrooms

Queen guest room downstairs; king primary and two-double guest room upstairs. Each floor has one shared, hall-accessed bathroom. Neither bedroom upstairs is an en suite.

The proposed fit

SPACE / ITEM	m²	ft² / ref.
Ground floor	94.5 m²	1,017.2 ft²
Upper, less stair void	78.1 m²	840.6 ft²
Combined floors	172.6 m²	1,857.8 ft²
Covered terrace, extra	18.0 m²	193.8 ft²

Areas include exterior walls and circulation; the upper stair opening is deducted. Municipal area rules may differ. Feet are rounded references; metric dimensions govern.

Bathroom separated from kitchen

G2 is at the front, off the entry hall. It shares no wall with the kitchen. The bedroom and circulation form a buffer, with 2.0 m of plan-depth separation from the bathroom rear wall to the kitchen zone.

Room arrangement

Ground / social + guest

G1 queen room; G2 front shared bath; G3 front laundry from side passage; G4 kitchen; G5 living/dining; G6 entry; G7 stair.

Upper / shared bath

U1 two-double room; U2 shared bath with double vanity and separate toilet compartment; U3 linen; U4 dressing/storage; U5 primary; U6 hall; U7 stair arrival.

Still schematic

Setbacks, boundary-wall permission, floor elevation, structure and services need local review. Front/rear orientation is schematic; no surveyed north is asserted.

Area, circulation and budget checks

Metric dimensions govern. Feet are decimal and rounded for reference. Areas are shown in square meters and square feet.

Where the 200 m² lot goes

SPACE / ITEM	Square meters / m²	Square feet / ft²
Main ground-floor footprint	94.5 m²	1,017.2 ft²
Front parking / entrance	55.0 m²	592.0 ft²
Nominal side passage	10.5 m²	113.0 ft²
Rear outdoor zone	40.0 m²	430.6 ft²
Total lot allocation	200.0 m²	2,152.8 ft²

Approximate internal room sizes

SPACE / ITEM	Meters	Feet / reference
G1 / Ground queen room	3.60 x 4.10 m 14.8 m²	11.81 x 13.45 ft 158.9 ft²
G2 / Ground shared bath / front	2.00 x 2.30 m 4.6 m²	6.56 x 7.55 ft 49.5 ft²
G3 / Front laundry	1.45 x 2.30 m 3.3 m²	4.76 x 7.55 ft 35.9 ft²
G5 / Living + dining	8.60 x 3.40 m 29.2 m²	28.22 x 11.15 ft 314.7 ft²
G4 / Kitchen / transition	4.85 x 2.10 m 10.2 m²	15.91 x 6.89 ft 109.6 ft²
U1 / Upper two-double room	4.60 x 4.10 m 18.9 m²	15.09 x 13.45 ft 203.0 ft²
U2 / Upper shared bath, incl. WC	3.60 x 2.30 m 8.3 m²	11.81 x 7.55 ft 89.1 ft²
U5 / Primary bedroom	3.85 x 4.65 m 17.9 m²	12.63 x 15.26 ft 192.7 ft²
U4 / Primary dressing / storage	4.60 x 2.40 m 11.0 m²	15.09 x 7.87 ft 118.8 ft²

Each room row shows width x depth, with area beneath. These are internal planning zones; do not add them as a gross-floor total. Conversions use the unrounded metric values. Rear outdoor space includes the covered terrace and uncovered patio.

Privacy and everyday use

Both full bathrooms open from the hall. The upstairs WC compartment belongs to the shared bathroom. Use privacy glazing at front wet-room windows; access laundry from the side passage. Eight guests assumes two people share each double bed.

MXN 4 million working target

Construction + site works, residual allowance	2,600,000
Design, studies and permits, provisional	300,000
Furniture, appliances and linens, provisional	500,000
Contingency / 15%	600,000
Total, excluding land	4,000,000

Provisional allowances, excluding land; no local quotation. Reprice the two-bathroom layout before assuming savings or accepting the floor area. If over target, simplify discretionary finishes and joinery first; preserve drainage, waterproofing and the patio.

Furniture and stair references

SPACE / ITEM	Meters	Feet / reference
Lot / frontage x depth	10.00 x 20.00 m	32.81 x 65.62 ft
Queen mattress	1.52 x 2.03 m	4.99 x 6.66 ft
King mattress	2.00 x 2.00 m	6.56 x 6.56 ft
Each double mattress	1.35 x 1.90 m	4.43 x 6.23 ft
Dining table / eight seats	2.20 x 0.95 m	7.22 x 3.12 ft
Reserved stair zone	2.50 x 4.30 m	8.20 x 14.11 ft
Provisional floor-to-floor	3.15 m	10.33 ft
Riser / 18 total, 9 per flight	0.175 m	0.57 ft
Tread depth	0.280 m	0.92 ft
Run per flight / 8 treads	2.24 m	7.35 ft
Flight / turning landing	1.05 m	3.44 ft
Front arrival landing	1.00 m	3.28 ft

Stair arithmetic fits the reserved zone. Headroom, guards, finished clear widths, structure and local compliance need professional review. Furniture and cabinetry remain subject to selection and clearance checks.

The same warm architectural character

Style reference retained from concept 01 / facade openings and privacy glazing to follow the revised plans



Earlier AI-generated style reference, retained for materials and massing only. It has not been regenerated for the bathroom relocation. Front wet-room openings now need privacy glazing; use the revised floor plans for the room arrangement.

01 / Confirm the envelope

Commission a boundary/topographic survey and obtain the parcel-specific municipal conditions. This concept depends on a side-boundary wall, a one-meter side passage and a covered terrace.

02 / Establish the site levels

Use a parcel-level drainage/flood assessment and geotechnical advice to set floor elevation and foundations. Confirm water, sewer and electrical connections before fixing equipment or service space.

03 / Price the same scope

Ask local professionals to price the same room schedule, finishes and inclusions. Separate tax, fees, furnishings, site works and contingency; resolve exclusions before approving design development.

Basis: client brief; Google Maps street context; municipal land-use requirements; 2014 municipal risk atlas.