

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by  ☐ css

```
<!doctype html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta name="description" content="Photographer profile and freelance
service photography">
  <meta name="keywords" content="photographer, photography, post-
production, adobe photoshop, lightroom">
  <meta name="author" content="Antonio torone">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta3/dist/css/bootstrap.min.css" rel="stylesheet"
    integrity="sha384-
e0JMYsd53ii+sc0/bJGfSiCZc+5NDVN2yr8+0RDqr0Ql0h+rP48ckxlpbzKgwra6"
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 17, column 5; to line 17, column 102](#)

```
ript><...<script type="text/javascript"
src="https://cdn.jsdelivr.net/npm/emailjs-com@2/dist/email.min.js"><...<
```
- Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 19, column 5; to line 19, column 35](#)

```
ript><...<script type="text/javascript"><...<
```
- Error** Element `p` not allowed as child of element `button` in this context.  
(Suppressing further errors from this subtree.)

[From line 197, column 21; to line 197, column 38](#)

```
<p id="package-1"></p><...<
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element [button](#):

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

4. **Error** Element [p](#) not allowed as child of element [button](#) in this context.  
(Suppressing further errors from this subtree.)

[From line 203, column 21; to line 203, column 38](#)

```
<p id="package-2"></p>
```

Contexts in which element [p](#) may be used:

Where [flow content](#) is expected.

Content model for element [button](#):

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

5. **Error** Element [p](#) not allowed as child of element [button](#) in this context.  
(Suppressing further errors from this subtree.)

[From line 209, column 21; to line 209, column 38](#)

```
<p id="package-3"></p>
```

Contexts in which element [p](#) may be used:

Where [flow content](#) is expected.

Content model for element [button](#):

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

6. **Error** Element [p](#) not allowed as child of element [button](#) in this context.  
(Suppressing further errors from this subtree.)

[From line 230, column 21; to line 230, column 36](#)

```
<p id="price-1"></p>
```

Contexts in which element [p](#) may be used:

Where [flow content](#) is expected.

Content model for element [button](#):

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

7. **Error** Element [p](#) not allowed as child of element [button](#) in this context.  
(Suppressing further errors from this subtree.)

[From line 236, column 21; to line 236, column 36](#)

```
<p id="price-2"></p>
```

Contexts in which element [p](#) may be used:

Where [flow content](#) is expected.

Content model for element [button](#):

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

8. **Error** Element `p` not allowed as child of element `button` in this context.

(Suppressing further errors from this subtree.)

[From line 242, column 21; to line 242, column 36](#)

```
<p id="price-3"></p>
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

Content model for element `button`:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

9. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 342, column 5; to line 342, column 62](#)

```
div><script type="text/javascript" src="assets/js/emailjs.js"></scri
```

10. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 344, column 5; to line 344, column 61](#)

```
ipt><script type="text/javascript" src="assets/js/script.js"></scri
```

Document checking completed.

## Source

```
1. <!doctype html>
2. <html lang="en">
3.
4. <head>
5.   <meta charset="utf-8">
6.   <meta name="viewport" content="width=device-width, initial-scale=1">
7.   <meta name="description" content="Photographer profile and freelance
8.     service photography">
9.   <meta name="keywords" content="photographer, photography, post-
10.     production, adobe photoshop, lightroom">
11.   <meta name="author" content="Antonio torone">
12.   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
13.     beta3/dist/css/bootstrap.min.css" rel="stylesheet"
14.       integrity="sha384-
15.     eOJMYsd53ii+sc0/bJGFsiCZc+5NDVN2yr8+0RDqr0Ql0h+rP48ckxlpbzkGwra6"
16.     crossorigin="anonymous">
17.   <link rel="stylesheet"
18.     href="https://pro.fontawesome.com/releases/v5.10.0/css/all.css"
19.     integrity="sha384-
20.     AYmEC3Yw5cVb3ZcuHtOA93w35dYTsVhLPVnYs9eStHfGJv0vKxVfELGroGkvsg+p"
21.     crossorigin="anonymous" />
22.   <link rel="stylesheet" href="assets/css/style.css">
23.   <script src="https://code.jquery.com/jquery-3.6.0.js"
24.     integrity="sha256-H+K7U5CnX11h5ywQfKtSj8PCmoN9aaq30gDh27Xc0jk="
25.     crossorigin="anonymous"></script>
26.   <script type="text/javascript" src="https://cdn.jsdelivr.net/npm/emailjs-
27.     com@2/dist/email.min.js"></script>
28.   <script type="text/javascript">
29.     (function () {
30.       emailjs.init("user_XsLFHnF0D670cvdNYupcZ");
31.     })();
```

```

24.     </script><↵
25.     <title>GiorgioDiFrancesco-photography</title><↵
26. </head><↵
27. ↵
28. <body style="background:linear-gradient(to bottom, #f9fafb, #dee2e600);">↵
29.     <!--logo-icons-button-navbar--><↵
30. ↵
31.     <header><↵
32.         <div class="container-fluid"><↵
33.             <div class="row"><↵
34.                 <div class="col-12 col-xl-11 offset-xl-1 head "><↵
35. ↵
36.                     <a href="https://500px.com/p/giorgiosunshine?view=photos"
target="_blank"<↵
37.                         aria-label="go to 500px website (open in a new
tab)"><↵
38.                         <i class="fab fa-500px"></i><↵
39.                     </a><↵
40.                     <a href="https://www.instagram.com/accounts/login/"
target="_blank"<↵
41.                         aria-label="go to Instagram website (open in a new
tab)"><↵
42.                         <i class="fab fa-instagram"></i><↵
43.                     </a><↵
44.                     <a href="mailto:webmaster@example.com" target="_blank"<↵
45.                         aria-label="go to your service email website (open in a
new tab)"><↵
46.                         <i class="fab fad fa-envelope-open-text"></i><↵
47.                     </a><↵
48. ↵
49.                     <↵
50. ↵
51.                     <button type="button" class="about-me btn-dark btn-lg
rounded-square">More about me</button><↵
52. ↵
53. ↵
54.                 </div><↵
55. ↵
56.             <div class="row"><↵
57.                 <div class="col-12 col-lg-4 offset-lg-8 " id="about"><↵
58.                     <p><strong>Throughout much of my adult life, I've been
travelling, seeking adventure and↵
59.                         ways to↵
60.                         learn↵
61.                         from and interact with cultures that are very
different from my own. Photography↵
62.                         became↵
63.                         a↵
64.                         great excuse to look deeper and to make my
experiences more intense.↵
65. ↵
66.                         I usually find my subjects by chance, while I
travel. But, I'm particularly drawn to↵
67.                         ancient↵
68.                         traditions which are still surviving and
evolving. To stories of people working in↵
69.                         unique,↵
70.                         challenging environments and those who live in
close bond with nature.↵
71. ↵
72.                         My main goal as a photographer is to create the
kinds of images that combine a↵
73.                         strong↵
74.                         sense↵
75.                         of story and convey what it felt like to be
with the people I met in the places I↵
76.                         visited.</strong><↵
77.                     </p><↵
78.                 </div><↵
79.             </div><↵

```

```

80.         </div><↵
81.     ↵
82.     ↵
83.         <div class="row ">↵
84.             <div class="col-12">↵
85.                 <nav class="nav nav-fill">↵
86.                     <div class="col-4">↵
87.                         <a id="home" class=" nav-link active" aria-
current="page" href="index.html">Home</a></div>↵
88.                         <div class="col-4">↵
89.                             <a id="myjourney" class="nav-link "
href="myjourney.html">My Journey</a></div>↵
90.                             <div class="col-4">↵
91.                                 <a id="postproduction" class=" nav-link "
href="postproduction.html">Post Production</a>↵
92.                             </div>↵
93.                         </nav>↵
94.                     </div>↵
95.                 </div>↵
96.             </div>↵
97.         </header>↵
98.     ↵
99.     <!--Post Production-Services-->↵
100.     <section class="post-production">↵
101.     ↵
102.         <div class="container-fluid no-padding">↵
103.             <div class="row">↵
104.                 <div class="col-12 ">↵
105.                     <h1>Let's make the beauty alive through images</h1>↵
106.                     <br>↵
107.                 </div>↵
108.     ↵
109.                 <div class="col-12 ">↵
110.                     <h3>Photo Retouching</h3>↵
111.                     <br>↵
112.     ↵
113.                     <div class="col-12 ">↵
114.                         <p>Just as a camera is the artistic tool for a
photographer, Lightroom and Photoshop are the↵
115.                         tools↵
116.                         for↵
117.                         an image retouching artist. I provide expert photo
retouching services for photographer↵
118.                         throughout↵
119.                         the world↵
120.                     </p>↵
121.                     <br>↵
122.                 </div>↵
123.             </div>↵
124.         </div>↵
125.     </div>↵
126.     ↵
127.     <div class="container-fluid">↵
128.         <div class="row">↵
129.             <div class="col-12 ">↵
130.                 <h3>Illustration and Coloring</h3>↵
131.                 <br>↵
132.     ↵
133.                 <div class="col-12">↵
134.                     <p>I use Adobe Illustrator to make entire images
certain objects look artistically illustrated↵
135.                     and↵
136.                     painterly, also a wide variety of recolour options
from the most delicate to the most vivid↵
137.                     and↵
138.                     wild.↵
139.                 </p>↵
140.                 <br>↵
141.             </div>↵
142.         </div>↵
143.     ↵

```

```

144.         </div><↵
145.     </div><↵
146. ↵
147.     <div class="container-fluid">↵
148.         <div class="row">↵
149.             <div class="col-12">↵
150.                 <h3>Photo Manipulation Editing</h3><↵
151.                 <br><↵
152. ↵
153.                 <div class="col-12">↵
154.                     <p>I add artistic touches to any photo using masks.
features, manipulating layers, adding text↵
155.                     or↵
156.                     custom backdrops, selective brightening, and
silhouettes that add polish and design.↵
157.                 </p><↵
158.                 <br><↵
159.             </div><↵
160.         </div><↵
161.     </div><↵
162. ↵
163.     <div class="container-fluid">↵
164.         <div class="row">↵
165.             <div class="col-12">↵
166.                 <h3>Artistic Effects</h3><↵
167.                 <br><↵
168. ↵
169.                 <div class="col-12">↵
170.                     <p>I use special software to add photography
special effects, to change the style of your↵
171.                     photo,↵
172.                     adding lighting or shadow changes, altering
backdrops or recolouring the picture to↵
173.                     achieve↵
174.                     your↵
175.                     vision↵
176.                 </p><↵
177.                 <br><↵
178.             </div><↵
179.         </div><↵
180.     </div><↵
181. </div><↵
182. </div><↵
183. </section><↵
184. ↵
185. ↵
186. <!--Packages--><↵
187. ↵
188.     <div class="container-fluid packages">↵
189.         <div class="row">↵
190.             <div class="col-12">↵
191.                 <h2>Packages</h2><↵
192. ↵
193.             </div><↵
194. ↵
195.             <div class="col-4 copper">↵
196.                 <button type="button" class="btn btn-dark btn-lg rounded-square
" id="copper">Copper↵
197.                     <p id="package-1"></p><↵
198.                 </button><↵
199.             </div><↵
200. ↵
201.             <div class="col-4">↵
202.                 <button type="button" class="btn btn-dark btn-lg rounded-
square" id="silver">Silver↵
203.                     <p id="package-2"></p><↵
204.                 </button><↵
205.             </div><↵
206. ↵
207.             <div class="col-4"><↵

```

```

208.         <button type="button" class="btn btn-dark btn-lg rounded-
square" id="gold">Gold↵
209.             <p id="package-3"></p>↵
210.         </button>↵
211.     </div>↵
212. ↵
213.     </div>↵
214.     <div class="row">↵
215.         <div class="col-12">↵
216.             ↵
217.             </div>↵
218.         </div>↵
219.     ↵
220. </div>↵
221. ↵
222. ↵
223. <!--Prices-->↵
224. ↵
225. <div class="container-fluid packages">↵
226.     ↵
227.         <div class="row">↵
228.             <div class="col-4">↵
229.                 <button type="button" class="btn btn-dark btn-lg rounded-
square" id="get-price-1">Get your price↵
230.                     <p id="price-1"></p>↵
231.                 </button>↵
232.             </div>↵
233.             ↵
234.             <div class="col-4">↵
235.                 <button type="button" class="btn btn-dark btn-lg rounded-
square" id="get-price-2">Get your price↵
236.                     <p id="price-2"></p>↵
237.                 </button>↵
238.             </div>↵
239.             ↵
240.             <div class="col-4">↵
241.                 <button type="button" class="btn btn-dark btn-lg rounded-
square" id="get-price-3">Get your price↵
242.                     <p id="price-3"></p>↵
243.                 </button>↵
244.             </div>↵
245.         </div>↵
246.         <div class="row">↵
247.             <div class="col-12">↵
248.                 ↵
249.                 </div>↵
250.             </div>↵
251.         </div>↵
252.     ↵
253.     ↵
254.     ↵
255.     ↵
256. <!--Footer-Form-->↵
257. ↵
258. <div class="container-fluid footer">↵
259.     <div class="row">↵
260.         <div class="col-12">↵
261.             <p>Let's get in contact</p>↵
262.         </div>↵
263.     </div>↵
264.     ↵
265.     ↵
266.     <div class="container-fluid">↵
267.         <div class="row ">↵
268.             ↵
269.                 <div class="col-12 col-md-8 col-lg-4 offset-lg-2">↵

```

```
270.         <h5><i id="email" class=" fas fa-mail-bulk"></i> Email:<a
href="mailto:webmaster@example.com">
271.             target="_blank" aria-label="go to your service
email website (open in a new tab)"></a>
272.             GiorgioDiFrancesco87@gmail.com</a></h5></div>
273.
274.
275.
276.
277.         <div class="col-12 col-md-4 col-lg-5 offset-lg-1">
278.             <h5> <i id="phone" class=" fas fa-mobile-alt"></i>+44
7123456789</h5>
279.         </div>
280.
281.         <!--Form-->
282.         <div class="container-fluid">
283.
284.             <div class="row">
285.
286.                 <form onsubmit="return sendMail(this)">
287.
288.                     <div class="col-12 col-md-9 offset-md-3 col-lg-8
offset-lg-4">
289.                         <h5>Enter your name</h5>
290.
291.                         <input type="text" name="name" class="form-
control" id="indexname" placeholder="Name"
292.                             aria-label="indexname" required />
293.
294.                         <h5>Enter your email</h5>
295.
296.                         <input type="text" name="emailaddress"
class="form-control" id="indexaddress"
297.                             placeholder="Email" aria-
label="indexaddress" required />
298.
299.                         <h5>Enter your subject</h5>
300.
301.                         <input type="text" class="form-control "
placeholder="subject" aria-label="subject"
302.                             required />
303.                     </div>
304.
305.                     <div class="col-12 col-md-9 offset-md-3 col-lg-8
offset-lg-4">
306.
307.                         <h5>Enter your message request here</h5>
308.
309.                         <textarea rows="7" name="messagerequest"
class="form-control" id="index-request"
310.                             placeholder="Describe request">
311.                         </textarea>
312.                     </div>
313.
314.                     <div class="row">
315.                         <div class="col-8 offset-4 col-md-7 offset-md-
5">
316.                             <button type="submit" id="send"
317.                                 class="btn btn-secondary response
rounded-square btn-lg">Send</button>
318.                         </div>
319.                     </div>
320.
321.                 </form>
322.
323.             </div>
324.
325.         </div>
326.
327.     </div>
328.
```



```
329.         </div><↵
330. ↵
331.     </div><↵
332. ↵
333.     <!--Copyright--><↵
334. ↵
335.     <div class="container-fluid copyright"><↵
336.         <div class="col-12"><↵
337.             <p>Copyright 2021 GiorgioDiFrancesco-photography. All right
reserved. Profile-Freelance-photography↵
338.                 webdesign by Antonio Torone</p><↵
339.         </div><↵
340.     </div><↵
341. ↵
342.     <script type="text/javascript" src="assets/js/emailjs.js"></script><↵
343. ↵
344.     <script type="text/javascript" src="assets/js/script.js"></script><↵
345. </body><↵
346. ↵
347. </html>
```

Used the HTML parser.

Total execution time 28 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 21.5.21