```
/*ishint esversion: 6 */
1
2
      var stripePublicKey = $('#id stripe public key').text().slice(1, -1);
      var clientSecret = $('#id client secret').text().slice(1, -1);
 3
      var stripe = Stripe(stripePublicKey);
5
      var elements = stripe.elements();
 6
      var style = {
          base: {
7
              color: '#000',
8
9
              fontFamily: '"Helvetica Neue", Helvetica, sans-serif',
              fontSmoothing: 'antialiased',
10
11
              fontSize: '16px',
12
               '::placeholder': {
13
                   color: '#aab7c4'
14
15
          },
          invalid: {
16
              color: '#dc3545',
17
18
              iconColor: '#dc3545'
19
          }
20
      };
21
      var card = elements.create('card', {style: style});
      card.mount('#card-element');
22
23
      // Handle realtime validation errors on the card element
24
25
      card.addEventListener('change', function (event) {
          var errorDiv = document.getElementById('card-errors');
26
27
          if (event.error) {
              var html =
28
29
                   <span class="icon" role="alert">
30
                       <i class="fas fa-times"></i></i></or>
31
                   </span>
                   <span>${event.error.message}</span>
32
33
34
              $(errorDiv).html(html);
35
          } else {
              errorDiv.textContent = '';
36
37
38
      });
39
40
      // Handle for submit
      var form = document.getElementById('payment-form');
41
42
43
      form.addEventListener('submit', function (ev) {
44
45
          ev.preventDefault();
46
          card.update({'disabled' : true});
```

CONFIGURE

Metrics

There are 5 functions in this file.

Function with the largest signature take 1 arguments, while the median is 1.

Largest function has 10 statements in it, while the median is 5.

The most complex function has a cyclomatic complexity value of 3 while the median is 1.

version 2.13.1

(https://github.com/jshint/j:

About (/about)

Documentation (/docs)

Install (/install)

Contribute (/contribute)

Blog (/blog)

Two undefined variables

- 2 \$
- 3 \$
- 34 \$
- 47 \$
- 48 \$
- 49 \$
- 51 \$
- 53 \$
- 61 \$
- 66 \$
- 67 \$
- 68 \$
- 70 \$

71 \$

```
47
          $('#submit-button').attr('disabled', true);
48
          $('#payment-form').fadeToggle(100);
          $('#loading-overlay').fadeToggle(100);
49
50
51
          var saveInfo = Boolean($('#id-save-info').attr('checked'));
52
          // Using {% csrf_token %} in the form
          var csrfToken = $('input[name="csrfmiddlewaretoken"]').val();
53
54
          var postData = {
55
               'csrfmiddlewaretoken': csrfToken,
56
               'client secret': clientSecret,
               'save info': saveInfo,
57
58
          var url = '/checkout/cache_checkout_data/';
59
60
          $.post(url,postData).done(function() {
61
              stripe.confirmCardPayment( clientSecret, {
62
                   payment method: {
63
64
                      card:card,
65
                      billing details:{
                           name: $.trim(form.full_name.value),
66
                           phone: $.trim(form.phone_number.value),
67
68
                           email: $.trim(form.email.value),
                           address:{
69
70
                               line1: $.trim(form.street address1.value),
71
                               line2: $.trim(form.street address2.value),
72
                               city: $.trim(form.town or city.value),
73
                               country: $.trim(form.country.value),
74
                               state: $.trim(form.county.value),
75
76
77
                      }
78
                  },
79
                   shipping: {
80
                      name: $.trim(form.full name.value),
81
                      phone: $.trim(form.phone_number.value),
82
                      address:{
83
                           line1: $.trim(form.street_address1.value),
84
                           line2: $.trim(form.street address2.value),
                           city: $.trim(form.town or city.value),
85
86
                           country: $.trim(form.country.value),
87
                           postal code: $.trim(form.postcode.value),
                           state: $.trim(form.county.value),
88
89
90
91
              }).then(function(result){
92
93
                  if(result.error) {
```

CONFIGURE

Metrics

There are 5 functions in this file.

Function with the largest signature take 1 arguments, while the median is 1.

Largest function has 10 statements in it, while the median is 5.

The most complex function has a cyclomatic complexity value of 3 while the median is 1.

JS Hint

version 2.13.

(https://github.com/jshint/j:

About (/about)

Documentation (/docs)

Install (/install)

Contribute (/contribute)

Blog (/blog)

Two undefined variables

2 \$

3 \$

34 \$

47 \$

48 \$

49 \$

51 \$

53 \$

61 \$

66 \$

67 \$

68 \$

70 \$

71 \$

•

https://jshint.com

```
94
                       var errorDiv = document.getElementById('card-errors');
95
                       var html =
                          <span class="icon" role="alert">
96
97
                           <i class="fas fa-times"></i></i></or>
                         </span>
98
99
                         <span>${result.error.message}</span>`;
                       $(errorDiv).html(html);
100
101
                       $('#payment-form').fadeToggle(100);
102
                       $('#loading-overlay').fadeToggle(100);
103
                       card.update({ 'disabled' : false});
                       $('#submit-button').attr('disabled', false);
104
105
                   else {
106
107
                       if (result.paymentIntent.status === 'succeeded'){
108
                           form.submit();
109
110
111
               });
          }).fail(function(){
112
113
               // Reload the page, the error will appear in django messages
114
               location.reload();
115
          });
116
117
      });
```

CONFIGURE

Metrics

There are 5 functions in this file.

Function with the largest signature take 1 arguments, while the median is 1.

Largest function has 10 statements in it, while the median is 5.

The most complex function has a cyclomatic complexity value of 3 while the median is 1.

JS Hint

version 2.13.1

(https://github.com/jshint/j:

About (/about)

Documentation (/docs)

Install (/install)

Contribute (/contribute)

Blog (/blog)

Two undefined variables

- 2 \$
- 3 \$
- 34 \$
- 47 \$
- 48 \$
- 49 \$
- 51 \$
- 53 \$
- 61 \$
- 66 \$
- 67 \$
- 68 \$
- 70 \$
- 71 \$

https://jshint.com