

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ☒ CSS

```
<!doctype html>
<html lang="en">
  <head>

    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">


    <link rel="stylesheet" href="https://pro.fontawesome.com/releases/v5.10.0/css/all.css">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Possible misuse of `aria-label`. (If you disagree with this warning, [file an issue report](#) or send e-mail to [www-validator@w3.org](mailto:www-validator@w3.org).)

From line 60, column 7; to line 60, column 99

```

/i>↵      <div class="collapse navbar-collapse" id="navbarSupportedContent" aria-label="products-link">↵

```

2. **Warning** Possible misuse of `aria-label`. (If you disagree with this warning, [file an issue report](#) or send e-mail to [www-validator@w3.org](mailto:www-validator@w3.org).)

From line 92, column 12; to line 92, column 98

```
<div id="account-menu" class="dropdown-menu border-0 active" aria-label="user-options">↵
```

3. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 433, column 8; to line 433, column 112

```

```

4. **Error** Duplicate attribute type.

At line 440, column 39

```
new-image" type="file" name="i
```

5. **Error** Duplicate attribute `id`.

At line 440, column 103

```
gument-form" id="id_image">
```

Document checking completed.

### Source

1. `<!doctype html>`↵
2. `<html lang="en">`↵

```

3.   <head>↵
4.   ↵
5.       <meta http-equiv="X-UA-Compatible" content="ie=edge">↵
6.       <meta charset="utf-8">↵
7.       <meta name="viewport" content="width=device-width, initial-scale=1">↵
8.   ↵
9. ↵
10.  ↵
11.  ↵
12.  ↵
13. ↵
14.  ↵
15.      <link rel="stylesheet" href="https://pro.fontawesome.com/releases/v5.10.0/css/all.css">↵
16.      <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/css/bootstrap.min.css" rel="stylesheet"
17. integrity="sha384-1BmE4kWbQ78iYhFldvKuhfTAU6auU8tT94WrHftjDbrCEXSU1oBoqyl2QvZ6jIW3" crossorigin="anonymous">↵
18.      <link rel="stylesheet" href="/static/css/base.css">↵
19.  ↵
20. ↵
21.  ↵
22.  ↵
23. ↵
24.  ↵
25.      <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap.bundle.min.js" integrity="sha384-
26. ka7Sk0Gln4gmtz2MlQnikT1wXgYsOg+OMhuP+IlRH9sENBO0LRn5q+8nbTov4+1p" crossorigin="anonymous"></script>↵
27.      <script src="https://code.jquery.com/jquery-3.6.0.js" integrity="sha256-
28. H+K7U5CnXl1h5ywQfKtSj8PCmoN9aaq30gDh27Xc0jk=" crossorigin="anonymous"></script>↵
29.      <script src="/static/js/script.js"></script>↵
30.      <!-- Stripe -->↵
31.      <script src="https://js.stripe.com/v3/"></script>↵
32.  ↵
33.  ↵
34.  ↵
35.      <title>Hoppy Stop </title>↵
36.  ↵
37. </head>↵
38. ↵
39. <body>↵
40.     <!--fixer-top unsure that sticks to the top of the page-->↵
41.     <header class="container-fluid">↵
42.         <div class="row header">↵
43.             <nav class="navbar navbar-expand-lg ">↵
44.                 <div class="container-fluid-nowrap">↵
45.                     <div class="row">↵
46.                         <div id="logo" class="col-12 col-lg-10">↵
47.                             <a class="navbar-brand" href="/">↵

```

```

48.         ↵
50.         </a>↵
51.     </div>↵
52. </div>↵
53. <!--Beer button mobile-phone-->↵
54. <i id="beer-button" class="fas fa-beer navbar-toggler" data-bs-toggle="collapse" role="button"↵
55.     data-bs-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false"↵
56.     aria-label="Toggle navigation">↵
57.     <span class="navbar-toggler-icon"></span>↵
58. ↵
59. </i>↵
60. <div class="collapse navbar-collapse" id="navbarSupportedContent" aria-label="products-link">↵
61.     <ul class="navbar-nav me-auto mb-2 mb-lg-0">↵
62.         <li class="nav-item">↵
63.             <a class="nav" aria-current="page" href="/products/?category=Beers">BEERS</a>↵
64.         </li>↵
65.         <li class="nav-item">↵
66.             <a class="nav" href="/products/?category=Cases">CASES</a>↵
67.         </li>↵
68.         <li class="nav-item">↵
69.             <a class="nav" href="/products/?category=Mini_Kegs">KEGS</a>↵
70.         </li>↵
71.         <li class="nav-item">↵
72.             <a class="nav" href="/products/?category=Glasses">GLASSES</a>↵
73.         </li>↵
74.     </ul>↵
75. </div>↵
76. ↵
77.     <!--search icon with java script-->↵
78.     ↵
79.     <i id="icon-search" class="fa fa-search active " aria-hidden="true"></i>↵
80.     ↵
81.     <!-- account and basket-->↵
82. <div class="col-12 col-lg-4">↵
83.     <ul>↵
84.         <li class="list-inline-item dropdown">↵
85.             <a class="text-black nav-link" href="#" id="user-options" data-bs-toggle="dropdown" aria-haspopup="true"↵
86.                 aria-expanded="false">↵
87.                 <div class="text-center">↵
88.                     <div><i class="fas fa-user fa-lg"></i></div>↵
89.                     <p class="my-0">My Account</p>↵
90.                 </div>↵
91.             </a>↵
92.             <div id="account-menu" class="dropdown-menu border-0 active" aria-label="user-options">↵
93.                 ↵
94.                 ↵
95.                 <a href="/products/add/" class="dropdown-item">Product Management</a>↵

```

```

96.         ↵
97.         <a href="/profile/" class="dropdown-item">My Profile</a>↵
98.         <a href="/accounts/logout/" class="dropdown-item">Logout</a>↵
99.         ↵
100.        </div>↵
101.    </li>↵
102.    <!--Basket-->↵
103.    <li class="list-inline-item">↵
104.        <a class="text-info font-weight-bold nav-link"↵
105.            href="/basket/">↵
106.            <div class="text-center">↵
107.                <div><i class="fas fa-shopping-basket"></i></div>↵
108.                <p class="my-0">↵
109.                    ↵
110.                    £2.74↵
111.                    ↵
112.                </p>↵
113.            </div>↵
114.        </a>↵
115.    </li>↵
116. </ul>↵
117. </div>↵
118. </div>↵
119. </nav>↵
120. </div>↵
121.     ↵
122. ↵
123.     <div id="delivery-banner" class="row text-center">↵
124.         <div class="col text-white">↵
125.             <h4 class="logo-font my-1">Free delivery on orders over £50!</h4>↵
126.         </div>↵
127.     </div>↵
128. </header>↵
129. ↵
130. <!--search input bar-->↵
131. <div class="row">↵
132.     <div class="col-12 search-box">↵
133.         <form method="GET" action="/products/">↵
134.             <input type="text" name="q" placeholder="Search...">↵
135.         </form>↵
136.     </div>↵
137. </div>↵
138. ↵
139. <!--Messages-->↵
140.     ↵
141.     <div class="message-container">↵
142.         ↵
143.         ↵

```

```

144.         ↵
145.         <div class="toast" role="alert" aria-live="assertive" aria-atomic="true">↵
146.     <div id="info" class="toast-header">↵
147.         <strong class="me-auto">Info</strong>↵
148.         <button type="button" class="btn-close" data-bs-dismiss="toast" aria-label="Close"></button>↵
149.     </div>↵
150. ↵
151.     <div class="toast-body">↵
152.         You are editing Buxton - Axe Edge IPA 6.8%↵
153.     </div>↵
154. </div>↵
155. ↵
156.     ↵
157.     ↵
158. </div>↵
159. ↵
160. ↵
161. ↵
162. <div class="container header-container">↵
163.     <div class="row">↵
164.         <div class="col"></div>↵
165.     </div>↵
166. </div>↵
167. ↵
168. ↵
169. ↵
170. <div class="overlay"></div>↵
171. <div class="container">↵
172.     <div class="row">↵
173.         <div class="col-12 col-md-6">↵
174.             <hr>↵
175.             <h2 class="logo-font mb-4">Product Management</h2>↵
176.             <h6 class="text-muted">Edit a product</h6>↵
177.             <hr>↵
178.         </div>↵
179.     </div>↵
180. ↵
181.     <div class="row">↵
182.         <div class="col-12 col-md-6">↵
183.             <form method="POST" action="/products/edit/3/" class="form mb-2" enctype="multipart/form-data">↵
184.                 <input type="hidden" name="csrfmiddlewaretoken"
value="DS3qA046DTZktRfFJXEa3eI2Szn1vYygSDUb26LvqcFo50QgGEjw5k5myyhUy2x1">↵
185.                 ↵
186.                 ↵
187.                 ↵
188. ↵
189. ↵
190.     <div id="div_id_category" class="control-group">↵

```

```

191.      ↵
192.      <label for="id_category" class="control-label ">↵
193.          Category↵
194.      </label>↵
195.      ↵
196. ↵
197.      ↵
198. ↵
199.      ↵
200. ↵
201.      ↵
202.      <div class="controls">↵
203.          ↵
204.          <select name="category" class="management-form select" id="id_category">↵
205.      <option value="1" selected>Beers</option>↵
206. ↵
207.      <option value="3">Glasses</option>↵
208. ↵
209.      <option value="4">Cases</option>↵
210. ↵
211.      <option value="5">Kegs</option>↵
212. ↵
213. </select>↵
214.          ↵
215. ↵
216. ↵
217.      ↵
218. ↵
219. ↵
220. ↵
221. ↵
222.      ↵
223. ↵
224. ↵
225. ↵
226.          ↵
227.      </div>↵
228.      ↵
229. </div>↵
230. ↵
231. ↵
232.          ↵
233.      ↵
234.          ↵
235.          ↵
236. ↵
237. ↵
238.      <div id="div_id_name" class="control-group">↵

```

```

239.      ↵
240.      <label for="id_name" class="control-label requiredField">↵
241.          Name<span class="asteriskField">*</span>↵
242.      </label>↵
243.      ↵
244. ↵ ↵
245.      ↵
246. ↵ ↵
247.      ↵
248. ↵ ↵
249.      ↵
250.      <div class="controls">↵
251.          ↵
252.          <input type="text" name="name" value="Buxton - Axe Edge IPA 6.8%" maxlength="254"
class="management-form textinput textInput" required id="id_name">↵
253.              ↵
254. ↵
255. ↵
256.      ↵
257. ↵
258. ↵
259. ↵
260. ↵
261.      ↵
262. ↵
263. ↵
264. ↵
265.          ↵
266.      </div>↵
267.      ↵
268. </div>↵
269. ↵
270. ↵
271.          ↵
272.      ↵
273.          ↵
274.          ↵
275. ↵
276. ↵
277. <div id="div_id_description" class="control-group">↵
278.      ↵
279.          <label for="id_description" class="control-label requiredField">↵
280.              Description<span class="asteriskField">*</span>↵
281.          </label>↵
282.      ↵
283. ↵
284.      ↵
285. ↵

```



```

286.      ↵
287. ↵
288.      ↵
289.      <div class="controls">↵
290.      ↵
291.          <textarea name="description" cols="40" rows="10" class="management-form textarea" required
292. id="id_description">↵
293. A full-flavoured IPA. Light amber with flavours of mandarin orange, tropical fruits and a warming, dry finish. Buxton
294. have dedicated themselves to creating some of the best beers in Europe and this is one of the beers that is definitely
295. helping them achieve their goal.</textarea>↵
296.      ↵
297. ↵
298. ↵
299. ↵
300. ↵
301. ↵
302. ↵
303. ↵
304. ↵
305.      ↵
306.      </div>↵
307. ↵
308. </div>↵
309. ↵
310. ↵
311.      ↵
312.      ↵
313.      ↵
314.      ↵
315. ↵
316. ↵
317. <div id="div_id_style" class="control-group">↵
318. ↵
319.     <label for="id_style" class="control-label ">↵
320.         Style↵
321.     </label>↵
322. ↵
323. ↵
324. ↵
325. ↵
326. ↵
327. ↵
328. ↵
329.     <div class="controls">↵
330.     ↵

```

```

331.         <input type="text" name="style" value="IPA" maxlength="254" class="management-form textinput
textInput" id="id_style">↵
332.         ↵
333. ↵
334. ↵
335.     ↵
336. ↵
337. ↵
338. ↵
339. ↵
340.     ↵
341. ↵
342. ↵
343. ↵
344.         ↵
345.     </div>↵
346. ↵
347. </div>↵
348. ↵
349. ↵
350.         ↵
351.     ↵
352.         ↵
353.             ↵
354. ↵
355. ↵
356.     <div id="div_id_taste" class="control-group">↵
357.         ↵
358.         <label for="id_taste" class="control-label ">↵
359.             Taste↵
360.         </label>↵
361.         ↵
362.     ↵
363.         ↵
364.     ↵
365.         ↵
366.     ↵
367.         ↵
368.         <div class="controls">↵
369.             ↵
370.             <input type="text" name="taste" value="Bitter Citrus Dry" maxlength="254" class="management-form
textInput textInput" id="id_taste">↵
371.             ↵
372.     ↵
373.     ↵
374.     ↵
375. ↵
376. ↵

```

```
377. ↵
378. ↵
379. ↵
380. ↵
381. ↵
382. ↵
383. ↵
384. ↵ </div>↵
385. ↵
386. ↵ </div>↵
387. ↵
388. ↵
389. ↵ ↵
390. ↵ ↵
391. ↵ ↵
392. ↵ ↵
393. ↵
394. ↵
395. ↵ <div id="div_id_price" class="control-group">↵
396. ↵
397. ↵ <label for="id_price" class="control-label requiredField">↵
398. ↵ Price<span class="asteriskField">*</span>↵
399. ↵ </label>↵
400. ↵
401. ↵
402. ↵
403. ↵
404. ↵
405. ↵
406. ↵
407. ↵ <div class="controls">↵
408. ↵
409. ↵ <input type="number" name="price" value="4.29" step="0.01" class="management-form numberinput"
required id="id_price">↵
410. ↵
411. ↵
412. ↵
413. ↵
414. ↵
415. ↵
416. ↵
417. ↵
418. ↵
419. ↵
420. ↵
421. ↵
422. ↵
423. ↵ </div>↵
```

```

424.      ↵
425.    </div>↵
426.  ↵
427.  ↵
428.      ↵
429.    ↵
430.    ↵
431.      <p>Current Image:</p>↵
432.    <a href="/media/Buxton-Axe-Edge-Can-440ml_omy7KAK.jpg">↵
433.      ↵
434.    </a>↵
435.  <br>↵
436.  ↵
437.  ↵
438.  ↵
439.  <br>↵
440.  <input type="file" id="new-image" type="file" name="image" accept="image/*" class="management-form" id="id_image">↵
441.    ↵
442.    ↵
443.      <div class="function-button-edit text-end">↵
444.        <a class=" btn btn-danger" href="/products/">Delete</a>↵
445.        <button class="btn btn-dark " type="submit">Edit Product</button>↵
446.      </div>↵
447.    </form>↵
448.  </div>↵
449. </div>↵
450. </div>↵
451. ↵
452. ↵
453. ↵
454.    ↵
455.    ↵
456.  ↵
457. </body>↵
458. ↵
459. </html>

```

Used the HTML parser.

Total execution time 46 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.12.7

