Calcular
$$I = \int_0^{\pi} \sin^2 \left(1 + \frac{\theta}{2}\right) d\theta$$
.

$$I = \int_0^{\pi} \cos^2 \left(\frac{\pi}{2} - 1 - \frac{\theta}{2} \right) d\theta = \int_0^{\pi} \frac{\cos(\pi - 2 - \theta) + 1}{2} d\theta$$

Seja $u = \pi - 2 - \theta$, $du = -d\theta$.

$$I = \int_{-2}^{\pi-2} \frac{1+\cos u}{2} \ du = \left. \frac{u}{2} \right|_{-2}^{\pi-2} + \left. \frac{\sin(u)}{2} \right|_{-2}^{\pi-2} = \frac{\pi-2}{2} + 1 + \frac{\sin(\pi-2)}{2} + \frac{\sin 2}{2} = \left[\frac{\pi}{2} + \sin 2 \right]$$

Documento compilado em Wednesday 12th March, 2025, 23:33, tempo no servidor.

Sugestões, comunicar erros: "a.vandre.g@gmail.com".





Licença de uso: $\underbrace{ \ \, \bigoplus_{\text{\tiny BY}} \ \, \bigoplus_{\text{\tiny NC}} \ \, }_{\text{\tiny SA}} \ \, \text{Atribuição-NãoComercial-CompartilhaIgual (CC BY-NC-SA)}.$