
Assemble your sundial

2 columns x 2 rows / 4 full-size sheets / A4

Radius 150 mm. Overlap 10 mm. Print one-sided at Actual size / 100%.

Disable Fit, Shrink and extra poster tiling. Check each bar and the frame's width and height.

ASSEMBLY MAP - reduced size, not a cutting template



1. Keep all sheets facing the same way. Start at R1C1, then work across each row.

2. On columns after C1, trim the left blank margin at the dashed frame. On rows after R1, trim the top blank margin there. Keep the printed overlap.

3. Lay each new sheet over its neighbor's 10 mm overlap. Match both crosshair targets and the drawing. Tape the back, then cut the plate's solid outline.

Dashed frames and crosshairs are assembly aids, not dial cuts. The frame sits 10 mm from the left and right paper edges. Keep the separate Gnomon SVG for the style template.

Horizontal · 45.00° N, 0.00° E


Horas non numero nisi serenas

Horizontal · 45.00° N, 0.00° E. Local apparent solar time. UTC; design date 2026-06-21. Radius 150 mm. Lay flat with the top of the design toward true north. The style rises 45.0° above the plate toward the north celestial pole. Nodus 48.0 mm along the style from its foot.

100 mm calibration - verify before cutting

R1C1 / 2 rows x 2 columns

Drawing origin x 0.0 mm, y 0.0 mm | 10 mm overlaps



Join: right R1C2 / below R2C1


Frame 190.0 x 245.0 mm - check both axes

Horizontal · 45.00° N, 0.00° E

100 mm calibration - verify before cutting

R1C2 / 2 rows x 2 columns

Drawing origin x 180.0 mm, y 0.0 mm | 10 mm overlaps



Join: left R1C1 / below R2C2


Frame 190.0 x 245.0 mm - check both axes

Horizontal · 45.00° N, 0.00° E

100 mm calibration - verify before cutting

R2C1 / 2 rows x 2 columns

Drawing origin x 0.0 mm, y 235.0 mm | 10 mm overlaps



Join: right R2C2 / above R1C1


Frame 190.0 x 245.0 mm - check both axes

Horizontal · 45.00° N, 0.00° E

100 mm calibration - verify before cutting

R2C2 / 2 rows x 2 columns

Drawing origin x 180.0 mm, y 235.0 mm | 10 mm overlaps



Join: left R2C1 / above R1C2

Frame 190.0 x 245.0 mm - check both axes

Horizontal · 45.00° N, 0.00° E

100 mm calibration - verify before cutting