

Bioresearch Monitoring (BIMO) Data Reviewer's Guide (BDRG)

Table of Contents

0. What this package is / is not (read first)	2
1. Purpose	2
2. Honest scope vs full BIMO TCG clinsite	3
3. Variables delivered (clinsite)	3
3.1 Population note (ICH E9 + controlled source)	4
4. Dual-language reconciliation evidence	4
5. Delivery location (review face)	5
6. References	5

Field	Value
Document	BIMO Data Reviewer's Guide (BDRG)
Study	TROPIC / EFC6193 / XRP6258 NCT00417079
Cohort in clinsite	Real Mitoxantrone (MP) de-identified arm only (N=371 subjects -> site roll-up)
Standard	FDA Bioresearch Monitoring Technical Conformance Guide (clinsite pattern; Appendix 3 subset)
Document version	1.3 (audit closure / portfolio release)
Effective	2026-08-05
Supersedes	BDRG v1.2 from the v0.2.0-portfolio release (which superseded the v0.1.0-demo-rc.1 baseline)
Product claim	Controlled clinical-submission simulation; not a regulatory submission

0. What this package is / is not (read first)

This package is	This package is not
Site-level roll-up (clinsite) for BIMO-style review practice	Full BIMO TCG Appendix-3 ~39-variable production clinsite
Dual-language (SAS/R) recon of the delivered clinsite subset under genuine SAS when seals say oda/local	Organizational GxP double programming
Honest omissions where PDS has no PI/CTMS/DV data	Real investigator identity / financial disclosure / full DV counts
Controlled simulation deliverable under m5/.../bimo/	FDA filing BIMO package

Binding claim: docs/PRODUCT_CLAIM.md

Residuals: docs/workstreams/WS5_KNOWN_DIFFERENCES_MEMO.md

Current controlled release: tag v0.3.0-clinical-simulation docs/RELEASE_NOTE_v0.3.0-clinical-simulation.md
python3 scripts/verify_release.py

Package path: 08_submission_package/m5/datasets/tropic/bimo/

Related guides: ADRG.md SDRG.md TRACEABILITY_MATRIX.md

1. Purpose

The summary-level clinical-site dataset (clinsite) supports the FDA Office of Scientific Investigations (OSI) / BIMO review pattern. It aggregates subject-level enrollment, disposition, and safety experience to the study-site level so reviewers can prioritise

sites for inspection. It is not an ADaM analysis dataset and is not in the ADaM define.xml; per BIMO TCG practice it is delivered with its own guide (this BDRG) under 08_submission_package/m5/datasets/tropic/bimo/.

Structure follows PHUSE BIMO Data Reviewer's Guide Completion Guidelines as far as this source honestly allows.

2. Honest scope vs full BIMO TCG clinsite

Full BIMO TCG Appendix-3 specifies ~39 site-level variables (investigator identity/ address/contact, country, screen/randomized/treated/completed/discontinued counts, protocol-deviation counts, primary-endpoint contribution, financial-disclosure flags, etc.). This portfolio implements the subset honestly derivable from the public, de-identified TROPIC release (Project Data Sphere). It does not fabricate variables the source cannot support. Illustrative BIMO subset, not a submission-complete clinsite.

Omitted BIMO TCG content	Why not populated
Investigator name / address / phone / email	PDS has no PI identity. INVNAM is a labelled synthetic placeholder (PI_<siteid>), never a real investigator.
COUNTRY / site geography	Not in de-identified release.
Important / significant protocol deviations	No SDTM DV domain in public release.
Screened / completed / discontinued counts	Disposition reasons not separable into screen-fail vs completion in this release.
Financial disclosure	Not applicable to public secondary-use data.

A production BIMO package would populate Appendix-3 from sponsor CTMS/operational data. The transferable skill here is subject -> site roll-up joined to populations and safety, with dual-language recon.

3. Variables delivered (clinsite)

One row per study site (69 sites in the current MP-only build).

Variable	Label	Derivation
STUDYID	Study Identifier	ADSL STUDYID
SITEID	Study Site Identifier	ADSL SITEID (group key)

Variable	Label	Derivation
INVNAM	Principal Investigator (SYNTHETIC placeholder)	"PI_" SITEID -- see Section 2
N_RAND	Number of Subjects Randomized	COUNT(DISTINCT USUBJID) per site
N_SAF	Number of Subjects Treated (Safety)	SAFFL='Y' per site
N_ITT	Number of Subjects in ITT	ITTFL='Y' per site
N_PPROT	Number of Subjects in Per-Protocol	PPROTFL='Y' per site
N_DEATH	Number of Subjects Who Died	DTHFL='Y' per site
N_SAE	Subjects with a Serious AE	distinct USUBJID with ADAE AESER='Y', via ADSL site
N_TEAE	Subjects with a TEAE	distinct USUBJID with ADAE TRTEMFL='Y', via ADSL site

3.1 Population note (ICH E9 + controlled source)

Randomized, Safety, ITT, and Per-Protocol are distinct analysis-set concepts. ITT is reported as N_ITT and is never relabelled "Efficacy Population."

In this de-identified MP-only release, population flags on ADSL are source-inherited and non-discriminating (all 371 subjects ITTFL = SAFFL = PPROTFL = 'Y' -- see ADRG Section 5.4).

Therefore N_RAND / N_SAF / N_ITT / N_PPROT coincide per site. Inspection signal lives in the safety roll-ups (N_DEATH, N_SAE, N_TEAE), which vary by site.

Programs:

Track	Program	Output (local build)
Production (SAS)	04_analysis_datasets/programs/sas/B_bimo_generation.sas	clinsite_prod.xpt
Validation (R)	04_analysis_datasets/programs/r/v_bimo_validation.R	clinsite_v.xpt
Package copy	assembled by package_ectd.py	m5/.../bimo/datasets/clinsite.xpt (local; not in git)

4. Dual-language reconciliation evidence

clinsite is produced on both tracks and reconciled on keys (STUDYID, SITEID) by 06_qc_evidence/reconciliation/cross_lang_audit.R (one of eight recon domains).

Claim	Honesty
Independent SAS vs R implementations	Yes (different language/structure)
Organizational two-programmer GxP	No -- single author (PRODUCT_CLAIM non-claim)
Meaningful zero-diff under sim mode	No -- tautological byte-copy
Meaningful recon under oda / local	Yes -- check platform/pipeline_health.json

Seals / residual memo: WS5_KNOWN_DIFFERENCES_MEMO.md.

5. Delivery location (review face)

```
08_submission_package/m5/datasets/tropic/bimo/datasets/
  clinsite.xpt  # local full package only (patient-derived -- not in git)
  bdrp.pdf     # rendered guide when packaged
```

Markdown source of truth for narrative: this file.

6. References

- FDA, Bioresearch Monitoring Technical Conformance Guide (clinsite, Appendix 3).
- PHUSE, BIMO Data Reviewer's Guide (BDRG) Completion Guidelines.
- PHUSE SA01, Development of a standard BIMO process to create the clinsite dataset.
- ICH E9, Statistical Principles for Clinical Trials (analysis-set definitions).
- Binding claim: docs/PRODUCT_CLAIM.md