UNIVERSIDAD DE PANAMÁ
CENTRO REGIONAL UNIVERSITARIO DE COCLÉ
DR. BERNARDO LOMBARDO
FACULTAD DE INFORMÁTICA ELECTRONICA Y COMUNIC.
LICENCIATURA EN INGENIERIA EN INFORMÁTICA

Informática Teórica

Tercer Año de Informática
II Semestre

Integrante:

Antony Candelaria 8-977-73

Sebastián Chávez 8-981-32

Elisa Sánchez 2-750-1887

Tema:

Taller Git Hub

Facilitador:

Luis Richard

Fecha de entrega:

Viernes 21 de septiembre del 2024

Año 2024

Link: https://github.com/antonycandelaria/AplicacionWeb-

Contenido

Creacion del repositorio

Clonación del repositorio

```
PS C:\Users\Usuario> git config --global user.name "sebastian-1818"
PS C:\Users\Usuario> git config --global user.email "sebastian.chavez@up.ac.pa"
PS C:\Users\Usuario> git clone https://github.com/antonycandelaria/AplicacionWeb-.git
Cloning into 'AplicacionWeb-'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
PS C:\Users\Usuario>
```

```
PS C:\Users\Elisa Sanchez> git config --global user.name "102829"
PS C:\Users\Elisa Sanchez> git config --global user.email "elisaesanchez29@gmail.com"
```

```
PS C:\Users\Elisa Sanchez> git clone https://github.com/antonycandelaria/AplicacionWeb-.git
Cloning into 'AplicacionWeb-'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
PS C:\Users\Elisa Sanchez>
```

Ramas

```
PS C:\Users\cande\AplicacionWeb-> git checkout -b Formulario1
Switched to a new branch 'Formulario1'
```

```
PS C:\Users\cande\AplicacionWeb-> git push origin Formulario1
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'Formulario1' on GitHub by visiting:
remote:        https://github.com/antonycandelaria/AplicacionWeb-/pull/new/Formulario1
remote:
To https://github.com/antonycandelaria/AplicacionWeb-.git
 * [new branch]       Formulario1 -> Formulario1
PS C:\Users\cande\AplicacionWeb->
```

```
PS C:\Users\Usuario> cd .\AplicacionWeb-
PS C:\Users\Usuario\AplicacionWeb-> git checkout -b formulario2
Switched to a new branch 'formulario2'
PS C:\Users\Usuario\AplicacionWeb-> git push origin formulario2
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'formulario2' on GitHub by visiting:
remote:        https://github.com/antonycandelaria/AplicacionWeb-/pull/new/formulario2
remote:
To https://github.com/antonycandelaria/AplicacionWeb-.git
 * [new branch]       formulario2 -> formulario2
PS C:\Users\Usuario\AplicacionWeb->
```

```
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git checkout - b formulario3
error: pathspec 'b' did not match any file(s) known to git
error: pathspec 'formulario3' did not match any file(s) known to git
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git checkout -b formulario3
Switched to a new branch 'formulario3'
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git push origin formulario3
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'formulario3' on GitHub by visiting:
remote:      https://github.com/antonycandelaria/AplicacionWeb-/pull/new/formulario3
remote:
To https://github.com/antonycandelaria/AplicacionWeb-.git
 * [new branch]      formulario3 -> formulario3
PS C:\Users\Elisa Sanchez\AplicacionWeb-> _
```

Subida de archivos alas ramas

Formulario1

```
PS C:\Users\cande\AplicacionWeb-> git add Borbon.txt
PS C:\Users\cande\AplicacionWeb-> git commit -m "archivo subido ala rama 1 antony"
[Formulario1 53d69a0] archivo subido ala rama 1 antony
1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 Borbon.txt
```

```
PS C:\Users\cande\AplicacionWeb-> git push origin Formulario1
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 253 bytes | 253.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/antonycandelaria/AplicacionWeb-.git
   e62963c..53d69a0  Formulario1 -> Formulario1
PS C:\Users\cande\AplicacionWeb-> |
```

```
PS C:\Users\cande\AplicacionWeb-> git add meme1.jpg
PS C:\Users\cande\AplicacionWeb-> git commit -m "imagen en rama 1 antony"
[Formulario1 b4cd084] imagen en rama 1 antony
1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 meme1.jpg
```

```
PS C:\Users\cande\AplicacionWeb-> git push origin Formulario1
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 1.17 MiB | 919.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/antonycandelaria/AplicacionWeb-.git
   53d69a0..b4cd084  Formulario1 -> Formulario1
PS C:\Users\cande\AplicacionWeb-> |
```

```
PS C:\Users\Usuario\AplicacionWeb-> git add .
PS C:\Users\Usuario\AplicacionWeb->  git commit -m "taller subido por sebastian"
[Formulario1 d8516d4] taller subido por sebastian
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 imagen1.jpg
 create mode 100644 taller1.txt
```

```
PS C:\Users\Usuario\AplicacionWeb-> git push origin Formulario1
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 4.51 KiB | 242.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/antonycandelaria/AplicacionWeb-.git
   b4cd084..d8516d4  Formulario1 -> Formulario1
PS C:\Users\Usuario\AplicacionWeb->
```

```
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git add hola.txt
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git commit -m "texto subido a rama 1"
[Formulario1 d5a6543] texto subido a rama 1
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 hola.txt
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git push origin Formulario1
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 281 bytes | 70.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/antonycandelaria/AplicacionWeb-.git
   b462bab..d5a6543  Formulario1 -> Formulario1
PS C:\Users\Elisa Sanchez\AplicacionWeb->
```

```
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git add images.jpg
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git commit -m "imagen subido por Elisa"
[Formulario1 e62963c] imagen subido por Elisa
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 images.jpg
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git push origin Formulario1
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 2 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 8.07 KiB | 1.61 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/antonycandelaria/AplicacionWeb-.git
   d5a6543..e62963c  Formulario1 -> Formulario1
PS C:\Users\Elisa Sanchez\AplicacionWeb->
```

Formulario2

```
PS C:\Users\cande\AplicacionWeb-> git add  Vodka.txt
PS C:\Users\cande\AplicacionWeb-> git commit -m "archivo subido por antony a rama 2"
[formulario2 69496c4] archivo subido por antony a rama 2
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 Vodka.txt
PS C:\Users\cande\AplicacionWeb-> git push origin formulario2
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 248 bytes | 124.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/antonycandelaria/AplicacionWeb-.git
   71d4c9f..69496c4  formulario2 -> formulario2
PS C:\Users\cande\AplicacionWeb->
```

```
PS C:\Users\cande\AplicacionWeb-> git add meme2.png
PS C:\Users\cande\AplicacionWeb-> git commit -m "imagen subuida a rama2 antony"
[formulario2 8690c1e] imagen subuida a rama2 antony
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 meme2.png
PS C:\Users\cande\AplicacionWeb-> git push origin formulario2
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 12.25 KiB | 6.13 MiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/antonycandelaria/AplicacionWeb-.git
   69496c4..8690c1e  formulario2 -> formulario2
PS C:\Users\cande\AplicacionWeb->
```

```
PS C:\Users\Usuario\AplicacionWeb-> git add taller2.txt
PS C:\Users\Usuario\AplicacionWeb->  git commit -m "taller subido por sebastian"
[formulario2 159991c] taller subido por sebastian
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 taller2.txt
PS C:\Users\Usuario\AplicacionWeb->  git push origin formulario2
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 248 bytes | 27.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/antonycandelaria/AplicacionWeb-.git
   8690c1e..159991c  formulario2 -> formulario2
PS C:\Users\Usuario\AplicacionWeb->
```

```
PS C:\Users\Usuario\AplicacionWeb->  git add imagen2.png
PS C:\Users\Usuario\AplicacionWeb-> git commit -m "taller subido por sebastian"
[formulario2 09b02d2] taller subido por sebastian
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 imagen2.png
```

```
PS C:\Users\Usuario\AplicacionWeb-> git push origin formulario2
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 52.90 KiB | 2.78 MiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/antonycandelaria/AplicacionWeb-.git
   159991c..09b02d2  formulario2 -> formulario2
PS C:\Users\Usuario\AplicacionWeb->
```

```
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git add audi.txt
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git commit -m "doc subido por Elisa"
[formulario2 ffa766f] doc subido por Elisa
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 audi.txt
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git push origin formulario2
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 283 bytes | 56.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/antonycandelaria/AplicacionWeb-.git
   b462bab..ffa766f  formulario2 -> formulario2
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git add images.jpg
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git commit -m "imagen subido por Elisa"
[formulario2 71d4c9f] imagen subido por Elisa
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 images.jpg
```

```
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git push origin formulario2
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 2 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 6.71 KiB | 1.68 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/antonycandelaria/AplicacionWeb-.git
   ffa766f..71d4c9f  formulario2 -> formulario2
PS C:\Users\Elisa Sanchez\AplicacionWeb->
```

Formulario3

```
PS C:\Users\cande\AplicacionWeb-> git add Gin.txt
PS C:\Users\cande\AplicacionWeb-> git commit -m "archivo de txto subido por antony ala rama 3"
[formulario3 60195c5] archivo de txto subido por antony ala rama 3
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 Gin.txt
PS C:\Users\cande\AplicacionWeb-> git push origin formulario3
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 248 bytes | 248.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/antonycandelaria/AplicacionWeb-.git
   75621e0..60195c5  formulario3 -> formulario3
PS C:\Users\cande\AplicacionWeb-> |
```

```
PS C:\Users\cande\AplicacionWeb-> git add meme3.jpg
PS C:\Users\cande\AplicacionWeb-> git commit -m "imagen subida por antony"
[formulario3 97fbdcf] imagen subida por antony
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 meme3.jpg
PS C:\Users\cande\AplicacionWeb-> git push origin formulario3
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 15.75 KiB | 5.25 MiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/antonycandelaria/AplicacionWeb-.git
   60195c5..97fbdcf  formulario3 -> formulario3
PS C:\Users\cande\AplicacionWeb-> |
```

```
PS C:\Users\Usuario\AplicacionWeb-> git add documento3.txt
PS C:\Users\Usuario\AplicacionWeb-> git commit -m "taller subido por sebastian"
[formulario3 4546059] taller subido por sebastian
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 documento3.txt
PS C:\Users\Usuario\AplicacionWeb->  git pull origin formulario3
From https://github.com/antonycandelaria/AplicacionWeb-
 * branch            formulario3 -> FETCH_HEAD
Already up to date.
PS C:\Users\Usuario\AplicacionWeb->  git push origin formulario3
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 247 bytes | 61.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/antonycandelaria/AplicacionWeb-.git
   97fbdcf..4546059  formulario3 -> formulario3
PS C:\Users\Usuario\AplicacionWeb->
```

```
PS C:\Users\Usuario\AplicacionWeb-> git add imagen3.jpg
PS C:\Users\Usuario\AplicacionWeb->  git commit -m "taller subido por sebastian"
[formulario3 70a2be6] taller subido por sebastian
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 imagen3.jpg
```

```
PS C:\Users\Usuario\AplicacionWeb-> git push origin formulario3
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 53.24 KiB | 2.96 MiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/antonycandelaria/AplicacionWeb-.git
   4546059..70a2be6  formulario3 -> formulario3
```

```
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git add Brandy.txt
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git commit -m "archivo de texto subido por Elisa"
[formulario3 560fb59] archivo de texto subido por Elisa
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 Brandy.txt
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git push origin formulario3
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 294 bytes | 15.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/antonycandelaria/AplicacionWeb-.git
   b462bab..560fb59  formulario3 -> formulario3
```

```
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git add panda.jpg
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git commit -m "imagen subido por Elisa"
[formulario3 75621e0] imagen subido por Elisa
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 panda.jpg
PS C:\Users\Elisa Sanchez\AplicacionWeb-> git push origin formulario3
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 2 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 94.26 KiB | 8.57 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/antonycandelaria/AplicacionWeb-.git
   560fb59..75621e0  formulario3 -> formulario3
PS C:\Users\Elisa Sanchez\AplicacionWeb->
```

Modificación de archivo main

```
PS C:\Users\cande\AplicacionWeb-> git add archivo.txt
PS C:\Users\cande\AplicacionWeb-> git commit -m "archivo modificado por antony"
[main 6d1d515] archivo modificado por antony
 1 file changed, 2 insertions(+), 1 deletion(-)
PS C:\Users\cande\AplicacionWeb-> git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 346 bytes | 86.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/antonycandelaria/AplicacionWeb-.git
   0571a1d..6d1d515  main -> main
PS C:\Users\cande\AplicacionWeb-> |
```

```
PS C:\Users\Usuario\AplicacionWeb-> git add archivo.txt
PS C:\Users\Usuario\AplicacionWeb-> git commit -m "archivo modificado por sebastian"
[main 5b5fb30] archivo modificado por sebastian
 1 file changed, 3 insertions(+), 1 deletion(-)
PS C:\Users\Usuario\AplicacionWeb-> git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 366 bytes | 30.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/antonycandelaria/AplicacionWeb-.git
   6d1d515..5b5fb30  main -> main
PS C:\Users\Usuario\AplicacionWeb->
```

Git Pull

```
PS C:\Users\cande\AplicacionWeb-> git branch
* Formulario1
  main
PS C:\Users\cande\AplicacionWeb->
PS C:\Users\cande\AplicacionWeb-> git checkout main
Switched to branch 'main'
Your branch is behind 'origin/main' by 4 commits, and can be fast-forwarded.
  (use "git pull" to update your local branch)
PS C:\Users\cande\AplicacionWeb-> git branch --set-upstream-to=origin/main
branch 'main' set up to track 'origin/main'.
PS C:\Users\cande\AplicacionWeb-> git pull
Updating b462bab..0571a1d
Fast-forward
 archivo.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 archivo.txt
PS C:\Users\cande\AplicacionWeb-> git checkout Formulario1
Switched to branch 'Formulario1'
Your branch is behind 'origin/main' by 4 commits, and can be fast-forwarded.
  (use "git pull" to update your local branch)
PS C:\Users\cande\AplicacionWeb->  git branch --set-upstream-to=origin/Formulario1
branch 'Formulario1' set up to track 'origin/Formulario1'.
PS C:\Users\cande\AplicacionWeb-> git pull
Updating b462bab..e62963c
Fast-forward
 hola.txt   |    0
 images.jpg | Bin 0 -> 7990 bytes
 2 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 hola.txt
 create mode 100644 images.jpg
PS C:\Users\cande\AplicacionWeb-> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\cande\AplicacionWeb-> git checkout -b formulario2 origin/formulario2
branch 'formulario2' set up to track 'origin/formulario2'.
```

```
Switched to a new branch 'formulario2'
PS C:\Users\cande\AplicacionWeb-> git branch
  Formulario1
* formulario2
  main
PS C:\Users\cande\AplicacionWeb-> git branch --set-upstream-to=origin/formulario2
branch 'formulario2' set up to track 'origin/formulario2'.
PS C:\Users\cande\AplicacionWeb-> git pull
Already up to date.
PS C:\Users\cande\AplicacionWeb-> git branch
  Formulario1
* formulario2
  main
PS C:\Users\cande\AplicacionWeb-> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\cande\AplicacionWeb->  git checkout -b formulario3 origin/formulario3
branch 'formulario3' set up to track 'origin/formulario3'.
Switched to a new branch 'formulario3'
PS C:\Users\cande\AplicacionWeb-> git branch
  Formulario1
  formulario2
* formulario3
  main
PS C:\Users\cande\AplicacionWeb->  git branch --set-upstream-to=origin/formulario3
branch 'formulario3' set up to track 'origin/formulario3'.
PS C:\Users\cande\AplicacionWeb-> git pull
Already up to date.
PS C:\Users\cande\AplicacionWeb-> git branch
  Formulario1
  formulario2
* formulario3
  main
PS C:\Users\cande\AplicacionWeb->
```

```
PS C:\Users\Usuario\AplicacionWeb-> git pull
remote: Enumerating objects: 43, done.
remote: Counting objects: 100% (43/43), done.
remote: Compressing objects: 100% (36/36), done.
remote: Total 42 (delta 12), reused 33 (delta 3), pack-reused 0 (from 0)
Unpacking objects: 100% (42/42), 1.31 MiB | 611.00 KiB/s, done.
From https://github.com/antonycandelaria/AplicacionWeb-
   b462bab..6d1d515  main          -> origin/main
   b462bab..b4cd084  Formulario1 -> origin/Formulario1
   b462bab..8690c1e  formulario2 -> origin/formulario2
   b462bab..97fbdcf  formulario3 -> origin/formulario3
Updating b462bab..6d1d515
Fast-forward
 archivo.txt | 2 ++
 1 file changed, 2 insertions(+)
 create mode 100644 archivo.txt
```

```
PS C:\Users\Usuario\AplicacionWeb-> git branch --set-upstream-to=origin/formulario2
branch 'formulario2' set up to track 'origin/formulario2'.
PS C:\Users\Usuario\AplicacionWeb-> git pull
Updating b462bab..8690c1e
Fast-forward
 Vodka.txt   |   0
 audi.txt    |   0
 images.jpg  | Bin 0 -> 6769 bytes
 meme2.png   | Bin 0 -> 12257 bytes
 4 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 Vodka.txt
 create mode 100644 audi.txt
 create mode 100644 images.jpg
 create mode 100644 meme2.png
PS C:\Users\Usuario\AplicacionWeb->
```

```
PS C:\Users\Usuario\AplicacionWeb-> git pull
Already up to date.
PS C:\Users\Usuario\AplicacionWeb->
```

Fusion del main con merge

```
PS C:\Users\cande\AplicacionWeb-> git merge
PS C:\Users\cande\AplicacionWeb-> git commit -m "fucion de mein"
[main cfeae5b] fucion de mein
PS C:\Users\cande\AplicacionWeb->  git pull origin main
From https://github.com/antonycandelaria/AplicacionWeb-
 * branch            main        -> FETCH_HEAD
Already up to date.
PS C:\Users\cande\AplicacionWeb->  git pull origin main
From https://github.com/antonycandelaria/AplicacionWeb-
 * branch            main        -> FETCH_HEAD
Already up to date.
PS C:\Users\cande\AplicacionWeb-> git status
On branch main
Your branch is ahead of 'origin/Formulario1' by 19 commits.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
PS C:\Users\cande\AplicacionWeb-> git push origin main
Enumerating objects: 16, done.
Counting objects: 100% (16/16), done.
Delta compression using up to 8 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (10/10), 1.39 KiB | 177.00 KiB/s, done.
Total 10 (delta 4), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (4/4), done.
To https://github.com/antonycandelaria/AplicacionWeb-.git
   5b5fb30..cfeae5b  main -> main
PS C:\Users\cande\AplicacionWeb-> |
```