

OfficeKit — Product Specification

Version: 1.0 **Date:** May 2026 **Author:** Antonio (Stockholm) **Status:** Spec for v1 build
Target: AI coding assistants (OpenCode, Claude Code, Cursor) and human contributors

0. How to use this document

This is the single source of truth for building OfficeKit. Read top-to-bottom.

- **Sections 1–3:** product, problem, scope.
- **Sections 4–6:** user flows in detail. These map to features.
- **Sections 7–9:** data model, API, tech stack.
- **Sections 10–12:** design system, build order, non-goals.
- **Appendix:** seed data, item catalog, example payloads.

If a task is ambiguous, default to the simplest interpretation that satisfies the user story. Do not add features not described here. Ask before inventing.

1. Product summary

OfficeKit is a Swedish responsive web marketplace that helps companies outfit a new office in days instead of weeks. A buyer picks their industry (IT, finance, sales, or law), specifies headcount, and gets a smart starter list of furniture and equipment. They refine the list, lay items out on a floor plan, and toggle each item between new and refurbished. When ready, the spec fans out to three vetted suppliers who compete on a quote in their own dashboard. Buyer picks one. Done.

One-liner: "A new office, in two days, from one form."

Primary buyer persona: Office manager or COO of a Swedish company with 10–150 employees that just signed a new lease.

Primary supplier persona: Sales/account manager at a Swedish office furniture or tech distributor (Kinnarps Renew, Input Interiör, Dustin Office, Atea Workplace, Nordiska Galleriet, etc.).

Business model: OfficeKit takes a 6% flat commission on closed orders, paid by the supplier. Buyers pay nothing extra.

2. Problem statement

2.1 Buyer pain

Outfitting a new office today requires the buyer to:

1. Estimate what they need without expertise.
2. Source 3–5 separate vendors for furniture, tech, AV, kitchen, storage.
3. Get quotes that take 5–10 business days each.
4. Compare quotes with different SKUs, units, and delivery timelines.
5. Sign separate contracts, schedule separate deliveries.

Today: roughly **8–14 days** of one person's calendar for a one-time purchase.

2.2 Supplier pain

- Inbound RFPs arrive half-spec'd; sales spends days clarifying before quoting.
- Refurbished and ex-lease stock sits in warehouses while buyers default to new.
- Procurement compares on price; service and sustainability are invisible.

2.3 The wedge

- One structured form replaces five vendor calls.
 - Three suppliers receive the same RFQ structure.
 - Suppliers respond in hours, not days.
 - Buyer compares apples-to-apples and picks.
-

3. Scope

3.1 In scope for v1

Buyer flow

- Industry-aware checklist (IT, finance, sales, law)
- Headcount-driven preset (auto-scales quantities)
- Item adjustment (quantity, new/refurbished toggle)
- Floor plan visualizer (drag and drop)
- Quote request to 3 suppliers
- Quote comparison side by side
- Order placement and payment
- Order history

Supplier flow

- RFQ inbox with status tracking
- Quote builder with pre-filled line items
- Win/loss analytics
- Stock mix visualization
- Active orders and payouts dashboard

Admin (minimal)

- User and supplier management
- Manual order intervention
- Commission and revenue reporting

Cross-cutting

- Marketing site (landing, how it works, partner page)
- Auth (email + magic link for buyers; password + 2FA for suppliers)
- Payments (Stripe Connect for supplier payouts; Klarna invoice option for buyers)
- Transactional email (Resend)
- i18n: Swedish (primary) and English

3.2 Out of scope for v1 (explicit non-goals)

- Native mobile apps. Responsive web only.

- AI-generated floor plans from photos.
 - Direct ERP integration with suppliers (CSV import is enough for v1).
 - Multi-office support per buyer (one project = one office).
 - Real-time chat between buyer and supplier (use email).
 - Public supplier reviews (gather privately for v1, ship as a feature in v2).
 - Custom branded supplier portals.
 - Buyer-to-buyer reselling of received furniture.
-

4. User flows

4.1 Buyer flow — happy path

Step 1: Landing page

- Hero with one-line value prop and "Start your office" CTA.
- "How it works" section (4 steps).
- Social proof (logos of supplier partners; testimonials once available).
- Footer with company info, partners link, GDPR/integritetspolicy.

Step 2: Pick industry

- Four cards: IT/Tech, Finance/Economic, Sales/Commercial, Law Firms.
- Each card shows: industry icon, name, short tagline, three stats (avg. spend/seat, reuse share, setup time).
- Clicking a card proceeds to Step 3.

Step 3: Project basics

- Form with: headcount (number input), city (dropdown of Swedish cities), expected move-in date (date picker).
- "Continue" advances; "Back" returns to industry picker.

Step 4: Smart checklist

- Items grouped by category tabs: Workstations, Tech & AV, Meeting rooms, Storage & security, Lounge & client, Kitchen & break.

- Each item row shows: icon, name, description, tags (Ergonomic, Essential, GDPR, Security, Client-facing, Tech), new/used toggle, quantity stepper, line total.
- Right sidebar: live summary (items selected, new/used split, VAT, total), savings vs. all-new, compliance notes (only shown for finance and law).
- Preset is auto-loaded based on industry + headcount on entry. Buyer can adjust freely.
- "Continue to floor plan" CTA when total > 0.

Step 5: Floor plan (optional but recommended)

- Drag-and-drop canvas with snap-to-grid (40 cm cells).
- Left palette: items from the checklist (only items with qty > 0).
- Canvas shows pre-defined room outlines (reception, boardroom, offices, etc.) as visual hints.
- Items placed on canvas show icon + name + selected outline.
- Right sidebar: items placed, m² used, % of total area, list of placed items by category, total cost.
- Buyer can: drag from palette to canvas, drag placed items to reposition, click placed item to select, delete selected item.
- "Skip floor plan" option available — proceed to quotes with checklist data only.
- "Request 3 quotes" CTA when ready.

Step 6: Quote request confirmation

- Summary screen: industry, headcount, location, item count, estimated total.
- "Send to 3 suppliers" CTA.
- After click: success message with expected response time (typically 3–4 hours during business hours).
- Buyer receives email confirmation with project ID and estimated response window.

Step 7: Quote comparison (received via email link or in app)

- Three quote cards side by side.
- Each card: supplier name, location, delivery time, total price incl. VAT, perks list, supplier rating (once available).
- "Best value" badge on cheapest.

- “Sustainability leader” badge on highest refurbished share.
- Buyer can: pick one, request revisions on one, decline all (with optional reason).

Step 8: Pick supplier

- Click “Choose [supplier]” on a quote card.
- Modal asks for: billing details, delivery address (defaults to project city), preferred delivery date window.
- Payment: card via Stripe, or Klarna 30-day invoice.
- “Place order” CTA.

Step 9: Order confirmation

- Success screen with order ID.
- Next steps list: supplier confirms within 24h → signs contract → delivery scheduled → pay on delivery.
- Email confirmation with order details and supplier contact.

Step 10: Order tracking

- “My projects” dashboard shows all active orders.
- Each project shows status: Requesting quotes, Quotes received, Order placed, Delivery scheduled, Delivered, Closed.
- Can download invoice and proof of delivery once available.

4.2 Supplier flow — happy path

Step 1: Onboarding (admin-led)

- OfficeKit admin creates supplier account.
- Supplier receives invite email with onboarding link.
- Supplier sets password, enables 2FA.
- Supplier uploads catalog CSV (item ID, name, category, price new, price refurbished, lead time).
- Admin reviews and activates supplier.

Step 2: Dashboard home

- KPI cards at top: open RFQs, win rate (30d), pipeline value, avg. response time.
- Main panel: RFQ inbox sorted by deadline (urgent first).
- Right side: stock mix per category, win rate by competitor and vertical.

Step 3: Receive RFQ

- New RFQ appears in inbox with "New" status pill and notification email.
- RFQ row shows: company name, industry, location, headcount, item count, value estimate, deadline countdown.
- Urgent RFQs (< 4h deadline) highlighted.

Step 4: Respond to RFQ

- Click RFQ → opens drawer with full project details.
- Drawer shows: project metadata, buyer notes, competitor list (anonymized count or revealed if buyer opts in), line items with pre-filled prices.
- Supplier can: adjust price per line item, change new/used mode, remove items they don't carry, add notes or perks.
- Totals block updates live.
- "Send quote" CTA submits the quote. Auto-saves draft every 30 seconds.

Step 5: Track win/loss

- Once buyer picks: status changes to "Won" or "Lost" with reason if buyer gave one.
- Won orders appear in "Active orders" tab.
- Lost orders feed into win-rate analytics.

Step 6: Fulfill order

- Active order shows: buyer contact, delivery address, items, delivery date, total payout (incl. OfficeKit commission breakdown).
- Supplier marks order as: Confirmed → In production → Shipped → Delivered.
- On "Delivered" + buyer confirmation, OfficeKit releases payment to supplier minus 6% commission.

Step 7: Payouts

- Payouts tab shows: pending, processing, paid.

- Each line: order ID, gross amount, OfficeKit commission, net payout, status, date.
- Stripe Connect handles the actual bank transfer.

4.3 Admin flow — minimal

Dashboard

- Total GMV (gross merchandise value) this month and YTD.
- Active suppliers count.
- Open RFQs across the platform.
- Conversion funnel (RFQs sent → quotes received → orders placed).

Suppliers tab

- List all suppliers with status (Active, Paused, Pending review).
- Click a supplier to edit details, see all their RFQs, manually adjust commission rate.

Orders tab

- List all orders with filters (status, supplier, buyer, date range).
- Click an order to view details, manually update status, refund, or annotate.

Buyers tab

- List all registered buyers.
- Click to view project history.

Financials tab

- Revenue (commission earned) by month.
- Payout queue.
- Export to CSV.

5. Data model

All tables use PostgreSQL conventions: `snake_case`, `id` as UUID primary key, `created_at` and `updated_at` timestamps on every table.

5.1 Tables

users

Column	Type	Notes
id	UUID	PK
email	TEXT	unique, lowercase
name	TEXT	full name
phone	TEXT	nullable
role	ENUM	buyer , supplier , admin
password_hash	TEXT	nullable for buyers (magic link only)
two_fa_enabled	BOOLEAN	default false
locale	ENUM	sv , en
supplier_id	UUID	FK → suppliers.id, nullable
created_at	TIMESTAMP	
updated_at	TIMESTAMP	

companies (buyer companies)

Column	Type	Notes
id	UUID	PK
name	TEXT	
org_number	TEXT	Swedish org.nr, validated
address	JSONB	street, postal, city, country
created_by_user_id	UUID	FK → users.id
created_at	TIMESTAMP	
updated_at	TIMESTAMP	

suppliers

--	--	--

Column	Type	Notes
id	UUID	PK
name	TEXT	display name
legal_name	TEXT	for invoicing
org_number	TEXT	Swedish org.nr
stripe_account_id	TEXT	from Stripe Connect
coverage_areas	TEXT[]	list of Swedish cities/regions
verticals	TEXT[]	subset of <code>it</code> , <code>finance</code> , <code>sales</code> , <code>law</code>
commission_rate	DECIMAL(4,3)	default 0.060
active	BOOLEAN	default true
logo_url	TEXT	nullable
short_description	TEXT	
perks	TEXT[]	array of perk strings
used_share	DECIMAL(3,2)	0.0–1.0
created_at	TIMESTAMP	
updated_at	TIMESTAMP	

item_catalog (canonical catalog, not supplier-specific)

Column	Type	Notes
id	TEXT	slug, e.g. <code>desk-electric</code>
category	ENUM	<code>workstations</code> , <code>tech</code> , <code>meeting</code> , <code>storage</code> , <code>lounge</code> , <code>kitchen</code>
name	TEXT	
description	TEXT	
icon	TEXT	emoji or icon name

width_cells	INT	floor plan size, 1 cell = 40 cm
height_cells	INT	
tags	TEXT[]	e.g. ['ergo', 'gdpr']
price_new_default	INT	SEK, ex VAT
price_used_default	INT	SEK, ex VAT, nullable
presets	JSONB	{ it: 1, finance: 0.5, sales: 0, law: 1 } (qty per person)

supplier_pricing (supplier overrides on item_catalog)

Column	Type	Notes
id	UUID	PK
supplier_id	UUID	FK
item_id	TEXT	FK → item_catalog.id
price_new	INT	nullable, defaults to catalog
price_used	INT	nullable
lead_time_days	INT	
available	BOOLEAN	

projects (a buyer's office setup project)

Column	Type	Notes
id	UUID	PK
company_id	UUID	FK
created_by_user_id	UUID	FK
name	TEXT	e.g. "Acme HQ Stockholm"
industry	ENUM	it, finance, sales, law
headcount	INT	

city	TEXT	
move_in_date	DATE	nullable
status	ENUM	draft , requesting_quotes , quotes_received , ordered , closed
floor_plan_data	JSONB	nullable, see 5.2
created_at	TIMESTAMP	
updated_at	TIMESTAMP	

project_items (line items in a project's spec)

Column	Type	Notes
id	UUID	PK
project_id	UUID	FK
item_id	TEXT	FK → item_catalog.id
quantity	INT	
mode	ENUM	new , used
placed_on_floor_plan	BOOLEAN	default false

rfqs (request for quote, one project → up to 3 RFQs)

Column	Type	Notes
id	UUID	PK
project_id	UUID	FK
supplier_id	UUID	FK
status	ENUM	sent , viewed , quoted , won , lost , expired
sent_at	TIMESTAMP	
viewed_at	TIMESTAMP	nullable
quoted_at	TIMESTAMP	nullable

decided_at	TIMESTAMP	nullable
deadline_at	TIMESTAMP	

quotes

Column	Type	Notes
id	UUID	PK
rfq_id	UUID	FK, unique
total_amount	INT	SEK incl. VAT
total_amount_ex_vat	INT	
valid_until	DATE	
notes	TEXT	supplier notes
perks	TEXT[]	overridable per quote

quote_lines

Column	Type	Notes
id	UUID	PK
quote_id	UUID	FK
item_id	TEXT	FK
quantity	INT	
mode	ENUM	new , used
unit_price	INT	SEK ex VAT
line_total	INT	quantity × unit_price

orders

Column	Type	Notes

id	UUID	PK
project_id	UUID	FK
quote_id	UUID	FK, unique
supplier_id	UUID	FK
company_id	UUID	FK
status	ENUM	confirmed, in_production, shipped, delivered, paid, cancelled
total_amount	INT	snapshot from quote
commission_amount	INT	OfficeKit's 6%
payout_amount	INT	total - commission
delivery_address	JSONB	
delivery_window_start	DATE	
delivery_window_end	DATE	
payment_method	ENUM	card, klarna_invoice
stripe_payment_intent_id	TEXT	
stripe_transfer_id	TEXT	for supplier payout
created_at	TIMESTAMP	
updated_at	TIMESTAMP	

5.2 floor_plan_data JSONB shape

```
{
  "canvas": { "width_cells": 22, "height_cells": 15 },
  "rooms": [
    { "id": "reception", "label": "Reception", "x": 0, "y": 0, "w": 7, "h": 5 },
    { "id": "boardroom", "label": "Boardroom", "x": 7, "y": 0, "w": 8, "h": 6 }
  ],
  "placed_items": [
    { "uid": 1, "item_id": "desk-solid", "x": 18, "y": 1, "mode": "used" },
    { "uid": 2, "item_id": "leather-chair", "x": 18, "y": 3, "mode": "used" }
  ]
}
```

```
}
```

6. API design (REST)

All endpoints under `/api/v1`. JSON request/response. Auth via session cookie (NextAuth) or Bearer token (mobile / API consumers in future).

6.1 Public endpoints

- `GET /catalog/items` — full item catalog
- `GET /catalog/items/:id` — single item
- `GET /industries` — list of industries with preset metadata

6.2 Buyer endpoints (require `role: buyer`)

- `POST /projects` — create project (industry, headcount, city)
- `GET /projects` — list buyer's projects
- `GET /projects/:id` — project details
- `PATCH /projects/:id` — update project (status, floor plan)
- `POST /projects/:id/items` — add/update line item
- `DELETE /projects/:id/items/:itemLineId` — remove line item
- `POST /projects/:id/request-quotes` — fan out to 3 suppliers, returns rfq IDs
- `GET /projects/:id/quotes` — list received quotes
- `POST /projects/:id/orders` — place order with chosen quote
- `GET /orders` — list buyer's orders
- `GET /orders/:id` — order details

6.3 Supplier endpoints (require `role: supplier`)

- `GET /supplier/rfqs` — inbox, filtered/paginated
- `GET /supplier/rfqs/:id` — RFQ detail with project, items, competitors count
- `PATCH /supplier/rfqs/:id` — mark viewed

- `POST /supplier/rfqs/:id/quote` — submit quote
- `PATCH /supplier/rfqs/:id/quote` — update draft quote
- `GET /supplier/orders` — won orders
- `PATCH /supplier/orders/:id/status` — update order status
- `GET /supplier/payouts` — list of payouts
- `GET /supplier/analytics` — KPIs (win rate, pipeline, response time)

6.4 Admin endpoints (require `role: admin`)

- `GET /admin/dashboard` — platform-wide KPIs
- `GET /admin/suppliers` — list, CRUD
- `POST /admin/suppliers` — create supplier (sends invite)
- `PATCH /admin/suppliers/:id` — edit
- `GET /admin/orders` — all orders with filters
- `PATCH /admin/orders/:id` — manual status override
- `GET /admin/financials` — revenue and payout reports
- `GET /admin/users` — list, CRUD

6.5 Auth endpoints

- `POST /auth/magic-link` — buyer login by email
- `POST /auth/callback` — magic link callback, sets session
- `POST /auth/password` — supplier login
- `POST /auth/2fa` — supplier 2FA verification
- `POST /auth/logout`

6.6 Webhooks

- `POST /webhooks/stripe` — handle `payment_intent.succeeded`, `transfer.created`, etc.
 - `POST /webhooks/resend` — email delivery status
-

7. Tech stack

Frontend (responsive web)

- Next.js 15 (App Router, React Server Components where it makes sense)
- TypeScript (strict)
- Tailwind CSS
- shadcn/ui for component primitives
- React Hook Form + Zod for forms
- TanStack Query for server state
- Framer Motion for animations (sparingly)
- dnd-kit for floor plan drag and drop

Backend (same Next.js app)

- Next.js API routes (Route Handlers)
- Prisma ORM
- PostgreSQL (hosted on Supabase or Neon)
- NextAuth.js (Auth.js) for sessions
- Resend for transactional email
- Stripe SDK for payments + Connect

Infrastructure

- Vercel for Next.js hosting
- Supabase or Neon for managed Postgres
- Cloudflare R2 or Vercel Blob for file storage (catalog images, invoices)
- Sentry for error tracking
- PostHog for product analytics
- Plausible for marketing site analytics (privacy-friendly, GDPR-safe)

Dev

- pnpm

- ESLint + Prettier
- Vitest for unit tests
- Playwright for end-to-end tests
- GitHub Actions for CI
- Docker Compose for local Postgres

i18n

- next-intl for translation files
- All UI strings in `messages/sv.json` and `messages/en.json`. No hardcoded user-facing strings.

8. Design system

The product uses a Scandinavian editorial aesthetic, calibrated to feel credible to a Swedish office manager while not feeling like enterprise software.

8.1 Colors

```
--cream:           #f5f1e8
--cream-2:         #ebe5d4
--paper:           #faf7ef
--ink:             #1a1f1a
--ink-soft:        #4a544a
--ink-mute:        #8a8f86
--line:            #d8d2c0
--forest:          #1f3a2e  (default accent)
--terracotta:      #c5552d  (CTA, highlights)
--green-leaf:      #6b8e5a  (reused/sustainability)
--gold:            #d4a056  (badges, awards)
```

Industry accent colors (set as `--accent` per page):

```
IT/Tech:           #3a4a52  (slate)
Finance:           #1f3a52  (navy)
Sales:             #c5552d  (terracotta)
Law:               #6b2a3a  (burgundy)
```

8.2 Typography

- **Display (headings, large numbers):** Fraunces (Google Fonts), weights 400–700, italic variant used liberally
- **Body and UI:** Manrope (Google Fonts), weights 300–700
- **Mono (numbers, codes):** JetBrains Mono, weights 400–600

8.3 Spacing and layout

- Base spacing: 4px scale (4, 8, 12, 16, 20, 24, 32, 40, 48, 64, 80)
- Max content width: 1280px
- Sidebar: 320–360px on desktop, collapses on mobile (<900px)
- Border radius: 4px default, 100px for pills

8.4 Component conventions

- Buttons: 12 px text, uppercase, 0.1em letter-spacing, 4 px radius
- Cards: paper background, 1 px line border, 4 px radius
- Inputs: cream background, 1 px line border, 4 px radius, 14 px text
- Pills: 100 px radius, 10 px text, uppercase, weight 600
- Empty states: large icon, single sentence, optional CTA

8.5 Reference implementations

Three HTML prototypes exist that encode the design system in detail. Treat them as visual ground truth:

- `officekit-poc-v2.html` — buyer checklist + quotes
- `officekit-floorplan.html` — floor plan visualizer
- `officekit-supplier-dashboard.html` — supplier dashboard

If a component is unclear, look at these first before inventing.

9. Non-functional requirements

9.1 Performance

- Largest Contentful Paint < 2.5 s on 4G
- Time to Interactive < 3 s
- Floor plan canvas: 60 fps drag on a laptop with 100 placed items

9.2 Accessibility

- WCAG 2.1 AA minimum
- All interactive elements keyboard navigable
- Color contrast ratio $\geq 4.5:1$ for text
- Screen reader labels on all icons, buttons, and form inputs
- Focus rings visible on all focusable elements

9.3 Security

- HTTPS only, HSTS enabled
- All inputs validated server-side with Zod
- SQL injection prevented by Prisma (no raw queries except behind explicit review)
- CSRF tokens on state-changing routes
- Rate limiting on auth endpoints (10/min per IP)
- Supplier 2FA mandatory before first quote can be sent
- All PII encrypted at rest (Postgres column-level for sensitive fields)
- Audit log on all admin actions

9.4 Privacy and GDPR

- Cookie consent banner (defaults to no analytics until accepted)
- Plausible used over Google Analytics for compliance
- Personuppgiftsbiträdesavtal (DPA) ready for suppliers handling buyer data
- Right-to-erasure endpoint for buyers
- Data export endpoint per user
- Retention policy: closed orders retained 7 years (Swedish accounting law), then anonymized

9.5 i18n

- Swedish is the default. English is a fallback.
 - Currency: SEK, formatted with Swedish locale (1 234 567 kr)
 - Dates: ISO format in DB, locale-formatted in UI
 - VAT: 25% Swedish standard, calculated server-side, displayed clearly
-

10. Build order (suggested phases)

Phase 0 — Foundations (1 week)

- Repo scaffolding (Next.js, TypeScript, Tailwind, Prisma)
- Postgres schema migration for all tables in section 5
- Seed scripts for item_catalog and one mock supplier
- Auth scaffolding with NextAuth (magic link + password)
- i18n scaffolding with next-intl
- Design tokens (CSS variables) and base components

Phase 1 — Buyer happy path (2 weeks)

- Landing page
- Industry picker
- Project basics form
- Checklist with preset loading and live summary
- Persist project + project_items via API
- "Request quotes" stub (creates 3 RFQs, no real supplier yet)

Phase 2 — Floor plan (1 week)

- dnd-kit canvas with grid snap
- Item palette derived from current checklist
- Room outlines from preset

- Save floor_plan_data to project record
- Skip-floor-plan path

Phase 3 — Supplier dashboard (2 weeks)

- Supplier auth and onboarding
- RFQ inbox with status filtering
- RFQ drawer with quote builder
- Submit quote endpoint
- Win/loss tracking on RFQ status changes

Phase 4 — Quote comparison + ordering (1.5 weeks)

- Buyer-side quote comparison view
- "Best value" and "Sustainability leader" badges
- Order placement modal with Stripe
- Order confirmation email and dashboard entry
- Order status transitions on supplier side

Phase 5 — Payments and payouts (1.5 weeks)

- Stripe Connect onboarding for suppliers
- Buyer payment intents and webhook handling
- Commission split + supplier payouts on delivery
- Klarna invoice integration (if time)

Phase 6 — Admin and analytics (1 week)

- Admin dashboard with KPIs
- Supplier and order management
- Financial reports and CSV exports
- PostHog event instrumentation

Phase 7 — Polish and beta (1 week)

- Empty states across every screen
- Loading states and error boundaries
- E2E tests for the buyer happy path
- Sentry integration
- Accessibility audit
- Soft launch with 1 buyer and 3 suppliers

Total estimate: ~10 weeks for a single competent full-stack dev (or a coding agent working continuously with a human reviewer). Add buffer.

11. Things that will go wrong (and how to handle them)

These are explicit risks the build should anticipate.

1. **Supplier sends a quote with one item missing.** Treat the quote as valid but flag the missing item to the buyer. Don't auto-reject.
 2. **Buyer changes the project after sending RFQs.** Lock the spec on RFQ send. New changes create a new RFQ batch with new IDs. Old quotes are invalidated.
 3. **Supplier never responds.** RFQ auto-expires after 5 business days. Buyer sees "2 of 3 responded" and can proceed.
 4. **Buyer picks a supplier but the supplier can't fulfill.** Allow supplier to cancel within 48h of order; OfficeKit refunds buyer and notifies them; buyer can pick the second-best quote without re-quoting.
 5. **Stripe Connect supplier hasn't completed onboarding.** Block them from receiving RFQs until done.
 6. **Multiple users at one buyer company.** Out of scope for v1 — one user = one company. v2 problem.
 7. **Currency or VAT rules change.** All money is integer SEK öre internally to avoid float math. VAT rate is a constant in one config file, reviewed quarterly.
-

12. Open questions for Antonio

These need a decision before development starts. Default answer in brackets is what to

assume if Antonio doesn't respond.

1. Brand name confirmed as "OfficeKit"? [yes]
 2. Domain to use? [officekit.se]
 3. Logo design — use the prototype's typographic logo or commission a real one? [typographic for v1]
 4. Are we shipping with Klarna v1 or just card payments? [card only, Klarna in v2]
 5. How is supplier onboarding done — admin-led or self-serve? [admin-led for v1, self-serve in v2]
 6. Should buyers be able to invite teammates to view a project? [no for v1]
 7. Are quotes binding on the supplier once accepted? [yes, with 48h cancel window]
 8. Privacy policy and terms — use a template or commission a Swedish lawyer? [template + light legal review for v1]
-

Appendix A — Seed item catalog

The full item catalog with industry presets is in the existing prototype `officekit-poc-v2.html` under the `CATALOG` constant. Port this exact list into a seed migration.

Approximately 50 items across 6 categories. Prices are in SEK ex VAT.

Categories:

- `workstations` : desks (electric, fixed, solid wood), chairs (task, leather), monitor arms, dividers, pedestals
- `tech` : monitors, docks, peripherals, headsets, webcams, displays, video bars, shredders, secure print
- `meeting` : meeting tables, boardroom tables, meeting chairs (fabric/leather), whiteboards, phone booths
- `storage` : lockers, lockable cabinets, fireproof cabinets, safes, shelving
- `lounge` : sofas (regular/reception), armchairs, side tables, rugs, plants
- `kitchen` : coffee machines, fridges, dishwashers, communal tables, bar stools

Each item has `preset` ratios per industry (qty per person). For example:

- `desk-electric: { it: 1, finance: 1, sales: 0, law: 1 }`
- `headset: { it: 0, finance: 0, sales: 1, law: 0 }`
- `phone-booth: { it: 0.06, finance: 0.1, sales: 0.15, law: 0.08 }`

Appendix B — Example RFQ payload

```
{
  "id": "rfq_01HXYZ123",
  "project": {
    "id": "proj_01HXYZ456",
    "industry": "law",
    "headcount": 12,
    "city": "Stockholm",
    "move_in_date": "2026-07-01"
  },
  "buyer": {
    "company_name": "Acme Advokatbyrå",
    "contact_name": "Maria Holm",
    "contact_role": "Office Manager"
  },
  "items": [
    { "item_id": "desk-solid", "quantity": 7, "mode": "used" },
    { "item_id": "leather-chair", "quantity": 7, "mode": "used" },
    { "item_id": "boardroom-table", "quantity": 1, "mode": "used" },
    { "item_id": "phone-booth", "quantity": 2, "mode": "used" }
  ],
  "floor_plan_data": { "...": "see 5.2" },
  "notes": "Premium expectations. Confidentiality critical.",
  "deadline_at": "2026-05-13T17:00:00+02:00",
  "competing_supplier_count": 2
}
```

Appendix C — Reference prototypes

Three working HTML prototypes are the visual ground truth. Treat them as authoritative for design questions:

1. `officekit-poc-v2.html` — buyer checklist with industry picker
2. `officekit-floorplan.html` — buyer floor plan visualizer
3. `officekit-supplier-dashboard.html` — supplier RFQ inbox and quote builder

For pitch/positioning context (not for product build):

- `officekit-pitch-deck.html`

End of spec.