

Covering Letter

Covering Letter

Solution Overview

Quote Details

Quote Name : Quote for ABC Sales Organization Name : Singapore
Customer Code : TBD Customer Name : ABC
Requested Date : 19-May-2014 Currency Name : USD
Budget Value : 50 Prepared By : James Raj

Billing Address

Address Line One : Tanjong Pagar
Address Line Two :
City : Singapore
State : Singapore
Country : Singapore
Zip Code : 750417
Phone Number : 93522439

Shipping Address

Address Line One : Tanjong Pagar
Address Line Two :
City : Singapore
State : Singapore
Country : Singapore
Zip Code : 750417
Phone Number : 93522439

Bundle Material

Code	Name	Description	Unit Price	Quantity	Total Gross Price	Discount	Total Net Price
2006	ACE21 312220 0	iXH 1820T 380- 460 50/60H Z	\$38,92 5	1	\$38,92 5	10	\$35,03 2

Grand Total : \$38,92 Overall : 11% Grand Total : \$35,03

Gross Price

5

Discount

Net Price

2

Bought Out Item

Code	Name	Unit Cost	Quantity	Total Cost	Unit Price	Total Price
3003	Cover	\$250	3	\$750	\$275	\$825

Grand Total Cost

:

\$750

Grand Total Price

:

\$825

Material Bundle Warranty

Code	Name	Description	Warranty	Override Warranty
2006	ACE21312220 0	iXH 1820T 380-460 50/60Hz	48	-

Material Bundle Installation

No of FTE's required	Per Day Cost	No of Days Required	Total No of FTE's Costs
1	\$100	1	\$100

Shipping

Code	Truck Cost	Diesel Cost
1002	\$150	\$50

Quote Qualitative Information

Quote Value

:

\$35,032

Gross Margin Amount / Percentage : \$38,925 / 11%

Leadtime :

Win Probability % :

Scop Of Work :

Executive Summary :

Primary Competitor :

How was Selling Price Set? :

Payment Terms :

Risk & Mitigation :

New / Repeat Business :

Any Other Comments :



2CT

2" x 2" Self Priming Trash Pump

The 2CT pump quickly close couples to a 145TC or 184C frame motor. The 2CT features a back pull out design and a removable front trash cleanout for ease of maintenance. A 304SS drive sleeve protects the close coupled driver shaft. Available options include a bearing pedestal for base mounted pumps as well as a hydraulic motor drive pedestal.

SPECIFICATIONS:

Suction and Discharge . . 2" x 2" NPT

Materials of Construction Cast iron

Flow Up to 225 GPM

Head Feet Up to 125'

Impeller 5.82" ductile iron

Max Solid Size 1.5"

Drive Options Close coupled 145TC

Close coupled 184C

Pedestal

PumPAK® (without motor)

Seal Standard - carbon / ceramic / Viton mechanical seal



Application:



- Commercial
- Industrial
- OEM


Drive Sleeve:

- 304 Stainless Steel



Features:

- Back pull out design
- Removeable trash cleanout
- Will pass up to 1.5" solids





DRAWING NO
44214




NOTE: THIS DRAWING OR PRINT, PROPERTY OF MP PUMPS INC., CONTAINS PROPRIETARY AND CONFIDENTIAL INFORMATION. IT SHALL BE USED ONLY AS APPROVED BY MP PUMPS AND SHALL NOT BE GIVEN TO OTHERS OR COPIED WITHOUT THE WRITTEN CONSENT OF MP PUMPS. RETURN TO MP PUMPS PROMPTLY WHEN REQUESTED.

G					UNLESS OTHERWISE NOTED THIRD ANGLE PROJECTION				MP PUMPS, INC.											
E									MP PUMPS INC. FRASER, MICHIGAN 49024, U.S.A.											
D					2 PLACE DIM ± .020 3 PLACE DIM ± .010 ANGULAR DIM ± .1°				MATERIAL:		CAST IRON									
C					DO NOT SCALE				DRAWN BY		DATE COMP.		APPROV.		SCALE		MADE FOR		MADE FROM	
B									C.W.		6-28-10		D.D.		FULL					
A					NAME				DRAWING NO											
REV					DESCRIPTION				DRAWN				DATE				EN			
					2CT PEDESTAL ASSY.												44214			

MP PUMPS SERVICE PARTS LIST

2CT Pumpak. 2" x 2" and 3" x 3"

Pumpak



PART NO.	ITEM NO.	DESCRIPTION	QTY.		PART NO.	ITEM NO.	DESCRIPTION	QTY.
41553	1	HEXNUT - 1/2-13	2		* 40815	16	GASKET - 145TC	1
41449	2	STUD - 1/2-13 X 2.25"	2		* 44175	16	GASKET - 184 / 215TC	1
43926	3	SET SCREW - 3/8 -16 X 1.5"	3		* 22417	17	HEX JAMNUT S.S. - 145TC	1
21268	4	HEXNUT S.S. - 3/8-16	7		* 29194	17	HEX JAMNUT S.S. - 184 / 215TC	1
21251	5	CAP SCREW S.S. - 3/8-16 X .875"	8		40015	18	IMPELLER - 5.82" for 145TC	1
21291	5	CAP SCREW S.S. - 3/8-16 X 1.13"	8		44172	18	IMPELLER - 5.88" for 184 / 215TC	1
21266	6	LOCKWASHER S.S. - 3/8	12		21260	19	STUD S.S. - 3/8-16 X 1.44"	4
22369	7	FLANGE - SUCTION 2"	1		* 43906	20	MECH. SEAL - 1.25" for 145TC	1
22468	7	FLANGE - SUCTION 3"	1		* 31374	20	MECH. SEAL - 1.5" for 184/215TC	1
* 23040	8	FLAPPER ASSEMBLY	1		43910	21	ADAPTOR 145TC	1
41484	9	PIPE PLUG - 1.5" NPT	1		44174	21	ADAPTOR 184 - 215TC	1
22372	10	FLANGE - DISCHARGE 2"	1		31235	22	CAP SCREW S.S. - 1/2-13 X 3/4"	4
22471	10	FLANGE - DISCHARGE 3"	1		* 43907	23	DRIVE SLEEVE S.S. 145TC	1
* 22358	11	GASKET - DISCHARGE	1		* 31094	23	DRIVE SLEEVE S.S. 184TC	1
43903	12	VOLUTE	1		* 31311	23	DRIVE SLEEVE S.S. 215TC	1
43905	13	CLEANOUT	1		43908	24	CLAMP .875" I.D.	1
* 41187	14	O-RING	1		31099	24	CLAMP 1.375" I.D.	1
41479	15	PIPE PLUG - 1/2" NPT	1		31312	24	CLAMP 1.5" I.D.	1
					21937	N/S	SQUARE KEY 145TC ONLY	1

*- RECOMMENDED REPLACEMENT PARTS

**MP PUMPS, INC.**

TECUMSEH PRODUCTS COMPANY
 34800 BENNETT DRIVE • FRASER, MI 48026-1686
 (586) 293-8240 • FAX (586) 293-8469
 (800) 563-8006

Form 7091-A

34800 BENNETT • FRASER, MI 48026-1686
 (586) 293-8240 • FAX (586) 293-8469
 (800) 563-8006 • www.mppumps.com

About Us