

# Problem Solving and Programming Week 1: Introduction to Python

#### WARNING

This material has been reproduced and communicated to you by or on behalf of the **University of South Australia** in accordance with section 113P of the *Copyright Act* 1968 (Act).

The material in this communication may be subject to copyright under the Act. Any further reproduction or communication of this material by you may be the subject of copyright protection under the Act.

#### Do not remove this notice



# **Python Books**

#### Course Textbook

Gaddis, Tony. 2018, Starting Out with Python, 4th edition, Pearson Education, Inc.

#### Free Electronic Books

There are a number of good free on-line Python books. I recommend that you look at most and see if there is one that you enjoy reading. I find that some books just put me to sleep, while others I enjoy reading. You may enjoy quite a different style of book to me, so just because I say I like a book does not mean it is the one that is best for you to read.

- The following three books start from scratch they don't assume you have done any prior programming:
  - The free on-line book "How to think like a Computer Scientist: Learning with Python", by Peter Wentworth, Jeffrey Elkner, Allen B. Downey and Chris Meyers, provides a good introduction to programming and the Python language. I recommend that you look at this book.
  - There is an on-line book "A Byte of Python" that is quite reasonable. See the home page for the book, or you can go directly to the on-line version for Python 3, or download a PDF copy of the book. This book is used in a number of Python courses at different universities and is another I recommend you look at.
  - Another good on-line book is "<u>Learning to Program</u>" by Alan Gauld. You can download the
    whole book in easy to print PDF format, and this is another book that would be good for you
    to look at.
- If you have done some programming before, you may like to look at the following:
  - The Python Tutorial this is part of Python's documentation and is updated with each release of Python. This is not strictly an e-Book, but is book-sized.
  - <u>Dive into Python 3</u>, by Mark Pilgrim is a good book for those with some programming experience. I recommend you have a look at it. You can download a PDF copy.




- Learning to write programs in Python provides you with:
  - Practice in logical thinking.
  - Practice in problem solving.



- What is a Programming Language?
  - A computer is an electronic machine; it does not understand, it just responds.
  - The heart of a computer is the Central Processing Unit (CPU).
    - For example: Pentium, Itanium, i3, i5, i7, etc.
  - The CPU is the part of the computer that actually runs programs.
  - The CPU responds to certain electrical signals in the form of binary numbers.
    - For example: 00101101
  - The CPU is designed to perform simple operations on pieces of data.
  - To carry out meaningful calculations, the CPU must perform many operations.
  - The CPU understands instructions written in machine language (binary).



- What is a Programming Language?
  - A program is a set of instructions that a computer follows to perform a task.
  - Instructions could be written in machine language (binary), but that is way too hard!



 A programming language makes more sense to people, but it must be translated to binary for the CPU.



- What is a Programming Language?
  - The CPU understands only machine language instructions, therefore, programs written in high-level languages must be translated into machine language in order to be executed.
  - Depending on the language, the programmer will use either a compiler or interpreter to make the translation.
  - Compiler: translates a high-level language program into a separate machine language program.
    - Machine language program can be executed at any time, without using the compiler.
  - Interpreter: translates each high-level instruction to its equivalent machine language instructions, and immediately executes them. This process is repeated for each high-level instruction.
    - Used by Python language.
    - Interprets one instruction at a time.
    - No separate machine language program.



- A program is a set of instructions that a computer follows to perform a task.
- We write a program using a programming language.
- There are many programming languages each with their different strengths and weaknesses.
- In this course we use Python. : )



# Why Python?

- Minimises obstacles when learning how to program.
- Allows you to focus on how to think rather than how to construct the instructions.
- Focus on how to solve the problem rather than focusing on the language.

- Useful in the real world i.e. used in industry
  - List of organisations using Python:

https://wiki.python.org/moin/OrganizationsUsingPython



# Why Python?

2019 Top Programming Languages - IEEE Spectrum





# Why Python?

It's free! : )

■ Download Python — version 3.8.2 (Feb 2020 release)

 You can download Python and its Integrated Development Environment (IDLE) and install it on your home computer.

http://www.python.org



#### Getting Started with Python

- IDLE is an Integrated Development Environment for Python. Provides tools to write, execute and test a program.
- You will be using IDLE to enter all of your Python code in this course.
- IDLE provides you with an interactive interpreter, code editing and debugging tools.
- Once IDLE opens, you will see the following Python Shell window:

```
File Edit Shell Debug Options Window Help

Python 3.5.1 (v3.5.1:37a07cee5969, Dec 6 2015, 01:54:25) [MSC v.1900 64 bit (AM D64)] on win32

Type "copyright", "credits" or "license()" for more information.

>>>> |
```



# Getting Started with Python

- In the Python Shell Window, you should see a prompt consisting of three angle braces: >>>
- The prompt tells you that the interpreter is ready for you to enter a command or expression.
- Performing calculations in the Shell window is similar to the way you perform calculations on a scientific calculator (most syntax is the same).

#### For example:

```
>> 5**2
ans =
25
```



# Getting Started with Python

#### For example:

```
d
                                   Python 3.5.1 Shell
    Edit Shell Debug Options Window
Python 3.5.1 (v3.5.1:37a07cee5969, Dec 6 2015, 01:54:25) [MSC v.1900 64 bit (AM
D64)] on win32
Type "copyright", "credits" or "license()" for more information.
>>> 5 + 2
>>> 5 ** 2
25
>>> print('This is fun!')
This is fun!
>>> print(c)
>>>
```



■ To exit IDLE type quit() or exit() at the prompt.

# Saving your Work

- As we have seen, it is possible to enter statements and expressions sequentially in the Python Shell window (interpreter).
- For work that requires more than a few steps, a better choice is to use a file.
- Python Files
  - If you want to save your work, you will need to create a file.
  - Files allow you to save commands and expressions and to execute them later.
  - Used to create and save code.
  - Files are text files.
  - Files are created and edited with the IDLE editor.




# Python Files

- Creating and using Python files
  - To create a Python file:

```
File -> New Window
```

 This will open the editing window where you may enter your Python statements/code.





#### Python Files

- Creating and using Python Files
  - Once you have entered your Python program (statements/code), you may run it as seen below.

```
Run -> Run Module
```

Must have a \*.py file extension.

```
*Untitled*
File Edit Format
               Run
                    Options
                           Window
 Python Shell
                   me.py
 Check Module Alt+X
 Run Module
                    student id
  Email Id:
              your email id
              2 March 2016
# Description: Displays a welcome message to the screen.
   This is my own work as defined by the University's
   Academic Misconduct policy.
# Display welcome message to the screen
print ('Welcome to Problem Solving and Programming!')
```



# Python Files

#### Example of file called welcome.py

```
#
# File: welcome.py
 Author: your name
                                 Notice comment operator (#)
 Student Id: your student id
 Email Id: your email id
# Date: today's date
 Description: Displays a welcome message to the screen.
   This is my own work as defined by the University's
  Academic Misconduct policy.
#
# Display welcome message to the screen
print('Welcome to Problem Solving and Programming!')
```

#### This produces the following output (Python Shell window):

Welcome to Problem Solving and Programming!



>>>

To solve problems, we need to further understand how Python works...

#### Comments

- The comment operator is the hash sign #.
- Span the entire line.
- Comments are ignored by Python.
- Important! Use comments to describe each variable definition and to highlight the major parts of a program.
- There should be a space between the # and the comment text. Comments should start with an uppercase letter and end with a period.



#### Variables

- A variable is a name that represents a value stored in the computer's memory.
- As you have seen, you can use Python like a calculator.
- However, it is usually more convenient to give names to the values you are using.
- Data that is input, calculated or output is stored in memory.
- To make it easy for us to refer to these memory locations, we can use names.
- We often want the values in these memory locations to be able to change (as a result of calculation, for example).
- We refer to these named memory locations as variables.
- Python variables are automatically created when they are initialized (first used).
  - Variables are defined when they are assigned a value by using an assignment statement. When a variable represents a value stored in memory, we say that the variable references the value.
- A variable is a location in memory used to store a value.



#### Creating Variables

- Python allows you to assign a value to a variable.
- A variable is created when it is first used.
- Use an assignment statement to create a variable and make it reference a piece of data.
- The following is an example of an assignment statement (used to define/create a variable).

- A variable named num will be created and it will reference the value 3. We say that the num variable references the value 3.
- This is not read as 'equals'.
- Read as num is assigned a value of 3.
- May now use the variables in subsequent calculations.



#### Variables and Constants

- Variable
  - adjective. able or liable to change
  - noun. a name given to a memory location designed to store a data value (Comp.Sci.)
  - Called 'variable' as the value stored in it is likely to change during program execution

#### Constant

- noun. a quantity that has a fixed value throughout a set of calculations
- Called 'constant' as once set, the value stored does not/cannot change during program execution



- Rules for naming variables
  - All variable names must start with a letter (a–z, A-Z, or an underscore character '\_').
  - A variable name cannot contain spaces.
  - They may contain letters (a-z, A-Z), numbers (0-9) and the underscore character (\_).
  - Names are case sensitive.
     count is different from Count.
  - You cannot use Python's keywords as a variable name.



#### Conventions:

- Use lowercase letters for variable names.
- Use UPPERCASE letters for constants.
- Names should be short enough to remember and MUST be self descriptive.
- Always choose names for your variables that give an indication of what they are used for.
- To represent names made up of multiple words, use one of the following approaches to make the variable names easy to read:
  - 1. Use an underscore to separate the words:

```
game_status
```

2. Use camelCase:


gameStatus




Either is okay as long as you are consistent in your approach.

- Variable Reassignment
  - Variables are called 'variable' because they can reference different values while a program is running.
  - When you assign a value to a variable, the variable will reference that value until you assign it a different value.
  - For example:

$$num = 3$$



This creates variable num and assigns it the value 3 (as seen above).



This assigns the value of 7 to the num variable (as seen above).

The old value of 3 is still in the computer's memory, but it can no longer be used because it isn't referenced by a variable.

When a value in memory is no longer referenced by a variable, the Python interpreter automatically removes it from memory (this process is called garbage collection).



#### Keywords

- Keywords may not be used as variable names.
- The following is a complete list of Python keywords:

False	None	True	and
as	assert	break	class
continue	def	del	elif
else	except	finally	for
from	global	if	import
in	is	lambda	nonlocal
not	or	pass	raise
return	try	while	with
yield			



- Numeric Types
  - int

Integer – whole number with no decimal point.

bool

Boolean – reference one of two values: True or False.

float

Real number – number with a decimal point (floating point number).

...more types later...



#### Performing Calculations

- Math expressions are used to perform a calculation.
- Most real world algorithms require calculations to be performed.
- An expression is a combination of values, variables, and operators.
- An expression performs a calculation and gives a value.
  - Math operator: is a tool for performing a calculation.
  - Operands: the values surrounding an operator.
    - Variables may be used as operands.
  - Resulting value is typically assigned to a variable (so we can use it again in the program).



- Python Math Operators
  - Used to perform a calculation.
  - Python uses +, -, \*, / for the add, subtract, multiply and divide operators which can be applied to all the basic data types.

Operator	Meaning
+	Addition - as you expect it to operate, except if mix floating point and integer, result will be floating point
-	Subtraction - as for +
*	Multiplication - as for +
/	Division for integer and floating point will always give floating point result.
//	Is a 'floor' operator - gives the largest integer value less than the result if used the division operator (but will be floating point if use it with floating point numbers). NOT what you may first expect if the result is negative, so make sure you try this one out for some negative values.
%	The modulo operator - for positive values it is just the remainder after division. Again, more complicated for negative numbers. Virutally always used in practice with non-negative values. Try out for floating point and for negative values.
**	Raise to a power - works with both integer and floating point values. What you expect for integer powers.



- Assignment Statement
  - Assigns a value to a variable.
  - A single equals sign ( = ) is called an assignment operator.
  - The assignment operator causes the result of the calculation to be stored in a computer memory location.
  - Example (arithmetic operations between two numbers):

$$num = 1 + 2 num \rightarrow 3$$





#### Math Operations

Example (arithmetic operations between two int variables):

Read as add the current value of variable num1 to the current value of variable num2, and assign the result to the variable total.

- The expression (right hand side) is evaluated and its result is assigned to the left hand side memory location.
- Assignment statement is NOT an algebraic equation.



- Math Operations
  - What is the result of the following statements?

```
num = 6 \qquad num \rightarrow
num = num + 1
```



- When you create expressions with operators, how is the expression evaluated?
  - Precedence and Associativity
- Order of Operations
  - Python follows the standard algebraic rules for the order of operation (operator precedence):
    - Parentheses (working from innermost to outermost).
    - Exponentiation operations (\*\*).
    - Multiplication (\*), division (/ and //) and remainder (%) operations (left to right).
    - Addition (+) and subtraction (-) operations (left to right).
  - Higher precedence is performed first.



- Order of Operations
  - Operators on the same precedence level are evaluated left to right (associativity).
  - Example:

$$5*(2+2) = 4*2/2*4 =$$

$$5*2+2 = 4*2/(2*4) =$$



- More about Math Operations...
  - Two types of division:
    - / operator performs floating point division.
    - // operator performs integer division.
      - Positive results are truncated, negative are rounded away from zero.
  - Exponent operator (\*\*):
    - Raises a number to a power.

$$x \star \star y = xy$$

- Remainder operator (%):
  - Performs division and returns the remainder (modulus operator).

$$4 \% 2 = 0$$



#### Strings

- Python indicates strings through the use of double quotes.
- In addition to the int and float data types, Python also has a str data type, which is used for storing strings in memory.
- Strings can be assigned to variables.
- For example:

```
str_example = "hello"
```

- Single quotes may also be used to indicate a string.
- For example:

```
str_example = 'hello'
```



#### End of Week 1

