

2. Business Problems

The existing boiler seller have the following problems:

Weak customer management and market competitiveness: Facing the homogenized competition in industrial product trade and the upgrading of customer demands, companies have obvious shortcomings in customer service and market expansion.

Low customer response efficiency: Customer demand records rely on manual registration, and customized equipment inquiries require repeated information transmission, with a long processing cycle, far exceeding the response speed of digital enterprises.

The lack of digital marketing: Against the backdrop of e-commerce platforms and self-media marketing becoming mainstream, the company still relies on traditional offline promotion, making it difficult to reach the younger generation of equipment purchasing decision-makers.

3. Objectives

Build an AI-enabled vertical trading platform for second-hand boilers to fill the gap in digital transactions in this niche field.

Address the core pain points of information asymmetry, inefficient matching, and difficulty in ensuring credit between buyers and sellers of second-hand boilers.

Verify the commercial feasibility of "AI technology + vertical industry" and form a replicable trading model for second-hand bulk commodities.

Complete the full process of platform from design, development to testing on time to meet the requirements of the course project milestones.

4. Justification

This project is worthwhile because it addresses an important problem in precision demand-supply matching for second-hand boiler transactions. (see subsection 8.1, 8.2)
It is innovative as it is the first AI-integrated platform in large-machine trading in China. (see subsection 8.3, 8.4)

4.1 Addressing Market Gaps in Second-hand Boiler Trading

The second-hand boiler market currently suffers from a major gap: buyers and sellers

10.2 Transaction Process

The transaction process is as follows.




Figure 11 Transaction Process

Seller Scenario

1. Register and log in
2. Complete qualification certification
3. Publish / edit / delete / manage sales posts
4. View buyer inquiries
5. Communicate with buyers via AI customer service or chat function
6. Receive reviews after offline transactions

Buyer Scenario

1. Register and log in
2. Browse / filter posts
3. Precisely search for needs via AI search (natural language description supported)
4. View post details and seller credit information
5. Contact sellers for communication
6. Review sellers after offline transactions

Detailed Process

Seller Operation: After completing a transaction, the seller can click the "Complete Transaction" button to take the corresponding post off the shelf; if the seller needs to put the post on the shelf again, they must pay the information fee again.

Purpose: To prevent sellers from posting posts at zero cost, making malicious spam comments, standardize the order of content release on the platform, and ensure the authenticity of the transaction environment.

Buyer Operation: The buyer's page is equipped with "Book" and "Cancel Booking" functions for buyers to operate according to their own needs.

Purpose: Through the buyer's "Book" operation, the system can clarify the time node when the buyer has the intention to complete a transaction, facilitating the tracking of subsequent transaction communication details; after booking, only the buyer has the right to cancel the booking. On the one hand, this setting can prevent sellers from retaining posts to avoid paying the information fee after successfully completing a transaction (reusing posts without additional payment in a disguised form); on the other

platform will impose a fine on the seller, which will be deducted directly from the guarantee deposit. The fine will be provided to the buyer as goodwill payment.

4. Rights Protection Support

Upon presentation of a valid data access document issued by a judicial authority, the platform will disclose the relevant party's information and fully cooperate with users in rights protection.

10.3 Project Requirements

10.3.1 User Management Module

Function Description: Implement the whole process of user registration, login and profile management, serving as the basic support for all user operations on the platform.

Interaction Logic: Registration requires filling in basic information (mobile phone number, password, etc.). Login supports account and password login. Users can view personal information on the personal information page. Sellers need to upload additional qualification documents on the personal information page.

10.3.2 Post Management Module

Function Description: Support buyers and sellers to publish, view, edit and delete posts, including two types: sales posts and purchase posts.

Interaction Logic: Post publishing requires filling in core information (boiler specifications, condition, price, etc.; sellers need to additionally upload actual product photos). All content can be modified when editing posts, and deleted posts cannot be restored. The platform reviews posts, which will be displayed only after approval. The details are as follow:

- Only one boiler model is allowed per link.
- Required fields include: boiler model, brand, fuel type, nitrogen oxide emission, working pressure, floor area, production date (date range can be selected for multiple units), price, rated thermal power (if Hot Water Boiler is selected), evaporation capacity (if Steam Boiler is selected).
- Optional fields include: thermal efficiency, application scenario, rated outlet water temperature.
- AI Valuation: Automatically generate a reasonable valuation range based on the boiler information entered by the user (brand, specifications, service life, etc.).

10.3.3 AI Module

AI Search: Support users to search for second-hand boiler related posts in natural language, solving the pain point of inaccurate user demand description;

Interaction Logic: Users input natural language needs (e.g., "Purchasing a 10-ton second-hand steam boiler used for less than 3 years"), the system parses through AI, accurately matches relevant posts and returns search results, supporting further filtering by users;

AI Customer Service: Provide 24/7 intelligent consulting services for users, answer common questions related to platform usage and transactions, and can transfer to manual consulting according to user needs.

10.3.4 Chat Module

Function Description: Realize real-time chat communication between buyers and sellers, provide support for the preliminary docking of offline transactions, and assist AI customer service in completing consulting services.

Interaction Logic: After users click the "Contact Seller" button, they will automatically enter the chat interface, where they can send text and pictures (such as actual boiler photos) and view historical chat records; AI customer service can access the current chat session to answer common questions for users.

10.3.5 Credit Module

Objective: Establish a user credit evaluation system, evaluate user credit based on multi-dimensional parameters, and ensure the authenticity of platform information and transaction security.

Function Description: Users can view the credit score and credit details of other users on their personal information pages

Evaluation Mechanism: Following the completion of offline transactions, buyers and sellers may rate each other. These ratings will directly impact both parties' credit scores.

The system uses a 100-point credit score calculated via fixed rules, with no machine learning involved.

Credit Scoring Criteria (Full mark: 100)

Deposit Payment: 20 points

- Full points granted upon successful guarantee deposit payment.

Information Completeness: 20 points

- Full points granted for complete and valid user information.

Mutual Rating: 30 points

- Initial score: 15 points
- Gain 3 points for each positive rating
- Lose 5 points for each negative rating

Transaction Behavior: 20 points

- Initial score: 10 points
- Gain 2 points per successfully completed transaction

Community Conduct: 10 points

- Points may be deducted for violations including inappropriate language, off-topic posts, and inflammatory content.

11. Boiler Product Selection Manual

11.1 Core Parameter Overview

Parameter Name	Definition/Unit	Core Selection Significance	Mainstream Standard Range
Product Model	Boiler Industry Standardization Number	Quickly identify boiler structure, fuel type, core output/pressure parameters	Compiled according to 'Structure + Output + Pressure + Fuel', slight adjustments by manufacturers
Fuel Type	Natural Gas / Oil / Biomass / Electric Heating	Determines boiler environmental performance and operating costs; must match local fuel supply conditions	Natural Gas (Q), Oil (Y), Biomass Pellets (T), Electric Heating
Rated Thermal Power / Evaporation Rate	Hot Water Boiler: kW	Core output indicator, directly matching customer's actual heat/steam load demand	Hot Water Boiler 300-1200kW
	Steam Boiler: t/h		Steam Boiler 0.5-10t/h
Thermal Efficiency	% (Percentage)	Measures boiler energy saving, directly affecting long-term fuel costs	Electric Heating 99%, Natural Gas 91%-94%, Biomass 88%-89%
NOx Emissions	mg/m ³ (mg/cubic meter)	Mandatory environmental acceptance indicator, determines boiler regional adaptability	Strict Environmental Control Areas ≤20, General Areas ≤30, Biomass ≤50, Electric Heating 0
Working Pressure	MPa (Megapascal)	Matches process pressure requirements for steam/heat use, relates to safety	Hot Water Boiler 0.6-0.8MPa
			Steam Boiler 0.7-1.6MPa

Application Scenarios	Industrial / Commercial / Civil Segments	Precise scenario matching, fitting usage characteristics and needs of different scenarios	Factory / Hotel / Hospital / Office Building / Residential Area / Campus / Small Processing Plant
Rated Outlet Water Temperature	°C (Celsius)	Only for hot water boilers, matches heating and domestic hot water temperature needs	85°C, 90°C (Mainstream market values)
Footprint	m ² (Square Meters)	Includes boiler body + auxiliary equipment, matches on-site installation space conditions	4-35 m ² (Increases with boiler output size)
Production Date	YYYY-MM-DD (Year-Month-Day)	Reference for product production batch, used for equipment tracing, warranty calculation, inventory management	Arranged by production batch, interval 15-30 days (fits conventional boiler production cycle)

11.2 Mainstream Product Parameter

No.	Product Model	Fuel Type	Rated Thermal Power/ Evaporation Rate	Thermal Efficiency	NOx Emissions	Working Pressure	Footprint (m ²)	Production Date
1	WNS2-1.25-Q	Natural Gas	2t/h Steam	92%	≤30mg/m ³	1.25MPa	8	2020-01-10
2	CWNS80-85/60-Q	Natural Gas	800kW Hot Water	94%	≤20mg/m ³	0.7MPa	12	2022-01-15
3	LSS0.5-0.7-Y(Q)	Oil/Gas Dual Use	0.5t/h Steam	89%	≤30mg/m ³	0.7MPa	4	2021-01-20
4	DZL4-1.25-T	Biomass Pellets	4t/h Steam	88%	≤50mg/m ³	1.25MPa	20	2022-01-25
5	CWDR300-90/70	Electric Heating	300kW Hot Water	99%	0mg/m ³	0.6MPa	6	2016-02-01
6	WNS6-1.6-Q	Natural Gas	6t/h Steam	93%	≤30mg/m ³	1.6MPa	15	2022-02-05
7	CWNS120-85/60-Q	Natural Gas	1200kW Hot Water	94%	≤20mg/m ³	0.8MPa	18	2016-02-10
8	SZL10-1.25-T	Biomass Pellets	10t/h Steam	89%	≤50mg/m ³	1.25MPa	35	2006-02-15
9	CWDR600-85/60	Electric Heating	600kW Hot Water	99%	0mg/m ³	0.7MPa	10	2016-02-20
10	WNS1-0.7-Q	Natural Gas	1t/h Steam	91%	≤30mg/m ³	0.7MPa	6	2021-02-25

11.3 Core Selection Principles

1. Compliance First, Mandatory Standards

NOx emissions and energy efficiency indicators must comply with local environmental protection and special equipment policies. Failure to meet standards will result in rejection during environmental impact assessment and acceptance, excluding them from selection.

2. Precise Matching, Avoiding Waste

Output (thermal power/evaporation rate), working pressure, and outlet water temperature must strictly match actual heat/steam demand to prevent energy and cost waste caused by 'oversized equipment'.

12. System Design

12.1 Module Overview




Figure 12




Figure 13




Figure 14

12.2 Use Case Intermediate Description

The use case diagram of our proposed system is as follow.




Figure 15

Verify Seller Qualification

1. Sellers must submit business licenses or relevant qualification documents.
2. The platform uses AI-based document recognition combined with manual review for verification.
3. Once approved, sellers can get a verified badge near the avatar.

Exception:

- 2a. If the application is rejected, the seller will not get the badge and will get a notification

Create/Update a Post

1. The seller clicks Post/Edit Post to enter the editing page.

2. The seller edits the detailed post information on the editing page.
3. The seller clicks Post.
4. The post content is updated immediately after automatic AI content review.

Exception:

- 4a. If the post fails the review, an error prompt will pop up with specific violation details.

Search Post via LLM

1. There are two tabs on the left side of the home page: AI Search and Search. AI Search is selected by default, and a chat box is displayed with a system message: “Hello, I am your AI search assistant. What do you need?” On the right side of the page are recommended posts, advertisements, etc.
2. The user enters their requirement in natural language and clicks Send. The chat history is updated immediately. The left side of the page is the AI chat window, and the right side displays the search results provided by the AI based on the current conversation.
3. The user can continue chatting with the AI to obtain search results that better match their needs. The right page is updated in real time along with the chat messages.

Exception

- 1a. If the user clicks Search, the page switches to the normal search state.

Search Post

1. The user enters keywords
2. The user clicks Search
3. The system displays the search results page, along with filter and sort buttons.
4. The user filters and sorts the results; the system updates the results page accordingly.

Exception

- 1a. If the user clicks AI Search, the page switches to the AI search state.

Manage User

1. The administrator selects a user on the user management interface.

2. The administrator modifies the specific attributes of the user and saves the changes.

Send / Receive Messages

1. The sender selects a recipient (could be AI customer service); the page displays the chat history and message input box.
2. The sender enters a message and clicks Send.
3. The system delivers the message to the recipient.

Browse Post

1. The user enters a page on the platform that can display posts (homepage recommendation area / search results page / seller's published posts page).
2. The system loads the list of equipment posts that meet the default conditions (displayed by pagination).
3. The list displays core post information: equipment name, brand/tonnage, place of origin, service life, price, release time, post status (visible only to administrator/seller).
4. The user can scroll the page or click pagination controls to browse more posts.
5. The user clicks the "View Details" link of any post to enter the post detail page and view complete information.
6. During browsing, the system automatically counts post views (increment by 1 each time the detail page is opened).

Exception

2a. No available posts: The system displays: No relevant equipment posts. Please adjust filter conditions or view purchase information.

5a. Post has been banned/delisted: The post is hidden in the list. If the user accesses the detail page via a historical link, the system prompts: This post has been delisted/banned and cannot be viewed.

Filter Post

1. The user selects or enters filter conditions in the filter interface, which can be combined in the following dimensions:
 - a. Basic attributes (equipment type, tonnage, fuel type)

- b. Region and service life (place of origin, service life)
 - c. Transaction information (price range, negotiable or not)
 - d. Text keywords (equipment name, seller name)
2. The user clicks the "Filter" or "AI Matching" button to submit the request.
 3. The system executes the query according to the combined conditions.
 4. The system refreshes the page and displays the filtered posts in a paginated list.
 5. The top of the page updates to show "Filter conditions" and "Total number of matching results".

Exception

- 1a. Invalid input: If non-numeric characters (such as letters) are entered in the price range, the system prompts "Please enter a valid price number" when filtering is clicked, and no query is executed.
- 3a. Conflicting conditions: If "Within 1 year" service life is selected but no equipment type is selected, the system still executes the query and does not treat it as an exception.
- 4a. No matching results: The system does not display the list, but shows the prompt "No equipment matching the conditions found. It is recommended to relax the filter conditions" and recommends 3 popular posts.

Contact Seller

1. The buyer triggers the "Chat with Seller" operation on the corresponding page of the platform.
2. The system verifies the buyer's login status. If logged in, it directly jumps to the chat page with the corresponding seller.
3. The chat page loads the seller's basic information sidebar and historical chat records with the seller.
4. The buyer edits consultation content in the input box, and can optionally click "Send File/Image" to upload materials.
5. The buyer clicks the "Send" button, and the message is displayed in the chat history area in real time.
6. The system automatically saves chat records, which are also used as transaction vouchers on the platform.

Exception

1a. The seller's account is abnormal (banned/cancelled): After triggering the operation, the system prompts "The seller's account status is abnormal and cannot initiate a private chat".

2a. The buyer is not logged in: After triggering the operation, the system jumps to the platform login page and prompts "Please log in first to initiate a private chat".

Write Review

1. The buyer enters the equipment post detail page.
2. The buyer enters the content to be consulted or evaluated in the comment input box.
3. The buyer clicks the "Submit Comment" button.
4. The system performs a compliance check on the comment content.
5. The system adds the comment to the comment list of the equipment.
6. The page refreshes and displays the newly published comment content.

Exception

1a. The post has been delisted or banned: The system prompts "Comments are not available for this post".

3a. The buyer is not logged in: The system prompts "Please log in first to post a comment".

3a-1. Empty comment content: The system prompts "Please enter comment content".

4a. The comment contains violating information: The system prompts "Content does not meet the specifications, please modify and resubmit".

Manage Post

1. The administrator enters the backend post management list page.
2. The system displays all equipment post information.
3. The administrator views the post title, status, release time and seller information.
4. The administrator can perform view, edit, review, list, delist or delete operations on a single post.
5. The administrator can check multiple posts for batch operations.

6. The system executes the operation and updates the post status.
7. The page refreshes to display the latest post list.

Exception

- 1a. Accessing the backend without logging in to an administrator account: Automatically jump to the login page.
- 4a. The post has been deleted or does not exist: The operation fails and prompts "Post does not exist".
- 5a. Performing batch operations without selecting any posts: The system prompts "Please select the posts to operate first".

View Seller's Profile

1. The buyer enters the seller's profile page.
2. The system displays the seller's basic information, enterprise qualifications, certification status and credit rating.
3. The system displays the list of all equipment on sale by the seller.
4. The system displays historical transaction reviews of the seller from other buyers.
5. The system displays the platform's transaction guarantee and credit description for the seller.
6. The buyer can view the seller's complete credit score and review details.

Exception

- 1a. The seller's account has been banned: The system prompts "The seller's information cannot be viewed".
- 3a. The seller has no equipment on sale: The page displays "The seller has no equipment on sale at present".

13. System Implementation

13.1 Technical Architecture

User layer	Gateway layer	Application layer	Data layer	Tool layer
Node.js, VU.Ejs	Nginx	Spring Boot, Spring MVC, htpclent, htpclent, Spring Cache JWT, WebSocket	MySQL, Redis mybats, mybais Pagehelper, Spring Data Redis	Git, Maven Jn Unit APIFox

Figure 39

This project adopts a front-end and back-end separated architecture, which is designed to be scalable, maintainable and practical, fully meeting the needs of long-term iteration and production application. The overall architecture follows a clear layered design, with the user layer, gateway layer, application layer and data layer closely connected, and the technical selection is strictly based on the finalized technology stack without any redundant components.

The user layer of the project is built with Node.js as the running environment and Vue.js as the core front-end framework, which is lightweight and easy to maintain, and can quickly respond to user operations while ensuring good interactivity. The gateway layer is implemented by Nginx, which serves as the unified entry point for all requests, undertaking functions such as request forwarding, load balancing and static resource management, effectively hiding the internal service details and ensuring the security and stability of the system. The application layer is developed based on Spring Boot and Spring MVC, which provides a mature and stable development environment. It uses JWT for stateless authentication to ensure the security of user access, and realizes real-time communication between buyers through WebSocket, while abandoning all unnecessary components that are not related to the core business. The data layer takes MySQL as the main relational database to store core business data such as user information, post content and transaction records, and uses Redis for high-performance caching to improve the response speed of the system. At the same time, it relies on MyBatis for ORM mapping and PageHelper for efficient paging query, which

In terms of tool support, the project uses Git for version control to ensure efficient team collaboration, and uses JUnit for unit testing to guarantee the quality of the code. It also relies on APIFox for API management and debugging, which replaces the traditional Postman to achieve more comprehensive API lifecycle management. All technical selections are practical and mature, avoiding any unnecessary components, and the overall design is concise and focused, which not only meets the current business needs, but also lays a solid foundation for long-term iterative optimization. The entire system is deployed on an Ubuntu server, which has strong stability and scalability, and can adapt to the long-term operation and expansion of the platform.

This part presents our system prototypes. We adopt both evolutionary prototyping and throwaway prototyping to illustrate our concept. We will continue working on our system after intermediate report.

Home

Edit Post 编辑帖子

Basic Information 基本信息

Title 标题:

Boiler Type 锅炉类型:

Boiler Specifications 锅炉规格

Model 型号:

Brand 品牌: Working Pressure 工作压力: MPa

Temperature 温度: 摄氏度 (°C) NOx Emissions 氮氧化物排放: 毫克/立方米 (mg/m³) Footprint Area 占地面积: 平方米 (m²)

Fuel Type 燃料类型:

Optional Specifications 可选规格

Rated Thermal Power 额定热功率: 千瓦 (KW) Thermal Efficiency 热效率: %

Rated Outlet Temperature 额定出水温度: 摄氏度 (°C) Application Scenario 适用场景:

Transaction Details 交易信息

Description 详细描述:

Price 价格: CNY A/EUR

Evaporation Capacity 蒸发量: 吨/小时 (t/h) Manufacture Year 制造年份: Equipment Condition 设备状况: Usage Hours 使用小时: 小时

Media Upload 媒体上传

Upload Images 上传图片:

Maximum 10 images, each under 5MB 最多10张图片, 每张不超过5MB

Location & Contact 位置与联系

Location 位置:

Your post will be reviewed after submission.

Figure 40

Seller Verification

[Home](#)

Apply for verifing qualification 申请卖家资质认证

Basic Info 基本信息

Shop Name 店铺名称

Contact Name 联系人姓名

Contact Phone 联系电话

Qualification 资质认证

Business Type:

Please Select

ID Number 身份证/统一社会信用代码:

Qualification Upload 资质文件上传

Business License 营业执照副本

选取文件

未选择文件

Individual Business doesn't need to upload Business License. 个人卖家无需上传营业执照

Legal Person ID 法人身份证

选取文件

未选择文件

Other File 其他补充资质文件

选取文件

未选择文件

Submit 提交认证申请

Reset 重置表单

Figure 41

User Management

[Home](#)

User Management 用户管理

Search & Filter 搜索筛选

Search Users:

Username, Email, or Phone

Search 搜索

User Type:

All Types

Verification Status 认证状态:

All Status

User List

Displaying records 1-10 of 123 | 显示第 1-10 条，共 123 条记录

User ID	Username	Email	Phone	User Type	Verification	Registration Date	Actions		
10001	john_doe	john@example.com	13800138000	Seller	Verified	2024-01-15	Edit	View Details	Disable
10002	jane_smith	jane@example.com	13900139000	Buyer	Unverified	2024-02-01	Edit	View Details	Enable
10003	tech_store	tech@example.com	400-123-4567	Seller	Pending	2024-02-10	Edit	View Details	Review
10004	boiler_master	master@boiler.com	13812345678	Seller	Verified	2024-01-20	Edit	View Details	Disable
10005	heat_expert	expert@heat.com	13987654321	Seller	Verified	2024-01-25	Edit	View Details	Disable
10006	steam_power	steam@power.com	400-111-2222	Buyer	Unverified	2024-02-05	Edit	View Details	Enable
10007	water_tech	tech@water.com	13800001111	Buyer	Unverified	2024-02-08	Edit	View Details	Enable
10008	energy_save	save@energy.com	13900002222	Seller	Pending	2024-02-12	Edit	View Details	Review
10009	hot_water_co	contact@hotwater.com	400-333-4444	Seller	Rejected	2024-02-14	Edit	View Details	Enable
10010	cooling_sys	sys@cooling.com	13855556666	Admin	Verified	2024-01-10	Edit	View Details	Disable

Figure 42

Log in

Login

UserName:

Password:

Figure 43

Sign up

Sign up

UserName:

Password:

Repeat Password:

Phone Number:

Type: ☒ Seller ☐ Buyer

Figure 44

Home Page

Default: AI Search is selected

AI Search

Search

AI

Hello, I am your AI search assistant. What do you need?

请在这里输入你的需求...

Send

Home Page
主页（放置帖子标题、图片等）

AD Region
广告区

Figure 45

If Search (instead of AI Search) is selected



Figure 46

Search Result Page



Figure 47

Search Result Page(Detailed)

10吨蒸汽锅炉

搜索

重置

首页

搜索条件: 10吨蒸汽锅炉 | 全国 | 不限使用年限

共找到 5 条符合条件的信息

排序: 最新发布

默认排序

筛选: 全部品牌

全部产地

重置筛选

蒸汽锅炉 (生物质)

蒸汽锅炉 (生物质)

品牌/吨位: 远大/10吨

产地: 江苏无锡

使用年限: 2年

发布时间: 2026-02-17

¥180000

详情

私聊

燃气蒸汽锅炉

燃气蒸汽锅炉

品牌/吨位: 中正/10吨

产地: 山东潍坊

使用年限: 2.5年

发布时间: 2026-02-16

¥210000

详情

私聊

燃煤蒸汽锅炉 (可改造)

燃煤蒸汽锅炉 (可改造)

品牌/吨位: 华光/10吨

产地: 浙江杭州

使用年限: 4年

发布时间: 2026-02-15

¥150000

详情

私聊

生物质蒸汽锅炉

生物质蒸汽锅炉

品牌/吨位: 四方/10吨

产地: 河南郑州

使用年限: 0.5年

发布时间: 2026-02-14

¥200000

详情

私聊

蒸汽锅炉 (天然气)

蒸汽锅炉 (天然气)

品牌/吨位: 远大/10吨

产地: 江苏苏州

使用年限: 1年

发布时间: 2026-02-13

¥195000

详情

私聊

上一页

1

2

3

下一页

跳转到第 页 | 共3页, 当前显示第1页 (5条/页)

AI二手工业锅炉交易平台 © 2026 版权所有 | 企业认证 · 交易担保

Figure 48

AI二手工业锅炉交易平台

专注工业锅炉回收、转让、求购 | 全国一站式交易平台

[首页](#) | [锅炉转让](#) | [锅炉求购](#) | [锅炉分类](#) | [卖家认证](#) | [发布信息](#) | [行情报价](#) | [我的中心](#)

精准找锅炉

类型: 吨位: 产地: 使用年限:

AI智能匹配:

【求购需求】

求购: 生物质热水锅炉
3-5吨

1. 求购: 3-5吨生物质热水锅炉
要求: 使用1年内、有检测报告 | 求购方: 山东XX食品厂 | 发布时间: 2026-02-18

求购: 燃气蒸汽锅炉
8-10吨

2. 求购: 8-10吨燃气蒸汽锅炉
要求: 江浙沪货源、可上门验货 | 求购方: 江苏XX印染厂 | 发布时间: 2026-02-17

[更多求购 >>](#)

【最新转让】二手工业锅炉

蒸汽锅炉实拍
10吨

1. 远大 SZL10-1.25-AII 10吨蒸汽锅炉
2024年出厂 | 使用2年 | 江苏无锡
¥180000
[查看详情](#)

生物质热水锅炉
6吨

2. 中正 6吨生物质热水锅炉
2023年出厂 | 使用3年 | 山东济南
¥95000
[查看详情](#)

燃气锅炉
4吨

3. 四方 4吨燃气锅炉
2025年出厂 | 使用6个月 | 河南郑州
¥120000
[查看详情](#)

燃煤蒸汽锅炉
15吨

4. 华光 15吨燃煤蒸汽锅炉
2022年出厂 | 使用4年 | 浙江杭州
¥220000
[查看详情](#)

[查看更多转让信息 >>](#)

【热门求购】

求购: 燃煤锅炉
20吨 (可改造)

3. 求购: 20吨燃煤锅炉 (可改造)
要求: 产权清晰、价格面议 | 求购方: 安徽XX建材厂 | 发布时间: 2026-02-17

求购: 生物质蒸汽锅炉
10吨

4. 求购: 10吨生物质蒸汽锅炉
要求: 9成新、手续齐全 | 求购方: 湖北XX热电厂 | 发布时间: 2026-02-16

[更多求购 >>](#)

平台核心服务

- AI锅炉估价** - 免费在线评估锅炉残值
- 第三方检测** - 专业机构上门检测, 出具权威报告
- 物流拆装** - 全国锅炉运输、拆装一站式服务
- 交易担保** - 平台监管资金, 验货后付款
- 免费咨询** - 1对1工业锅炉交易顾问服务

近期锅炉行情参考

10吨蒸汽锅炉: ¥17-19万 | 6吨生物质锅炉: ¥8-10万 | 4吨燃气锅炉: ¥11-13万

[查看完整行情报价 >>](#)

【平台保障】企业认证 | 资质核验 | 交易担保 | 售后协调

客服热线: 400-XXXX-XXXX | 商务合作: 138XXXX8888

AI二手工业锅炉交易平台 © 2026 版权所有 | 工业锅炉交易合规备案号: XXXX

Figure 49

Post Detail Page && Comment Writing Page



User Detail Page

— 返回首页

— 返回上一页

用户信息页: 江苏XX工业设备有限公司

平台认证商家

个人/企业基础信息

办公场地实拍

设备展厅实拍

办公场地实拍

设备展厅实拍

营业执照 (已核验)

平台认证证书

营业执照 (已核验)

平台认证证书

私信沟通

拨打联系电话 (隐私保护)

收藏该用户

举报违规信息

用户名:

江苏XX工业设备有限公司

身份类型:

企业用户 (一般纳税人)

统一社会信用代码:

91320200XXXXXXXXXX (已核验)

所在地:

江苏省无锡市XX工业园区XX路88号

平台入驻时间:

2023-02-10 | 会员等级: V3高级会员

信用体系:

★★★★★ (5星) | 交易完成: 128笔 | 好评率: 98.5%

认证状态:

实名认证 ✓ 资质核验 ✓ 场地实拍 ✓ 资金担保 ✓

在售二手工业锅炉 (共8台)

设备/需求名称	规格/吨位	所在地	价格/预算	操作
远大10吨蒸汽锅炉 (SZL10-1.25-AII)	10吨/生物质	江苏无锡	¥180000	查看详情
远大8吨燃气蒸汽锅炉	8吨/燃气	江苏无锡	¥150000	查看详情
中正6吨生物质热水锅炉	6吨/生物质	山东潍坊	¥95000	查看详情

[查看全部资产/需求 >>](#)

交易评价记录 (共128条)

评价1: 来自买家·设备交易

买家: 山东XX食品厂 | 交易标的: 6吨生物质锅炉

评价时间: 2026-01-18

评价内容: 商家很靠谱, 设备和描述一致, 上门看货时服务到位, 资质文件齐全, 合作很愉快!

评价星级: ★★★★★

平台核实: 该交易真实有效, 履约完成

评价2: 来自卖家·需求对接

卖家: 河南XX设备公司 | 交易标的: 4吨燃气锅炉

评价时间: 2026-01-10

评价内容: 买家沟通爽快, 付款及时, 履约意识强, 希望再次合作!

评价星级: ★★★★★

平台核实: 该交易真实有效, 履约完成

评价3: 来自买家·设备交易

买家: 安徽XX建材厂 | 交易标的: 15吨燃煤锅炉

评价时间: 2026-01-05

评价内容: 价格合理, 设备成色符合预期, 就是发货稍慢了1天, 整体满意, 商家售后也很到位。

评价星级: ★★★★★

平台核实: 该交易真实有效, 履约完成

查看全部评价记录 >>

平台交易保障

✓ 实名认证核验, 身份信息真实可查, 杜绝虚假账号

✓ 交易资金担保, 验货合格后再付款, 保障资金安全

✓ 设备/需求信息核验, 杜绝虚假信息, 支持第三方验机

✓ 交易纠纷平台介入, 7个工作日内专业协调解决

✓ 违规行为严厉处罚, 情节严重者永久封禁账号

【平台风险提示】请勿私下转账/线下交易, 所有操作请通过平台完成, 保障自身权益

AI二手工业锅炉交易平台 © 2026 版权所有 | 企业认证·交易担保·资质核验

客服热线: 400-XXXX-XXXX | 平台备案号: XXXX-XXXX

Figure 51

81

Manage Post Page

AI二手工业锅炉交易平台 - 后台管理系统

当前位置：[后台首页](#) > 帖子管理

帖子筛选

帖子状态：

全部状态

 设备类型：

全部类型

 发布时间：

开始日期 (2026-01-01)

 -

结束日期 (2026-02-1)

 卖家名称/设备名称：

关键词搜索

查询

重置

☐ 全选

帖子ID

设备名称

卖家名称

发布时间

帖子状态

浏览量

操作

☐ | 1001

| 远大10吨蒸汽锅炉 (SZL10-1.25-AII)

| 江苏XX工业设备有限公司

| 2026-02-17

| 已上架

| 128

| [查看](#)

| [编辑](#)

| [下架](#)

| [删除](#)

☐ | 1002

| 中正6吨生物质热水锅炉

| 山东XX热能设备厂

| 2026-02-16

| 已上架

| 89

| [查看](#)

| [编辑](#)

| [下架](#)

| [删除](#)

☐ | 1003

| 四方4吨燃气锅炉

| 河南XX能源科技

| 2026-02-15

| 待审核

| 56

| [查看](#)

| [审核](#)

| [下架](#)

| [删除](#)

☐ | 1004

| 华光15吨燃煤蒸汽锅炉

| 浙江XX机械公司

| 2026-02-14

| 违规封禁

| 102

| [查看](#)

| [编辑](#)

| [恢复上架](#)

| [删除](#)

☐ | 1005

| 远大10吨燃气蒸汽锅炉

| 江苏XX机械有限公司

| 2026-02-13

| 已下架

| 78

| [查看](#)

| [编辑](#)

| [重新上架](#)

| [删除](#)

批量操作

请选择批量操作

执行操作

上一页

1

2

3

下一页

 共3页, 当前第1页 (5条/页) | 总计12条帖子

后台管理系统 © 2026 AI二手工业锅炉交易平台 | 操作日志可追溯

Figure 52

Chat Page

平台客服中心

← 返回 [【10吨蒸汽锅炉】详情页](#) | 与 [江苏XX工业设备有限公司 \(认证商家\)](#) 的聊天 | [举报商家](#)

商家信息

★ 店铺名称: 江苏XX工业设备有限公司

✓ 认证类型: 企业认证

★ 信用等级: 5星

📅 入驻时长: 3年

🔧 在售设备: 8台

📍 所在地: 江苏无锡

快捷功能

[查看商家全部设备](#)

[申请上门看货](#)

[获取报价单](#)

平台保障

✓ 平台担保交易

✓ 资质真实核验

✓ 售后纠纷协调

[保存聊天记录](#) | [申请平台介入](#) | [联系平台客服](#)

【系统】欢迎咨询, 本次聊天记录将作为交易凭证保存

江苏XX工业设备有限公司 10:30:
您好! 请问有什么可以帮您? 😊

我 10:32:
您好, 想咨询这款10吨蒸汽锅炉的实际运行能耗, 有检测报告吗?

江苏XX工业设备有限公司 10:35:
这款锅炉能耗约120kg生物质/小时, 有近6个月的运行检测报告, 电子版可发您, 也支持上门查看~

我 10:36:
上门查看需要预约吗? 自提的话价格能优惠多少?

江苏XX工业设备有限公司 10:38:
需要提前1天预约哦! 自提优惠5000元, 辅机全套配齐, 不含安装费用~

发送消息

请输入咨询内容 (如: 设备安装、质保、物流等)

📎 发送文件/图片

🔍 快捷回复

📤 发送

🧹 清空

Figure 53

82

14. Future Plan

Our future plan is as follows.

Date	Task	Description
Apr 15 (Week 14, Sem B) – Jul 10 (Week 5, ST)	Software Development	Coding (Backend + Frontend + Env) Debug Testing
Jul 13 (Week 5, ST) – Jul 20 (Week 7, ST)	Prepare for Report	Report writing
Jul 21 (Week 7, ST)	Final Report	<i>Submission</i>
Jul 21 (Week 7, ST)	Project Demo Video	<i>Submission</i>
Jul 23 (Week 7, ST)	Project Presentation Video	<i>Submission</i>

15. Reference

- [1] An Zhang, Yang Deng, Yankai Lin, Xu Chen, Ji-Rong Wen, and Tat-Seng Chua. 2024. Large Language Model Powered Agents for Information Retrieval. In Proceedings of the 47th International ACM SIGIR Conference on Research and Development in Information Retrieval (SIGIR '24). Association for Computing Machinery, New York, NY, USA, 2989–2992.
- [2] M. Al-Mekhlal, M. Al-Buraik and M. Al-Lubli, "Digital Transformation: AI-Powered Bot Solutions and Automation for Customer Services," 2023 International Conference on Digital Applications, Transformation & Economy (ICDATE), Miri, Sarawak, Malaysia, 2023, pp. 1-7
- [3] <https://www.51chuli.com/about/huiyuan.html>
- [4] <https://b2b.baidu.com/help/enter?fid=494144023,1770373062470&pi=b2b.s....2544512411440886>
- [5] <https://e.baidu.com/case/159.html?refer=1296>
- [6] <https://e.baidu.com/case/151.html?refer=1296>
- [7] Helms M M, Nixon J. Exploring SWOT analysis—where are we now? A review of academic research from the last decade[J]. Journal of strategy and management, 2010, 3(3): 215-251.
- [8] Grundy T. Rethinking and reinventing Michael Porter's five forces model[J]. Strategic change, 2006, 15(5): 213-229.
- [9] C. Zhai and H. Liu, "Factors affecting SMEs adoption decision of B2B e-marketplace: A case study in China," 2013 10th International Conference on Service Systems and Service Management
- [10] Fang, E., Li, X., Huang, M., & Palmatier, R. W. (2015). Direct and Indirect Effects of Buyers and Sellers on Search Advertising Revenues in Business-to-Business Electronic Platforms. Journal of Marketing Research, 52(3), 407-422.
- [11] Oklander, Mikhaylo & Karandin, Oleksandr & Olena, Ptashchenko & Dybach, Inna. (2025). LinkedIn as a key tool for targeted advertising in industrial B2B marketing. Economics of Development. 24. 113-121. 10.63341/econ/2.2025.113.
- [12] Yuru Liu & Yan Wan, 2023. "Consumer Satisfaction with the Online Dispute Resolution on a Second-Hand Goods-Trading Platform," Sustainability, MDPI,

vol. 15(4), pages 1-15, February.