

```
spring (ore -) xml + Annotation + }
=> Spring Data => JOBC +JPA } --
                                         a logging -> log 45
              spring Boot profiles &
                Lombok API y L
= 7 spring Date JPA
                             CRUDREPUSIBLY
     Sping Boot Mongo DB
                               TPARAPOSITORY
                               Pagindern And sorting
Persisting = y storing data | storage
 Prisibut Store = y A place where we store Data => DBns / files
  Prisint operation => CRUD => Enserting, update, Delety date - Retiring Dola.
  Prisint logic: - JDBC, Hibmute, spring Date &
      JDB(-) Java
      ORM => HIDONATU -> JPA
                                     JDBC teh
      Spring JDBC -> Abhaution our
                                         spring framiwork with ORM -s
    Y Spring Duta jea y
                                                          Hibranate - JPA
                                      sping OR 10)
                 Spring JDBC -
     = y DAO Layer -> Repositry layer y -> President logic
  = y | Every table = y class => mapping & @Entity
          500 ks/4 = 7 500 c/aus
             SRP + (single Responsibility primulale)
```





Sborands =) Surends

Sborands =) Surends

Dependent for out project;

=> >pring Data JPA

=> mysel
=> Lom bok

jdk.proxy2.\$Proxy87

Proxy DP

Timplemen latin added

at time for Repository insurface.

ARD: