



- => Browser sends the request (either for dynamic or static response)
- =>Server accepts request and identify whether request is for a) static response or b)Dynamic response
- => If the request is for static resource then server only will response back with the copy of static resource(html file)
- => If the request is for static resource and server doesn't have that required resource it will generate "404-pafge not found".
- =>If the request is for the dynamic response, then server will identify for that request which .java code to be executed.
- =>To identify which .java (Servlet) /resource will be used to response back we use "web.xml //annotation"
- => Once the required resource is available then server will handover the control to "Container"/servlets.
- =>Container will execute the java code based on its "LifeCycle-Actions"

How to install server s/w --> Apache Tomcat:

=> Go to the following link:

https://tomcat.apache.org/download-90.cgi

- ==> click on 32-bit/64-bit Windows Service Installer (pgp, sha512)
- ==> Once downloaded, double click and install to setup the file
- ==> During the installation please do change the port n-: 9999

SIR	mux			
http://localhost:9991/	'SecondServ/			
			•	
		Bosec		
Protool				
	· · · · · · · · · · · · · · · · · · ·			

Rosento - I.	Servet		
Registration	> get bata		
Nand			
oden [n+m)		
nume [Print woites		
Register	/		

=> servlet -> A pgm ossiding on
Servon-
(Handle HHAP clicat rocals
Jose Back wilmsaikel
7 wet)
=> A Java pg oo => estend H++pscrvlet
Droaded Droaded Drongold Discrulet Instatised
2) scrulet Instatuted)
3 scruct Initializations
(70i+())
Deposers se request occived
foorer Milust
Service Dy dopost D dopet ()
(3) des voy ()

Http mandle P0>> -> Post Dy ret elelo c client -> HHP -> requit Data => get -> Uol -> lees seure Dota -> Form -> us Ly post To count Surved ansorm client ou pour survier sinds Just Goward)