

Community Blood Donor Finder

Prototype + Complete HTML/CSS/JavaScript Source Code

This prototype implements the project concepts described in the supplied project material: donor registration, emergency blood request, potential donor matching, availability/location prioritization, donor alerts, and an admin dashboard. The supplied material also states that the system is a support/coordination platform and must not make medical decisions.

Prototype Features

- Donor registration
- Emergency blood request
- Blood-group and availability matching
- Approximate-location display
- Donor alert simulation
- Admin donor records
- Responsive single-page interface
- Runs locally in a browser without a backend

Source basis: the uploaded presentation describes the Community Blood Donor Finder, its workflow, smart matching, architecture, screens, core features, technology stack, safety/privacy, and future enhancements.

filecite turn0file0L53-L86

Complete Prototype Code

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Community Blood Donor Finder</title>
<style>
*{box-sizing:border-box}body{margin:0;font-family:Arial,sans-serif;background:#f5f7fb;color:#172033}
header{background:#9f1239;color:#fff;padding:18px 6%;display:flex;justify-content:space-between;align-items:center}
header h1{margin:0;font-size:24px}.badge{background:#fff;color:#9f1239;padding:7px 12px;border-radius:20px;font-
weight:bold}
nav{background:#fff;padding:10px 6%;display:flex;gap:8px;flex-wrap:wrap;box-shadow:0 2px 8px #0001}
nav button,.primary{border:0;padding:11px 16px;border-radius:8px;cursor:pointer;background:#9f1239;color:#fff;font-
weight:bold}
nav button{background:#eee;color:#333}.container{max-width:1100px;margin:25px auto;padding:0 18px}
.hero{background:linear-gradient(135deg,#9f1239,#be123c);color:white;border-radius:18px;padding:30px}
.hero h2{font-size:34px;margin:0 0 10px}.hero p{max-width:720px;line-height:1.6}
.grid{display:grid;grid-template-columns:repeat(auto-fit,minmax(240px,1fr));gap:16px;margin-top:20px}
.card{background:#fff;border-radius:14px;padding:20px;box-shadow:0 4px 18px #0000000d}
.card h3{margin-top:0}.stat{font-size:30px;font-weight:bold;color:#9f1239}
label{display:block;margin:10px 0 5px;font-weight:bold}input,select,textarea{width:100%;padding:11px;border:1px
solid #ccd3df;border-radius:8px}
.formgrid{display:grid;grid-template-columns:repeat(auto-fit,minmax(220px,1fr));gap:12px}
table{width:100%;border-collapse:collapse;margin-top:15px}thead{border-bottom:1px solid #eee;text-
align:left}th{background:#f1f5f9}
.status{padding:5px 9px;border-radius:15px;font-size:12px;font-weight:bold}.available{background:#dcfce7;color:
#166534}.busy{background:#fee2e2;color:#991b1b}
.notice{padding:12px;border-radius:8px;background:#fff7ed;color:#9a3412;margin:12px 0}
.hidden{display:none}.match{border-left:5px solid #9f1239;padding:14px;background:#fff;margin:10px 0;border-radius:
8px}
footer{text-align:center;padding:30px;color:#64748b}
.small{font-size:13px;color:#64748b}.danger{color:#b91c1c}
</style>
</head>
<body>
<header>
<h1>■ Community Blood Donor Finder</h1>
<span class="badge">Prototype</span>
</header>
<nav>
<button onclick="show('home')">Home</button>
<button onclick="show('register')">Donor Registration</button>
<button onclick="show('request')">Emergency Request</button>
<button onclick="show('matches')">Nearby Matches</button>
<button onclick="show('alerts')">Donor Alerts</button>
<button onclick="show('admin')">Admin Dashboard</button>
</nav>

<div class="container">
<section id="home">
<div class="hero">
<h2>Find potential blood donors faster.</h2>
<p>A simple coordination prototype connecting blood requests with registered voluntary donors using blood
group, availability and approximate location.</p>
<button class="primary" onclick="show('request')">Create Emergency Request</button>
</div>
<div class="grid">
<div class="card"><div class="stat" id="donorCount">3</div><p>Registered donors</p></div>
<div class="card"><div class="stat" id="requestCount">1</div><p>Active requests</p></div>
<div class="card"><div class="stat">24/7</div><p>Coordination concept</p></div>
</div>
<div class="card" style="margin-top:20px">
<h3>How it works</h3>
<p><b>1.</b> Create request → <b>2.</b> Verify information → <b>3.</b> Find donors → <b>4.</b> Prioritize
matches → <b>5.</b> Notify donor → <b>6.</b> Hospital coordination</p>
</div>
</section>

<section id="register" class="hidden">
<div class="card">
<h2>Donor Registration</h2>
<div class="formgrid">
<div><label>Name</label><input id="dName" placeholder="Donor name"></div>
<div><label>Blood Group</label><select id="dBlood"><option>A</option><option>A-</option><option>B+</
option><option>B-</option><option>AB+</option><option>AB-</option><option>O+</option><option>O-</option></select></
div>
<div><label>Location</label><input id="dLocation" placeholder="Area / City"></div>
<div><label>Availability</label><select id="dAvail"><option>Available</option><option>Busy</option></
select></div>
</div>
<button class="primary" onclick="registerDonor()">Register Donor</button>
<p class="small">Prototype only. Real deployment needs secure authentication, consent and verified healthcare
workflows.</p>
</div>
</section>

<section id="request" class="hidden">
<div class="card">
<h2>Emergency Blood Request</h2>
<div class="formgrid">
<div><label>Required Blood Group</label><select id="rBlood"><option>A+</option><option>A-</
option><option>B+</option><option>B-</option><option>AB+</option><option>AB-</option><option>O+</option><option>O-
</option></select></div>
<div><label>Hospital / Request Location</label><input id="rLocation" placeholder="Area / City"></div>
<div><label>Units Required</label><input id="rUnits" type="number" min="1" value="1"></div>
</div>
<label>Additional Details</label><textarea id="rDetails" placeholder="Enter necessary request details"></
textarea>
</div>
</section>
```

```

        <button class="primary" onclick="createRequest()">Create Request & Find Matches</button>
        <div class="notice">Medical screening, donor eligibility and transfusion compatibility must be handled by
        qualified healthcare professionals or blood-bank staff.</div>
    </div>
</section>

<section id="matches" class="hidden">
    <div class="card"><h2>Nearby Potential Matches</h2><div id="matchList"></div></div>
</section>

<section id="alerts" class="hidden">
    <div class="card">
        <h2>Donor Alerts</h2>
        <div id="alertList"><div class="match"><b>New blood request alert</b><br>Potential match notifications will
        appear here after a request is created.</div></div>
    </div>
</section>

<section id="admin" class="hidden">
    <div class="card">
        <h2>Admin Dashboard</h2>
        <div class="grid">
            <div><div class="stat" id="adminDonors">3</div><p>Donors</p></div>
            <div><div class="stat" id="adminRequests">1</div><p>Requests</p></div>
            <div><div class="stat">Secure</div><p>Access-control concept</p></div>
        </div>
        <h3>Donor Records</h3>
        <table><thead><tr><th>Name</th><th>Blood</th><th>Location</th><th>Status</th></tr></thead>
        <tbody id="donorTable"></tbody></table>
    </div>
</section>
</div>

<footer>Community Blood Donor Finder – educational prototype, not a medical decision system.</footer>

<script>
let donors=[
    {name:"Arun",blood:"O+",location:"Coimbatore",avail:"Available"},
    {name:"Rahul",blood:"O+",location:"Coimbatore",avail:"Busy"},
    {name:"Karthik",blood:"A+",location:"Pollachi",avail:"Available"}
];
let requests=1;

function show(id){
    document.querySelectorAll("section").forEach(s=>s.classList.add("hidden"));
    document.getElementById(id).classList.remove("hidden");
    if(id==="matches"||id==="admin") render();
}
function registerDonor(){
    const name=document.getElementById("dName").value.trim();
    if(!name){alert("Please enter donor name.");return;}
    donors.push({
        name,blood:document.getElementById("dBlood").value,
        location:document.getElementById("dLocation").value||"Not specified",
        avail:document.getElementById("dAvail").value
    });
    alert("Donor registered successfully in this prototype.");
    document.getElementById("dName").value="";
    render(); show("admin");
}
function createRequest(){
    const blood=document.getElementById("rBlood").value;
    const loc=document.getElementById("rLocation").value||"Not specified";
    const matches=donors.filter(d=>d.blood===blood && d.avail==="Available");
    requests++;
    document.getElementById("matchList").innerHTML = matches.length ?
        matches.map((d,i)=>`<div class="match"><b>${d.name}</b> – ${d.blood}<br>Location: ${d.location}<br><span
class="status available">Available</span><br><span class="small">Priority: blood group + availability +
approximate location</span></div>`).join("")
        : "<div class='notice'>No currently available potential donor found for this blood group.</div>";
    document.getElementById("alertList").innerHTML = matches.length ?
        matches.map(d=>`<div class="match"><b>Alert sent to ${d.name}</b><br>Potential ${blood} request near ${loc}.</
div>`).join("")
        : "<div class='notice'>No donor alerts generated.</div>";
    render(); show("matches");
}
function render(){
    document.getElementById("donorCount").textContent=donors.length;
    document.getElementById("requestCount").textContent=requests;
    document.getElementById("adminDonors").textContent=donors.length;
    document.getElementById("adminRequests").textContent=requests;
    document.getElementById("donorTable").innerHTML=donors.map(d=>`<tr><td>${d.name}</td><td>${d.blood}</td><td>${d.
location}</td><td><span class="status ${d.avail==="Available"? "available": "busy"}">${d.avail}</span></td></tr>`).
join("");
}
render();
</script>
</body>
</html>

```