

Joins and Set operations

SURABHI ANUSHKA

2520090168

View Query Database Server Tools Scripting Help

joins* x

Limit to 50000 rows

1 • create database joins;

2 • use joins;

3 • CREATE TABLE class (

4 id INT,

5 name VARCHAR(30)

6);

7

8 • CREATE TABLE class_info (

9 id INT,

10 address VARCHAR(30)

11);

12

13 • INSERT INTO class VALUES

14 (1, 'abhi'),

15 (2, 'adam'),

16 (4, 'alex');

17

18 • INSERT INTO class_info VALUES

19 (1, 'DELHI'),

20 (2, 'MUMBAI'),

21 (3, 'CHENNAI');

22

Output:

Action Output

#	Time	Action	Message
81	22:32:08	INSERT INTO Donation_History (donation_id, bo...	1 row(s) affected
82	22:32:08	COMMIT	0 row(s) affected
83	22:32:09	CREATE INDEX idx_books_isbn ON Books(isbn)	0 row(s) affected Flex
84	22:32:10	SELECT * FROM Books WHERE isbn = '978045...	0 row(s) returned
85	22:47:50	use joins	0 row(s) affected

SQL Enterprise Manager interface showing a SQL script and its execution results.

SQL Script:

```
7
8 CREATE TABLE class_info (
9     id INT,
10    address VARCHAR(30)
11 );
12
13 INSERT INTO class VALUES
14 (1, 'abhi'),
15 (2, 'adam'),
16 (4, 'alex');
17
18 INSERT INTO class_info VALUES
19 (1, 'DELHI'),
20 (2, 'MUMBAI'),
21 (3, 'CHENNAI');
22
23 SELECT *
24 FROM class
25 CROSS JOIN class_info;
26
27 CREATE TABLE class (
```

Output:

#	Time	Action
1	12:12:46	INSERT INTO class VALUES (1,'abhi'), (2,'adam'), (4,'alex')
2	12:12:47	INSERT INTO class_info VALUES (1,'DELHI'), (2,'MUMBAI'), (3,'CHENNAI')

Edit View Query Database Server Tools Scripting Help

SQL

joins

MAS

er objects

bank
 book_dbs
 bookflow_db
 bookflow_dbs
joins
 Tables
 class
 class_info
 student_marks1
 Views
 Stored Procedures
 Functions
 kleb
 klef
 iistration Schemas
 ation

```

17
18 • INSERT INTO class_info VALUES
19     (1, 'DELHI'),
20     (2, 'MUMBAI'),
21     (3, 'CHENNAI');
22
23 • SELECT *
24     FROM class
25     CROSS JOIN class_info;
26
  
```

Result Grid

	id	name	id	address
▶	1	abhi	3	CHENNAI
	1	abhi	2	MUMBAI
	1	abhi	1	DELHI
	1	abhi	3	chennai
	1	abhi	2	mumbai
	1	abhi	1	delhi
	1	abhi	3	kolkata
	1	abhi	2	Mumbai
	1	abhi	1	delhi
	2	adam	3	CHENNAI

object selected

Edit View Query Database Server Tools Scripting Help

Limit to 50000 rows

IAS
 objects

bank
 book_db
 bookflow_db
 bookflow_db
 joins
 Tables
 class
 class_info
 student_marks1
 Views
 Stored Procedures
 Functions
 klob
 klob
 stration Schemas

object selected

```

35  );
36
37  * INSERT INTO class VALUES
38  (1,'abhi'),
39  (2,'adam'),
40  (3,'alex'),
41  (4,'anu');
42
43  * INSERT INTO class_info VALUES
44  (1,'DELHI'),
45  (2,'MUMBAI'),
46  (3,'CHENNAI');
47
48  * SELECT *
49  FROM class
50  INNER JOIN class_info
51  ON class.id = class_info.id;
52
53  * SELECT class.name,
54         class_info.address
55  FROM class
  
```

Output

Action Output

#	Time	Action
3	12:13:10	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 50000
4	12:13:32	CREATE TABLE class (id INT, name VARCHAR(30))
5	12:13:41	INSERT INTO class VALUES (1,'abhi'), (2,'adam'), (3,'alex'), (4,'anu')
6	12:13:50	INSERT INTO class_info VALUES (1,'DELHI'), (2,'MUMBAI'), (3,'CHENNAI')
7	12:13:55	INSERT INTO class VALUES (1,'abhi'), (2,'adam'), (3,'alex'), (4,'anu')
8	12:13:55	INSERT INTO class_info VALUES (1,'DELHI'), (2,'MUMBAI'), (3,'CHENNAI')

Info Session

File Edit View Query Database Server Tools Scripting Help

tor: joins* x

AS

r objects

rank

look_dbs

lookflow_db

lookflow_dbs

oins

Tables

class

class_info

student_marks1

Views

Stored Procedures

Functions

leb

laf

stration Schemas

ition

```
47
48 • SELECT *
49 FROM class
50 INNER JOIN class_info
51 ON class.id = class_info.id
52
53 • SELECT class.name,
54         class_info.address
55 FROM class
56 INNER JOIN class_info
```

Result Grid

	id	name	id	address
▶	1	abhi	1	DELHI
	1	abhi	1	DELHI
	1	abhi	1	DELHI
	1	abhi	1	delhi
	1	abhi	1	delhi
	2	adam	2	MUMBAI
	2	adam	2	MUMBAI
	2	adam	2	MUMBAI
	2	adam	2	mumbai
	2	adam	2	Mumbai

object selected