
CITICNORE

Lenguajes de Marcas y Sistemas de Gestión de la Información








```
MINGW64:/c/Users/asus/Desktop/test
```

```
asus@portatil MINGW64 ~
$ cd ~/Desktop/test/
asus@portatil MINGW64 ~/Desktop/test
$ git init
Initialized empty Git repository in C:/Users/asus/Desktop/test/.git/
asus@portatil MINGW64 ~/Desktop/test (master)
```




X



```
MINGW64:/c/Users/asus/Desktop/test
                                                                               X
$ cd ~/Desktop/test/
asus@portatil MINGW64 ~/Desktop/test
$ git init
Initialized empty Git repository in C:/Users/asus/Desktop/test/.git/
asus@portatil MINGW64 ~/Desktop/test (master)
$ git status
On branch master
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
asus@portatil MINGW64 ~/Desktop/test (master)
```





```
MINGW64:/c/Users/asus/Desktop/test
                                                                        ×
$ git init
Initialized empty Git repository in C:/Users/asus/Desktop/test/.git/
asus@portatil MINGW64 ~/Desktop/test (master)
$ git status
On branch master
No commits yet
Untracked files:
 (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
asus@portatil MINGW64 ~/Desktop/test (master)
$ mv ./1.txt .gitignore
asus@portatil MINGW64 ~/Desktop/test (master)
```





.gitignore: Bloc de notas

Archivo Edición Formato Ver Ayuda



```
MINGW64:/c/Users/asus/Desktop/test
                                                                               X
nothing added to commit but untracked files present (use "git add" to track)
asus@portatil MINGW64 ~/Desktop/test (master)
$ mv ./1.txt .gitignore
asus@portatil MINGW64 ~/Desktop/test (master)
$ git status
On branch master
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
asus@portatil MINGW64 ~/Desktop/test (master)
```




```
MINGW64:/c/Users/asus/Desktop/test
                                                                                            ×
Untracked files:
  (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
asus@portatil MINGW64 ~/Desktop/test (master)
$ git add -A
asus@portatil MINGW64 ~/Desktop/test (master)
$ git status -
On branch master
No commits yet
Changes to be committed:
 (use "git rm --cached <file>..." to unstage)
       new file: .gitignore
       new file: Exposicion.zip
       new file: LMSGI.docx
       new file: Prueba.txt
asus@portatil MINGW64 ~/Desktop/test (master)
```



```
NINGW64:/c/Users/asus/Desktop/test
                                                                                                     X
Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
       new file:
                   .gitignore
       new file: Exposicion.zip
       new file: LMSGI.docx
       new file:
                   Prueba.txt
asus@portatil MINGW64 ~/Desktop/test (master)
 git commit -m "ExposicionLMSGI"
[master (root-commit) d72abe2] ExposicionLMSGI
 4 files changed, 1 insertion(+)
 create mode 100644 .gitignore
 create mode 100644 Exposicion.zip
 create mode 100644 LMSGI.docx
 create mode 100644 Prueba.txt
asus@portatil MINGW64 ~/Desktop/test (master)
$ git remote add origin git@github.com:josejimenezromero/test.git
```









REALIZADO POR:

José David Villegas Mendoza José Jiménez Romero

