



PUBLIC
2026-04-10

Sales and distribution monitor

Content

1	Sales and distribution monitor.	3
2	Selection Screen.	4
2.1	Main Tab.	4
2.2	Tabs for Individual SD Document Types.	5
	"Sales Documents" Tab.	5
	Stock Transfers (STOs) Tab.	6
2.3	"Condition Records" Tab.	6
2.4	"Display" Tab.	6
3	Result.	7
3.1	Document Overview.	7
	Warehouse Stock Indicators.	8
	Sales Documents.	9
	Stock Transport Orders.	14
	Deliveries.	15
	Billing Documents.	16
3.2	Prices.	17

1 Sales and distribution monitor

The sales and distribution monitor (SDM) is an application for analyzing and updating sales and distribution documents (document overview) and price conditions (condition record analysis).

The **document overview** supports the following SD document categories:

- Sales Documents
- Stock Transport Orders
- Deliveries
- Billing Documents

The SDM provides an overview of all relevant information for the selected documents at header, item, and, where applicable, schedule line level. In addition to predefined filter and aggregation options, you can navigate to standard SAP transactions so that the monitor can be used as an easy access point for processing SD documents.

The **condition record analysis** of SDM enables the analysis and processing of cross-sales-organization condition records. In addition to processing on the results screen, you can also download and upload conditions. This provides a user-friendly way to check and maintain pricing conditions flexibly in a transaction.

📘 Note

The transaction code for calling the sales and distribution monitor is `/SAPL0M/SDM`. Note that to run the SAP SCM Consulting Solutions, an `/n` must be placed in front of the actual transaction code. Alternatively, you can also prefix `/o` to call the sales and distribution monitor in a new session. Therefore, if you want to call the SDM in the current session, you need to enter `/n/SAPL0M/SDM` in the transaction field.

2 Selection Screen

The selection screen of the SDM is divided into the following tabs:

- [General](#)
- [Sales Documents](#)
- [Stock Transport Orders \(STOs\)](#)
- [Deliveries](#)
- [Billing Documents](#)
- [Condition Records](#)
- [Display](#)

Note that, depending on the chosen selection or features, not all tabs are displayed on the [General](#) tab.

Related Information

[Main Tab \[page 4\]](#)

2.1 Main Tab

In the [Selection and Features](#) block, you define which documents (sales documents, stock transport orders, deliveries, billing documents) are to be selected. You can also activate or deactivate functions such as the condition record analysis or the calculation of the stock indicators (see the column [Warehouse Stock Indicator](#)). Note that the stock indicators are only available if the corresponding Customizing has been maintained (transaction /SAPL0M/SDM_CUST_SI). For more detailed information, see the section [Warehouse Stock Indicators \[page 8\]](#). Depending on the settings in this block, other tabs are displayed in which specific setting options are available.

The [General Selection Criteria](#) block contains settings for the SDM functionality. You can use this to evaluate all SD documents within a transaction. In this block, you define general selection criteria to define the relevant work area. These general criteria refer to all SD document categories. This means to sales documents as well as to stock transport orders, deliveries, and billing documents. Special selection criteria for the individual document categories is stored on the corresponding tabs. Only the documents that meet the selection criteria and do not have a deletion indicator are displayed on the results screen. In addition, the selection of the corresponding document category must be activated in the [first block \[page 4\]](#).

The [Display All Partners](#) checkbox in the [Partners](#) block can be used to display all partners of the selected documents. If it is not activated, only the following partners are displayed by default: for sales documents - sold-to party, ship-to party, bill-to party, and payer; for deliveries - sold-to party and ship-to party; for billing documents - sold-to party, ship-to party, bill-to party, and payer. If it is activated, all partners that are

maintained at header or item level of the selected documents are displayed. On the selection screen, you can only use the standard partner functions to make selections.

In the third block, you can specify an overall profile. This standardizes the use of various *comprehensive functions* (see [Overall Profile](#)). These are functions that can be used in many SCM CS Consulting Solutions. For further settings for the comprehensive functions, see the individual tabs. However, if an overall profile is used, these individual settings are overridden.

Layout sets allow users to define their own work areas – consisting of predefined variants and sort criteria (ALV layouts). This makes it easier to maintain the sales data depending on the business scenario. For example, you can display all orders that need to be delivered or settled. The layouts stored in the layout set are displayed on the *results screen* of SDM and can be applied directly by double-clicking. The sample action profile `/SAPL0M/SDM_DEF` is delivered with SDM in the standard system. This can be used, for example, for a jump to MD04. For more information about maintaining and using the comprehensive functions, see the documentation below. You can use the comprehensive functions Formulas and Alerts on the tabs for the individual SD document categories.

Related Information

[Documentation on the consulting solution comprehensive functions](#)

2.2 Tabs for Individual SD Document Types

The tabs *Sales Documents*, *Deliveries*, *Billing Documents*, and *Stock Transfers* are only displayed if the selection of the corresponding SD document category is selected on the *Main* tab. Here, you can specify selection criteria that restrict the selection of the corresponding SD document category. You can also make further entries for comprehensive functions. However, if you have selected an overall profile on the *Main* tab, these entries are overwritten.

Related Information

[Alerts](#)
[Formulas](#)

2.2.1 "Sales Documents" Tab

On this tab, you can specify selection criteria that restrict the selection of sales documents. You can also choose whether the open delivery quantity is to be calculated for sales documents (see the column *Open Delivery Quantity* on the results screen) and whether data fields are to be determined from the schedule lines.

Note

The entries in the block *Comprehensive Functions* are overridden if you have used an overall profile on the tab *General*.

2.2.2 Stock Transfers (STOs) Tab

On this tab, you can specify selection criteria that restrict the selection of stock transport orders. In addition to criteria for standard STO fields, the field *Status (SDM)* can be used in the block *Item Data*. The status is based on the purchase order quantity and the quantity already delivered. A quantity is evaluated as delivered once the corresponding delivery has been created. The posting of a goods issue is not relevant. It is also possible to select whether the open delivery quantity is to be calculated for STOs (see column *Open Delivery Quantity* on the result screen).

Note

The entries in the block *Comprehensive Functions* are overridden if you have used an overall profile on the tab *General*.

2.3 "Condition Records" Tab

The *Condition Records* tab contains the settings for the condition record analysis. It is mandatory to specify a condition key. The condition key determines the displayed conditions and the key combinations offered. The key combination is selected via a dialog box that appears as soon as the SDM has been executed. You can analyze and edit conditions online. To do this, select the first radio button *Analyze Online*. The current date is used as the default value for the validity. Depending on your use case, you can choose a different date. As an option for online analysis, you can download and save the results as an Excel file. For this purpose, it is necessary to define a storage location on the selection screen. In addition to online analysis, you can also upload conditions from an Excel file. To do this, select the lower radio button *Upload Conditions from Excel* and specify the storage location of the file to be analyzed.

2.4 "Display" Tab

On the results screen of the SDM, you have the option of filtering the displayed SD documents by sales document category (VBTP). If you do not want to use these predefined filters, you can hide them here. To do this, simply remove the checkmarks from the corresponding document categories.

3 Result

After executing the SDM, the [Document Overview](#) tab of the results screen is displayed. If condition record analysis is activated, the [Prices](#) tab page also appears.

3.1 Document Overview

The results screen for the document overview displays the selected documents and provides options for further processing and analysis. The screen is subdivided into two areas:

Filter options and aggregation options can be applied by double-clicking on the left of the [navigation area](#). Filters for the various SD document categories and the corresponding lower-level sales document categories are available as standard. If a layout set was specified on the selection screen, the layouts from the selected layout set also appear here. These layouts are also assigned to the corresponding SD document category and inserted in the filter tree under each of these layouts. For details on using the layout sets, see [Layout Sets](#). Aggregation provides predefined criteria for determining the net value of the selected documents. Options are offered for aggregation by customer (sold-to party), sales document, sales organization, distribution channel, and division. Defined aggregations can be reset via [Undo Aggregation](#) so that the values are displayed at single item level again.

The **work area** contains the table with the selected SD documents. You can use the tabs to switch between the categories. Various pushbuttons that trigger the corresponding functions are located above the results table (see section). In the results list, the selected SD documents are displayed at header, item, and, if applicable, also at schedule line level by double-clicking.

The toolbar above the results table provides standard ALV functions as well as SDM-specific functions and jumps. The **standard ALV functions** include sorting, searching, filtering, totaling, and exporting the results list. The [Graphic](#) pushbutton provides a graphical display of the analysis list according to the aggregation (for example, net value by sold-to party).

The SDM also offers the cross-monitor functions Action Flows, and Alerts and Formulas. For more information, see the documentation below.

SDM-Specific Functions

Document Flow The [Document Flow](#) pushbutton displays the document flow of the selected item.

Incompletion Log Choosing the [Inc. Log](#) pushbutton displays the incompletion log for the entire document of the selected item.

Related Information

[Comprehensive Functions](#)

[Layout Sets](#)

3.1.1 Warehouse Stock Indicators

The column *Warehouse Stock Indicator* in SDM provides an overview of the current stock situation regarding the current stock situation in relation to the required quantities of the selected SD documents. Various options are available for calculating these indicators. These are described in more detail in the following. To select one of the methods, maintain the corresponding class name (for example, /SAPLOM/CL_SDM_STOCK_IND_001) in SDM Customizing (transaction/SAPLOM/SDM_CUST > Warehouse Stock Indicator).

You can also use your own calculations of the warehouse stock indicator by implementing the interface /SAPLOM/IF_SDM_STOCK_IND_CALC and entering the corresponding class name in SDM Customizing. In principle, the SD document categories Orders, Deliveries, and Stock Transport Orders can be included in the calculation.

/SAPLOM/CL_SDM_STOCK_IND_001

If you select the class /SAPLOM/CL_STOCK_IND_001, the indicators are determined as follows: The total of the requirements of all selected documents is formed for each material/plant combination (required quantity) and compared with the unrestricted-use stock from the MD04 list (available quantity).

- Determination of available quantity:
 - The stock is read for the current date (today).
 - For MTS items, the available quantity is read from the MD04 list for the ordered material and the supplying plant.
 - The relevant sales order stock is read for MTO items.
- Determination of required quantity: To determine the required quantity, all displayed orders, deliveries, and stock transport orders are taken into account. The required quantities of all these documents are totaled for each material/plant combination. The following quantities are used for this:
 - Orders: Open quantity (SDM field)
 - Deliveries: Delivery quantity (LIPS-LFIMG)
 - Stock transfers: Open quantity (SDM field)
- Determination of warehouse stock indicator: The available quantity is compared with the required quantity for each material and plant combination. The indicator is determined as follows:
 - If available quantity is 0: Red indicator
 - If $0 < \text{available quantity} < \text{required quantity}$: Yellow indicator
 - If $\text{available quantity} \geq \text{required quantity}$: Green indicator
 - If problems arose during the determination, a gray indicator is displayed (not defined).

/SAPLOM/CL_SDM_STOCK_IND_003

When you select the class /SAPLOM/CL_STOCK_IND_003, the indicators are determined as follows: The requirement of each individual document is compared with the unrestricted-use stock from the MD04 list (available quantity). The following quantities are used as requirements:

- Orders: Open quantity (SDM field)
- Deliveries: Delivery quantity (LIPS-LFIMG)
- Stock transfers: Open quantity (SDM field)

The available quantity (LABST) is determined for the current date (today) from the MD04 list for the material ordered and supplying plant. For MTS items, the plant stock is read, for MTO items, the sales order stock is read. The warehouse stock indicator is determined as follows:

- If available quantity is 0: Red indicator
- If $0 < \text{available quantity} < \text{required quantity}$: Yellow indicator
- If $\text{available quantity} \geq \text{required quantity}$: Green indicator
- If problems arose during the determination, a gray indicator is displayed (not defined).

3.1.2 Sales Documents

All available header and item data for sales documents is displayed in SDM. From a technical perspective, this is all fields of VBAK (header data) and VBAP (item data). This also includes potential customer fields/Z fields of the tables mentioned. Furthermore, selected status fields (VBUP) and partner fields (VBPA) as well as selected material master data are displayed.

In addition to this standard data, the following SDM-specific fields are also available:

Data

- **No. SL.** This key figure specifies how many schedule lines an item has.
- **MTO Disp. Req. CE** Number of demand-covering elements in the customer stock segment for a sales order. This key figure is maintained only for order items with MTO materials. Clicking on the field opens a popup displaying information about the associated requirement coverage elements. This information comes from the customer stock segment in the MD04 list. You can use a hotspot click to jump directly to the requirement coverage element.
- **First and Last Delivery Date** There can be multiple deliveries for one item. These two fields specify the first and last delivery dates. The delivery data comes from the delivery header (table LIKP).
- **First and Last Confirmation Date** For the schedule lines of a sales order, quantities can be confirmed on multiple days. These two key figures specify the first and last confirmed days. The schedule lines of an order are read for this.
- **First and Last Requested Date** For the schedule lines of a sales order, quantities can be requested on several days. These two key figures specify the first and last requested dates. The schedule line of an order is read for this.

- **Latest Material Availability Date** The latest material availability date from the corresponding schedule lines (VBEP-MBDAT).
- **Last Goods Issue** The date of the last goods issue that is read from the corresponding schedule lines (VBEP-WADAT).
- **Quantity Delivered** Delivery quantity of the item (VSMNG).
- **Open Delivery Quantity** The difference between the order quantity (VBAP-KWMENG) and the quantity already delivered.
- **Value of Open Quantity (Sales Price)/(Material Valuation Record)** States the value of the open delivery quantity. The value is based either on the sales price of the relevant item (net value, VBAP-NETWR) or the material valuation record from the material master data. For example, for an order of 10 pieces of material X at a net purchase order value of EUR 100 and with an open delivery quantity of 2 pieces, the value of the open quantity (sales prices) would be $\text{EUR } 100 / 10 \text{ pc.} * 2 \text{ pc.} = \text{EUR } 20$.
- **Unrestricted-Use Stock** Unrestricted-use stock (LABST) of the material ordered (VBAP-MATNR) at the supplying plant (VBAP-WERKS).
- **Warehouse Stock Indicator** As per the settings in Customizing /SAPLOM/SDM_CUST_SI, the available quantity in warehouse stock is placed in this column (see [Warehouse Stock Indicators \[page 8\]](#)).

Functions

Edit Sales Texts

If an order is displayed in SDM, the text can be edited by right-clicking on the order and choosing  [Edit Texts](#)  [<Text Type>](#) . In the lower area, a new window appears in which a text editor is integrated. The text can be created/changed in this window. You choose the [Save](#) button in the upper ALV to save the text.

Follow-On Documents

Follow-on documents can be created for sales documents and deliveries using the [Follow-On Document](#) pushbutton (via the results table). To do this, you must first select the desired rows in the table. Even if the data is displayed at item level in the table, the follow-on document is always created for the entire document of the selected item. After processing, the results table can be updated using the [Refresh button](#) so that the newly created deliveries and billing documents are also displayed in the result list. This requires the newly created deliveries to be in the work area defined on the selection screen.

After you choose the [Follow-On Document](#) pushbutton, the following functions are available for orders: [Create Delivery](#), [Post Goods Issue](#), [Create Billing Document and Delivery](#), [Create Delivery](#), [Goods Issue](#), and [Billing](#).

[Create Delivery](#) If this function is selected, all items of the selected document are processed and a delivery is created in the background. If possible, all items are delivered in full. Delivery splits are carried out according to the general system settings. When processing is complete, a dialog box appears and says whether the creation was successful. In addition, a log can be issued, displaying further information about the creation of the delivery and possible error messages.

[Post Goods Issue](#) This function can only be executed for sales orders for which a delivery has already been created. The system determines all subsequent deliveries of the selected orders and tries to post a goods issue for all subsequent deliveries. Once the function has been executed, the system says whether the creation was successful or not and provides any necessary additional information. You can use the [Display Document Flow](#) function to display the goods issue.

Create Billing Document This function can only be executed for sales orders for which a delivery has already been created. As with goods issues, the system first attempts to invoice the deliveries belonging to the order. If an order does not have subsequent deliveries, it is billed directly. You can display the change log after executing the function. In addition to information about successfully created billing documents, this contains information about warnings and error messages.

Create Billing Document and Delivery This function executes all three functions one after the other, as described. After you execute this function, the system displays the confirmations of the individual steps one after the other.

Edit Documents

Sales orders can be processed directly in SDM if you use transaction `/SAPL0M/SDM` to call the program. Only uncompleted documents can be edited (GBSTK not equal to 'C'). To edit a document, you can either change individual cells or use mass processing. To do this, select the required items in the results table and choose `Enter` + `and double-click` the column in which you want to edit the fields. If your selection contains fields that can be edited, a dialog box appears in which you can enter the required new value. After you confirm your entry, all editable fields of your selection are overwritten with the new value.

Caution

You must choose **Save** to confirm the changes. Otherwise, they are discarded and not transferred to the system.

The following fields can be edited at header level:

- Requested delivery date (VDATU)
- Purchase order number of customer (BSTNK)
- SDM: Goods recipient (PA_WE)
- SDM: Sold-to party (PA_AG)
- Sales organization (VKORG)
- Distribution channel (VTWEG)
- Sales group (VKGRP)
- Sales office (VKBUR)
- Requested delivery date (VDATU)
- Period for date (VPRGR)
- Order date (BSTDK)
- Purchase order type (BSARK)
- Addition (BSTZD)
- Your reference (IHREZ)
- Name (BNAME)
- Telephone ((TELF1)
- Delivery block (LIFSK)
- Billing block (FAKSK)
- Order reason (AUGRU)
- Complete delivery (AUTLF)
- Quotation valid from (ANGDT)
- Quotation valid to (BNDDT)

- Start of validity (GUEBG)
- End of validity (GUEEN)
- Customer group 1 (KVGR1)
- Customer group 2 (KVGR2)
- Customer group 3 (KVGR3)
- Customer group 4 (KVGR4)
- Customer group 5 (KVGR5)
- SD document category (VBTYP)
- Document date (AUDAT)
- Warranty (GWLDT)
- Shipping condition (VSBED)
- Description (KTEXT)
- Number of dunning notices (MAHZA)
- Last dunning notice (MAHDT)
- Cost center (KOSTL)
- Usage (ABRVW)
- MRP for release types (ABDIS)
- Billing company code (BUKRS_VF)
- Deviating tax class (TAXK1)
- Tax classif.2-Cust. (TAXK2)
- Tax classif.3-Cust. (TAXK3)
- Tax classif.4-Cust. (TAXK4)
- Tax classif.5-Cust. (TAXK5)
- Tax classif.6-Cust. (TAXK6)
- Tax classif.7-Cust. (TAXK7)
- Tax classif.8-Cust. (TAXK8)
- Tax classif.9-Cust. (TAXK9)
- Assignment (ZUONR)
- Originating system (VBKLA)
- Version (VSNMR_V)

The following fields can be edited at item level:

- Cumulative order quantity in sales units (KWMENG)
- Higher-level item (UEPOS)
- Purchase order item (POSEX)
- Alternative to item (GRPOS)
- Batch (CHARG)
- Delivery group (GRKOR)
- Partial delivery at item level (KZTLF)
- Storage location (LGORT)
- Item category (PSTYV)
- Description (ARKTX)

- Material group 1 (MVGR1)
- Material group 2 (MVGR2)
- Material group 3 (MVGR3)
- Material group 4 (MVGR4)
- Material group 5 (MVGR5)
- Product hierarchy (PRODH)
- Material group (MATKL)
- Sales unit (VRKME)
- Numerator target -> stock (UMZIZ)
- Denominator target -> stock (UMZIN)
- Rounding qty del. (ABLFZ)
- Absolute deviation (ABSFZ)
- Deviation in percent (KBVER)
- Deviation days (KEVER)
- Quantity is fixed (FMENG)
- Overdelivery tolerance (UEBT0)
- Underdelivery tolerance (UNTT0)
- Division (SPART)
- Numerator (UMVKZ)
- Denominator (UMVKN)
- Gross weight (BRGEW)
- Net weight (NTGEW)
- Unit of weight (GEWEI)
- Volume (VOLUM)
- Unit of volume (VOLEH)
- Supply priority (LPRI0)
- Shipping point/receiving point (VSTEL)
- Route (ROUTE)
- Created by (ERNAM)
- Material group (KONDM)
- Valuation type (BWTAR)
- Delivery date and quantity fixed (FIXMG)
- Serial number (SERNR)
- Results analysis key (ABGRS)
- Requirement type (BEDAE)
- Customer has not posted goods receipt (NACHL)
- Transaction type (EXART)
- Overhead key (ZSCHL_K)
- Pricing procedure (KALSM_K)
- Mat. freight grp (MFRGR)
- Planning release regulation (PLAV0)
- Sequence number (KANNR)

- Pricing reference material (PMATN)
- Logical system (LOGSYS_EXT)
- Order probability (AWAHR)
- Max. partial deliveries (ANTLF)
- ICMS law (J_1BTAXLW1)
- IPI law (J_1BTAXLW2)
- Tax code (J_1BTXSDC)
- Module (SKOPF)
- Component quantity (KMPMG)
- Document currency (WAERK)
- Profit center (PRCTR)
- Order (AUFNR)
- Reference document (VGBEL)
- Reference item (VGPOS)
- Preceding document category (VGTYP)
- Value contract number (WKTNR)
- Value contract item (WKTPS)
- EAN/UPC (EAN11)
- Use UEPOS (UEPVW)
- Usage (VKAUS)
- Material received (MATWA)
- Logical system (LOGSYS_EXT)
- ISS law (J_1BTAXLW3)
- COFINS law (J_1BTAXLW4)
- PIS law (J_1BTAXLW5)

The following field is editable at schedule line level:

- Order quantity (WMENG)

3.1.3 Stock Transport Orders

Data

All available header and item data for stock transport orders is displayed in SDM. From a technical perspective, this is all fields of EKKO (header data) and EKPO (item data). This also includes potential customer fields/Z fields of the tables mentioned. Selected material master data is also displayed.

In addition to this standard data, the following SDM-specific fields are also available:

- **First Delivery Date** There can be multiple deliveries for one item. This field specifies the date of the delivery that will be made first. The delivery data comes from the delivery schedule lines (table EKET).
- **Latest Material Availability Date** The latest material availability date from the corresponding delivery schedule lines (EKET).

- **Quantity Delivered** Maximum quantity delivered from the delivery schedule lines (EKET - GLMNG)
- **Open Delivery Quantity** The difference between the purchase order quantity (EKPO - MENGE) and the quantity already delivered. For canceled purchase orders and purchase orders with the delivery completed indicator, the open quantity 0 is always displayed.
- **Value of Open Quantity (Sales Price)/(Material Valuation Record)** States the value of the open delivery quantity. The value is based either on the sales price of the relevant item (net purchase order value in purchase order currency, EKPO - NETWR) or the material valuation record from the material master data. For example, for a purchase order of 10 pieces of material X at a net purchase order value of EUR 100 and with an open delivery quantity of 2 pieces, the value of the open quantity (sales prices) would be $\text{EUR } 100 / 10 \text{ pc.} * 2 \text{ pc.} = \text{EUR } 20$.
- **Unrestricted-Use Stock** Unrestricted-use stock (LABST) of the material ordered (EKPO - MATNR) at the supplying plant (EKKO - RESWK).
- **Warehouse Stock Indicator** As per the settings in Customizing /SAPLOM/SDM_CUST_SI, the available quantity in warehouse stock is placed in this column (see [Warehouse Stock Indicators \[page 8\]](#)).

3.1.4 Deliveries

Data

All available header and item data for deliveries is displayed in SDM. From a technical perspective, this is all fields of LIKP (header data) and LIPS (item data). Furthermore, selected status fields (VBUP) and partner fields (VBPA) are selected. This also includes potential customer fields/Z fields of the tables mentioned. Selected material master data is also displayed.

In addition to this standard data, the following SDM-specific fields are also available:

- **Unrestricted-Use Stock** Unrestricted-use stock (LABST) of the material ordered (LIPS - MATNR) at the supplying plant (LIPS - WERKS).
- **Warehouse Stock Indicator** As per the settings in Customizing /SAPLOM/SDM_CUST_SI, the available quantity in warehouse stock is placed in this column (green, yellow, red).

Functions

Create Follow-On Documents

After you choose the [Follow-On Document](#) pushbutton, the following functions are available for deliveries: [Post Goods Issue](#) and [Create Billing Document and Delivery](#).

[Post Goods Issue](#) An attempt is made to post goods issues for the entire deliveries of the selected items. Once the function has been executed, the system says whether the creation was successful or not and provides any necessary additional information. You can use the [Display Document Flow](#) function to display the goods issue.

[Create Billing Document](#) The deliveries of the selected items are billed. You can display the change log after executing the function. In addition to information about successfully created billing documents, this contains information about warnings and error messages.

Edit Documents

Follow-on documents can be created for sales documents and deliveries using the [Follow-On Document](#) pushbutton (via the results table). To do this, you must first select the desired rows in the table. Even if the data is displayed at item level in the table, the follow-on document is always created for the entire document of the selected item. After processing, the results table can be updated using the [Refresh button](#) so that the newly created deliveries and billing documents are also displayed in the result list. This requires the newly created deliveries to be in the work area defined on the selection screen.

Outbound deliveries can be processed directly in SDM if you use transaction `/SAPL0M/SDM` to call the program. Only uncompleted documents can be edited. To edit a document, you can either change individual cells or use mass processing. To do this, select the required items in the results table and choose `[Enter]` + `[and double-click]` the column in which you want to edit the fields. If your selection contains fields that can be edited, a dialog box appears in which you can enter the required new value. After you confirm your entry, all editable fields of your selection are overwritten with the new value.

⚠ Caution

You must choose [Save](#) to confirm the changes. Otherwise, they are discarded and not transferred to the system. Outbound deliveries can be changed if they are not completed (WBSTK not equal to C).

The following fields can be edited at header level:

- Gross total weight (BTGEW)
- Supply priority (LPRI0)
- Route (ROUTE)
- Incoterm 1 (INC01)
- Incoterm 2 (INC02)
- Unloading point (ABLAD)

The following fields can be edited at item level:

- Net weight (NTGEW)
- Gross weight (BRGEW)

3.1.5 Billing Documents

Data

All available header and item data for billing documents is displayed in SDM. From a technical perspective, this is all fields of VBRK (header data) and VBRP (item data). Furthermore, selected status fields (VBUP) and partner fields (VBPA) are selected. This also includes potential customer fields/Z fields of the tables mentioned. Selected material master data is also displayed.

3.2 Prices

Sales and Distribution Monitor

Document overview / Prices

Filter options

- Remove Filter
- HALB
- HAWA
- FERT

Material Short Text	Material	Materialtype	Amount	Currency	Price	Unit	Meas.	Scale	available	Scale	Quantity	Valid From	Valid To	Processing Status
Casings	100-100	HALB	199,00	EUR		1	PC				0,000	01.01.2019	31.12.9999	
C1 Spiral casing (with planned scrap)	100-101	HALB	456,00	EUR		1	PC				0,000	18.01.2018	31.12.9999	
Actuation	100-200	HALB	456,00	EUR		1	PC				0,000	18.01.2018	31.12.9999	
Hexagon Nut 1.5" Acme Thread	100-250	HAWA	60,00	EUR		1	PC				0,000	18.01.2018	31.12.9999	
1.5" Hex nut gasket neoprene white	100-251	HAWA	70,00	EUR		1	PC				0,000	18.01.2018	31.12.9999	
Clamp 1.5" Sandclasp	100-260	HAWA	80,00	EUR		1	PC				0,000	18.01.2018	31.12.9999	
Gasket 1.5" Sandclasp neoprene white	100-261	HAWA	90,00	EUR		1	PC				0,000	18.01.2018	31.12.9999	
Hollow shaft	100-300	HALB	107,00	EUR		1	PC				0,000	19.01.2018	31.12.9999	
Shaft (with QM integration)	100-301	HALB	110,00	EUR		1	PC				0,000	18.01.2018	31.12.9999	
Pump standard IDENORM 100-401	P-5033	FERT	324,00	EUR		1	PC				0,000	14.12.2017	31.12.9999	

Prices Result Screen

The **Prices** results tab page is visible if you have selected **Condition Record Analysis** on the selection screen. The conditions are displayed according to your selection.

The screen is subdivided into two areas:

- **Navigation area**, consisting of the filter options for the condition records.
- **Work area**, consisting of the condition records, editable fields, and processing status.

Filter Options

In the filter options, you can use predefined filter variants to restrict the condition records. You can use the **Remove Selection** pushbutton to display all conditions again.

Update of Data

In the result overview, the following values can be changed directly:

- Amount
- Currency
- Scale quantity
- Validity

To do this, enter the required value in the corresponding field and save your entry. You then receive an information text in the processing status.

Sales and Distribution Monitor

Document overview / Prices

Filter options

- Remove Filter
- HALB
- HAWA
- FERT

Material Short Text	Material	Materialtype	Amount	Currency	Price	Unit	Meas.	Scale	available	Scale	Quantity	Valid From	Valid To	Processing Status
Casings	100-100	HALB	200,00	EUR		1	PC				0,000	01.01.2019	31.12.9999	Idoc for update created
C1 Spiral casing (with planned scrap)	100-101	HALB	456,00	EUR		1	PC				0,000	18.01.2018	31.12.9999	
Actuation	100-200	HALB	456,00	EUR		1	PC				0,000	18.01.2018	31.12.9999	
Hexagon Nut 1.5" Acme Thread	100-250	HAWA	60,00	EUR		1	PC				0,000	18.01.2018	31.12.9999	
1.5" Hex nut gasket neoprene white	100-251	HAWA	70,00	EUR		1	PC				0,000	18.01.2018	31.12.9999	
Clamp 1.5" Sandclasp	100-260	HAWA	80,00	EUR		1	PC				0,000	18.01.2018	31.12.9999	
Gasket 1.5" Sandclasp neoprene white	100-261	HAWA	90,00	EUR		1	PC				0,000	18.01.2018	31.12.9999	
Hollow shaft	100-300	HALB	107,00	EUR		1	PC				0,000	19.01.2018	31.12.9999	
Shaft (with QM integration)	100-301	HALB	110,00	EUR		1	PC				0,000	18.01.2018	31.12.9999	
Pump standard IDENORM 100-401	P-5033	FERT	324,00	EUR		1	PC				0,000	14.12.2017	31.12.9999	

Update of Pricing Conditions

The change is available in the standard SAP system.

Display Price (ZP1) : Overview

Price Condition in SAP Standard VK13

The changes to the conditions are logged in the standard SAP transactions.

Change documents for conditions



	Date Time	User TCode	Cond	Tab	Sales org. Rebate ag.	Distr. Sales deal	Chl Promotion	Material	Validity period
	21.12.2020 10:13:47	D062935 /SAPLOM/SDM	ZP1	004	1000	10		100-100	01.01.2019-31.12.9999

Change Documents for Conditions

Important Disclaimers and Legal Information

Hyperlinks

Some links are classified by an icon and/or a mouseover text. These links provide additional information.

About the icons:

- Links with the icon  : You are entering a Web site that is not hosted by SAP. By using such links, you agree (unless expressly stated otherwise in your agreements with SAP) to this:
 - The content of the linked-to site is not SAP documentation. You may not infer any product claims against SAP based on this information.
 - SAP does not agree or disagree with the content on the linked-to site, nor does SAP warrant the availability and correctness. SAP shall not be liable for any damages caused by the use of such content unless damages have been caused by SAP's gross negligence or willful misconduct.
- Links with the icon  : You are leaving the documentation for that particular SAP product or service and are entering an SAP-hosted Web site. By using such links, you agree that (unless expressly stated otherwise in your agreements with SAP) you may not infer any product claims against SAP based on this information.

Videos Hosted on External Platforms

Some videos may point to third-party video hosting platforms. SAP cannot guarantee the future availability of videos stored on these platforms. Furthermore, any advertisements or other content hosted on these platforms (for example, suggested videos or by navigating to other videos hosted on the same site), are not within the control or responsibility of SAP.

Beta and Other Experimental Features

Experimental features are not part of the officially delivered scope that SAP guarantees for future releases. This means that experimental features may be changed by SAP at any time for any reason without notice. Experimental features are not for productive use. You may not demonstrate, test, examine, evaluate or otherwise use the experimental features in a live operating environment or with data that has not been sufficiently backed up.

The purpose of experimental features is to get feedback early on, allowing customers and partners to influence the future product accordingly. By providing your feedback (e.g. in the SAP Community), you accept that intellectual property rights of the contributions or derivative works shall remain the exclusive property of SAP.

Example Code

Any software coding and/or code snippets are examples. They are not for productive use. The example code is only intended to better explain and visualize the syntax and phrasing rules. SAP does not warrant the correctness and completeness of the example code. SAP shall not be liable for errors or damages caused by the use of example code unless damages have been caused by SAP's gross negligence or willful misconduct.

Bias-Free Language

SAP supports a culture of diversity and inclusion. Whenever possible, we use unbiased language in our documentation to refer to people of all cultures, ethnicities, genders, and abilities.

© 2026 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company. The information contained herein may be changed without prior notice.

Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies.

Please see <https://www.sap.com/about/legal/trademark.html> for additional trademark information and notices.

