Test Run Report


Test Run Overview

Started 28 Aug 2024, 17:48:16 Ended 28 Aug 2024, 17:49:34

Duration (mm:ss) 01:18.111

Test Results Summary

Passed 1 Failed 0 Skipped 0



Test Case Summary

tests

Basic Guide Impermentation

ManageAccount.testcase

successful successful successful

Test Case Maintainer Summary

Anubhav Gupta
ManageAccount.testcase

Passed Skipped Failed
1 0 0 successful

ManageAccount.testcase

Summary

Started 28 Aug 2024, 17:48:16 Ended 28 Aug 2024, 17:49:31

Duration (mm:ss) 01:15.431
Outcome successful

Output

Salesforce Connect: SalesforceConnection (Test)

17:48:16(00:00.092)

AutoRetry overrides:

-Provar global variable, provar_autoretry_timeout: 30

-Provar global variable, provar_autoretry_override : ENABLE_ALL

AutoRetry overrides:

Connecting to Salesforce as SalesforceConnection

Connection details. Connection name: SalesforceConnection, result name: SalesforceConnection, result scope: Test, urlString: sf:user=anubhav.gupta@sandbox.com;password={password};securityToken={securityToken};environment=PROD_DEV;lightningMode=true, environment: QA, userName: anubhav.gupta@sandbox.com, password: [supplied] securityToken: [supplied]

Create object id log file.

Opening Partner connection

Opening SOAP connection

Opening Metadata connection

Successfully connected to Salesforce as SalesforceConnection

Create Object: Account=>AccountId

17:48:24(00:08.814)

Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Account, field count: 6

Setting fields:

=Field=> SLAExpirationDate__c = 2024-10-27

=Field=> SLASerialNumber__c = M0DTO4LVCB

=Field=> Rating = Cold

=Field=> NumberOfEmployees = 2680

=Field=> SLA__c = Platinum

=Field=> Name = A & D Company

Account created successfully. Object Id: 001dL00000S0SBQQA3, Result Name: AccountId

Logging Salesforce Object Id for clean up. Object Name: Account, id: 001dL00000S0SBQQA3

On SF Account View screen

17:48:26(00:09.976)

Start of With Screen. Connection Name: SalesforceConnection, target: sf:ui:target?action=View&noOverride=true&object=Account

Opening Chrome webdriver instance to https://login.salesforce.com/

Add Chrome browser specific capabilities

Successfully opened Chrome webdriver to https://login.salesforce.com/

Opening Page context. Name: screen, data: null, frame: null

Opening Salesforce page. Object: Account, RelatedList: null, Action: View, Page URL: /lightning/r/001dL00000S0SBQQA3/view, Current URL: chrome://new-tab-page/

Opening Salesforce user home page

Navigate to home page

Perform page load wait

Clicking WebElement. WebElement [tag: input, text: Log In]

Perform page load wait

Successfully opened user home page

Activating detailTab tab

Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

Going to update browser window handles.

Update browser window handles.

Successfully updated browser window handles.

UI Assert 17:48:53(00:37.827)

Start of UiAssert, Connection: SalesforceConnection

Resolving field Name

Switched focus to main window. URL: https://provartesting-dev-ed.develop.lightning.force.com/lightning/r/Account/001dL00000S0SBQQA3/view

Activating detailTab tab

Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

Finding field placehoder using xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]//*[contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]//*[contains(@class, 'hasPinnedRegionTemplate') and (contains(@class, 'hasActiveSubtab')])))]//*[contains(@class, 'hasPinnedRegionTemplate') and (contains(@class, 'hasActiveSubtab')]))]//*[contains(@class, 'hasPinnedRegionTemplate') and (contains(@class, 'hasPinnedRegionTemplat

Waiting for element to be present. Timeout(seconds): 30

Finding field elements using relativePath: .//*[self::lightning-formatted-name or self::lightning-formatted-text]

Waiting for element to be present. Timeout(seconds): 30

Doing before wait. waitUrl: default

End of <default> wait.

Found element: [[[[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on windows (1c0bf02cd3cb2692a943bc3c0d5b2183)] -> xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')]])))]/*[contains(@data-component-id, 'force_detailPanel')]//*[(self::records-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView')))]]1]/div[(contains(@class, 'labelCol') or contains(@class, 'field-label-container')) and (span/text()[normalize-space()='Account Name' or (.) ='Account Name')]/ancestor::div[1]/*[(self::div and contains(@class, 'dataCol')) or (self::span and contains(@class, 'test-id__field-value'))]]] -> xpath: //*[self::lightning-formatted-name or self::lightning-formatted-text]]

Asserting field attributes: Name

Asserting Attribute: value to A & D Company

Assertion successful.A & D Company EqualTo A & D Company

Object read successfully. Result Name: Values

Going to update browser window handles.

Update browser window handles.

Successfully updated browser window handles.

Click the Edit button 17:48:58(00:41.876)

Start of Interact. Connection: SalesforceConnection, Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Faction%3DEdit%26object %3DAccount&name=Edit, before wait: default, after wait: default, auto retry: ui:wait:autoRetry:timeout=10

Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Faction%3DEdit%26object%3DAccount&name=Edit

Interaction: ui:interaction?name=action

Switched focus to main window. URL: https://provartesting-dev-ed.develop.lightning.force.com/lightning/r/Account/001dL00000S0SBQQA3/view

Interaction: ui:interaction?name=action

Activating detailTab tab

Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

Hover>Clicking WebElement. WebElement [tag: li, text: 0, text: Show more actions]

Find action link element using xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabsert) and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]//*[(self::div and contains(@class, 'flexipageBaseRecordHomeTemplateDesktop')) or (self::one-record-home-flexipage2)]//div[contains(@class, 'actionsContainer')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//*[self::a or self::button or self::span][@name='Edit' or text() = 'Edit']

Waiting for element to be present. Timeout(seconds): 30

Doing before wait. waitUrl: default

End of <default> wait.

Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on windows (1c0bf02cd3cb2692a943bc3c0d5b2183)] -> xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))) /*[[self::div and contains(@class, 'flexipageBaseRecordHomeTemplateDesktop')] or (self::one-record-home-flexipage2)]///div[contains(@class, 'actionsContainer')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//*[self::a or self::button or self::span][@name='Edit' or text() = 'Edit']]

Clicking WebElement using Javascript Click. WebElement: WebElement [tag: span, text: Edit]

Doing after wait. waitUrl: default

End of <default> wait.

Going to update browser window handles.

Update browser window handles.

Successfully updated browser window handles.

All Sub-Test Steps were successful.

Closing Page context. Name: screen, data: null, frame: null

Main window reselected. Window: main

Switched focus to main window. URL: https://provartesting-dev-ed.develop.lightning.force.com/lightning/r/Account/001dL00000S0SBQQA3/edit?count=1&backgroundContext=%2Flightning%2Fr%2FAccount%2F001dL00000S0SBQQA3%2Fview

Going to update browser window handles.

Update browser window handles.

Successfully updated browser window handles.

On SF Account Edit screen

17:49:07(00:51.071)

Start of With Screen. Connection Name: SalesforceConnection, target: sf:ui:target?action=Edit&noOverride=true&object=Account

Opening Page context. Name: screen, data: null, frame: null

Hover>Clicking WebElement. WebElement [tag: h2, text: Edit A & D Company]

Going to update browser window handles.

Update browser window handles.

Successfully updated browser window handles.

Set the Active picklist to Yes

17:49:12(00:56.622)

Start of Interact. Connection: SalesforceConnection, Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount %26field%3DActive_c&name=Active_c, before wait: default, after wait: default, auto retry: ui:wait:autoRetry:timeout=10

Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DActive__c&name=Active__c

Interaction: ui:interaction?name=set

Switched focus to main window. URL: https://provartesting-dev-ed.develop.lightning.force.com/lightning/r/Account/001dL00000S0SBQQA3/edit?count=1&backgroundContext=%2Flightning%2Fr%2FAccount%2F001dL00000S0SBQQA3%2Fview

Interaction: ui:interaction?name=set

Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection '))][3]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::section and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (//text()[normalize-space()='Active'] or .//text() = 'Active')]/
ancestor::div[1]

Find field using relative xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox_input')]]

Waiting for element to be present. Timeout(seconds): 30

Doing before wait. waitUrl: default

End of <default> wait.

Found element: [[[org.openqa.selenium.remote.RemoteWebElement@2ce17e2f -> unknown locator]] -> xpath: .//*[self::a or self::input or self::button[contains(@class, 'slds-combobox_input')]]]

Got webElement. tagName: BUTTON, id: combobox-button-632, type: button, class: slds-combobox__input slds-input_faux fix-slds-input_faux slds-combobox__input-value

Typing value. tagName: BUTTON, type: button, value: Yes, blur: false

Clicking WebElement. WebElement [tag: button, text: --None--]

Clicking WebElement. WebElement [tag: div, text: --None-- --None-- No Yes]

Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]

Doing after wait. waitUrl: default

End of <default> wait.

Going to update browser window handles.

Update browser window handles.

Successfully updated browser window handles.

Set the Account Number field to M0DTP7DT3K

17:49:15(00:59.070)

Start of Interact. Connection: SalesforceConnection, Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DAccountNumber&name=AccountNumber, before wait: default, after wait: default, auto retry: ui:wait:autoRetry:timeout=10

Locator: ui:locator?binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DAccountNumber&name=AccountNumber

Interaction: ui:interaction?name=set

Switched focus to main window. URL: https://provartesting-dev-ed.develop.lightning.force.com/lightning/r/Account/001dL00000S0SBQQA3/edit?count=1&backgroundContext=%2Flightning%2Fr%2FAccount%2F001dL00000S0SBQQA3%2Fview

Interaction: ui:interaction?name=set

Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])[[last()]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection'))][1]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide'))) or (self::self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Number'] or .//text() = 'Account Number')]/ancestor::div[1]

Find field using relative xpath: .//input

Waiting for element to be present. Timeout(seconds): 30

Doing before wait. waitUrl: default

End of <default> wait.

 $Found\ element: \hbox{\tt [[[org.openqa.selenium.remote.RemoteWebElement@2ce17e4a -> unknown locator]] -> xpath: .//input] }$

Got webElement. tagName: INPUT, id: input-509, type: text, class: slds-input
Typing value. tagName: INPUT, type: text, value: M0DTP7DT3K, blur: false

Doing after wait. waitUrl: default


End of <default> wait.

Going to update browser window handles.

Update browser window handles

Successfully updated browser window handles.

Click the Save button 17:49:17(01:01.770)



After Screenshot: 2024/08/28 17:49:19

Start of Interact. Connection: SalesforceConnection, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3Dsave, before wait: default, after wait: default, auto retry: ui:wait:autoRetry:timeout=10

Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3Dsave

Interaction: ui:interaction?name=action

Switched focus to main window. URL: https://provartesting-dev-ed.develop.lightning.force.com/lightning/r/Account/001dL00000S0SBQQA3/edit?count=1&backgroundContext=%2Flightning%2Fr%2FAccount%2F001dL00000S0SBQQA3%2Fview

Interaction: ui:interaction?name=action

Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or (self::records-base-record-form/parent::records-lwc-detail-panel)]//runtime_platform_actions-action-renderer[@apiname='Save' or @apiname='SaveEdit']//*[self::a or self::button]

Waiting for element to be present. Timeout(seconds): 30

Doing before wait. waitUrl: default

End of <default> wait.

Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on windows (1c0bf02cd3cb2692a943bc3c0d5b2183)] -> xpath: // div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self:::force-form-footer or (self::records-base-record-form/parent::records-lwc-detail-panel)]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]]

 ${\bf Clicking\ WebElement\ Itag:\ button,\ text:\ Save]}$

Doing after wait. waitUrl: default

End of <default> wait.

Sending screenshot. Data length: 99550

Going to update browser window handles.

Update browser window handles.

Successfully updated browser window handles.

All Sub-Test Steps were successful.

Closing Page context. Name: screen, data: null, frame: null

Main window reselected. Window: main

Switched focus to main window. URL: https://provartesting-dev-ed.develop.lightning.force.com/lightning/r/Account/001dL00000S0SBQQA3/view

Going to update browser window handles.

Update browser window handles.

Successfully updated browser window handles.

Read Object: Account = 001dL00000S0SBQQA3

17:49:22(01:06.513)

Reading a Salesforce object. Connection Name: SalesforceConnection, Name: Account, Id: 001dL00000S0SBQQA3, field count: 1

Executing SOQL query: select Active $_$ c from Account where id = '001dL00000S0SBQQA3'

Object read successfully. Result Name: AccountRead

Result assertion 'Check Active__c' successful: 'Yes' = 'Yes' [case insensitive]

SOQL Query: select AccountNumber from Account where Id = '001dL00000S0SBQQA3'=>AccountRows

17:49:23(01:07.617)

Reading a Salesforce object. Connection Name: SalesforceConnection, Query: select AccountNumber from Account where Id = '001dL00000S0SBQQA3'

Query successful. Row Count: 1.

Call CallableCreateOpportunity

17:49:23(01:07.817)

CallableCreateOpportunity

17:49:23(01:07.817)

Salesforce Connect: SalesforceConnection (Test)

17:49:23(01:07.823)

Connecting to Salesforce as SalesforceConnection

Connection details. Connection name: SalesforceConnection, result name: SalesforceConnection, result scope: Test, urlString: sf:user=anubhav.gupta@sandbox.com;password={password};securityToken={securityToken};environment=PROD_DEV;lightningMode=true, environment: QA, userName: anubhav.gupta@sandbox.com, password: [supplied] securityToken: [supplied]

Create object id log file.

Opening Partner connection

Opening SOAP connection

Opening Metadata connection

Successfully connected to Salesforce as SalesforceConnection

Create Object: Opportunity=>OpportunityId

17:49:30(01:14.270)

Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Opportunity, field count: 4

Setting fields:

=Field=> AccountId = 001dL00000S0SBQQA3

=Field=> StageName = Needs Analysis

=Field=> CloseDate = 2024-08-28

=Field=> Name = M0DTP7DT3K

Opportunity created successfully. Object Id: 006dL000003rtW6QAI, Result Name: OpportunityId

Logging Salesforce Object Id for clean up. Object Name: Opportunity, id: 006dL000003rtW6QAI

Handling managed resource. Name: SalesforceConnection

Closing Salesforce Connection because it is no longer being used. Name: SalesforceConnection

Shutting down Soap Connections. logFilePath: SalesforceConnection-objectids.log

Deleting object. Object: Opportunity, Id: 006dL000003rtW6QAI

Object deleted successfully. Id: 006dL000003rtW6QAI

Salesforce Connection handled successfully. Name: SalesforceConnection

Handling managed resource. Name: SalesforceConnection

Closing Salesforce Connection because it is no longer being used. Name: SalesforceConnection

Closing web connection.

Closing Selenium driver

Shutting down Soap Connections. logFilePath: SalesforceConnection-objectids.log

Deleting object. Object: Opportunity, Id: 006dL000003rtW6QAI

Object deleted from some other process. Id: 006dL000003rtW6QAI

Salesforce Connection handled successfully. Name: SalesforceConnection