# Test Run Report




#### **Test Run Overview**

Started 10 Sep 2024, 18:21:28 Ended 10 Sep 2024, 18:22:06

Duration (mm:ss) 00:38.137

# **Test Results Summary**

Passed 2 Failed 0 Skipped 0



# **Test Case Summary**



# Main\_Task.testcase

#### **Summary**

Started 10 Sep 2024, 18:21:28 Ended 10 Sep 2024, 18:21:54

Duration (mm:ss) 00:26.480
Outcome successful

- (i) Loading data from Parameter Value Source ...
- 1: Loading Parameter Value Source row 1:
- ① ==Column=> Name = PrimitiveValueImpl [ value: Anubhav & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Rating = PrimitiveValueImpl [ value: Cold, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Phone = PrimitiveValueImpl [ value: 7078466107, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> SLA\_SerialNo = PrimitiveValueImpl [ value: ABCDE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 🗓 ==Column=> Email = PrimitiveValueImpl [ value: om\_11@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 🗓 ==Column=> AccountID = PrimitiveValueImpl [ value: 001dL00000Tlp6RQAR, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> ContactID = PrimitiveValueImpl [ value: 003dL000008d585QAA, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 Loading Parameter Value Source row 2:
- 1 ==Column=> Name = PrimitiveValueImpl [ value: OM & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Rating = PrimitiveValueImpl [ value: Hot, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Phone = PrimitiveValueImpl [ value: 7451046311, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> SLA\_SerialNo = PrimitiveValueImpl [ value: FGHIJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> Email = PrimitiveValueImpl [ value: anubhav\_12@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 🗓 ==Column=> AccountID = PrimitiveValueImpl [ value: 001dL00000Tm79nQAB, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

0 18:21:28(00:00.038)

0 18:21:39(00:11.038)

- ① ==Column=> ContactID = PrimitiveValueImpl [ value: 003dL000008d5CvQAI, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 Loaded 2 rows from Parameter Value Source.

#### Output

- Salesforce Connect: SalesforceConnection (Test)
  - (i) AutoRetry overrides:
  - ① AutoRetry overrides:
  - (i) Connecting to Salesforce as SalesforceConnection
  - (i) Successfully connected to Salesforce as SalesforceConnection
- Read Excel
  - (1) Loading data from Parameter Value Source ...
  - 1 Loading Parameter Value Source row 1:
  - 1 ==Column=> Name = PrimitiveValueImpl [ value: Anubhav & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
  - 1 ==Column=> Rating = PrimitiveValueImpl [ value: Cold, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
  - 1 ==Column=> Phone = PrimitiveValueImpl [ value: 7078466107, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
  - 1] ==Column=> SLA\_SerialNo = PrimitiveValueImpl [ value: ABCDE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
  - 1 ==Column=> Email = PrimitiveValueImpl [ value: om\_11@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
    1 ==Column=> AccountID = PrimitiveValueImpl [ value: 001dL00000Tlp6RQAR, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
  - ① ==Column=> ContactID = PrimitiveValueImpl [ value: 003dL000008d585QAA, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
  - 1 Loading Parameter Value Source row 2:
  - ① ==Column=> Name = PrimitiveValueImpl [ value: OM & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
  - 1 ==Column=> Rating = PrimitiveValueImpl [ value: Hot, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

① ==Column=> Phone = PrimitiveValueImpl [ value: 7451046311, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] ① ==Column=> SLA\_SerialNo = PrimitiveValueImpl [ value: FGHIJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] ① ==Column=> Email = PrimitiveValueImpl [ value: anubhav\_12@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 1 ==Column=> AccountID = PrimitiveValueImpl [ value: 001dL00000Tm79nQAB, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 1 ==Column=> ContactID = PrimitiveValueImpl [ value: 003dL000008d5CvQAI, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1] 1 Loaded 2 rows from Parameter Value Source. 0 18:21:39(00:11.113) Steps 0 18:21:39(00:11.113) SOQL Query: select Name from Account=>AccountRows 1 Reading a Salesforce object. Connection Name: SalesforceConnection, Query: select Name from Account (i) Query successful. Row Count: 26. 0 18:21:39(00:11.372) Set Values: AccountNames Setting value AccountNames to 26 ① Successfully set AccountNames to 26 0 18:21:39(00:11.404) Compare: {AccountRows}=>{AccountRows} (i) Comparing List 1 row 1. Match key: (i) Matched List 1 row 1 to List 2 row 1., Match key: (i) Comparing column Id. List 1 value: null, List 2 value: null ① Comparing column Name. List 1 value: Edge Communications, List 2 value: Edge Communications (i) List 1 row 1 was successfully compared against List 2 row 1 ① Comparing List 1 row 2. Match key: (i) Matched List 1 row 2 to List 2 row 2., Match key: (1) Comparing column Id. List 1 value: null, List 2 value: null 1 Comparing column Name. List 1 value: Burlington Textiles Corp of America, List 2 value: Burlington Textiles Corp of America i List 1 row 2 was successfully compared against List 2 row 2 ① Comparing List 1 row 3. Match key: 1 Matched List 1 row 3 to List 2 row 3., Match key: (i) Comparing column Id. List 1 value: null, List 2 value: null ① Comparing column Name. List 1 value: Pyramid Construction Inc., List 2 value: Pyramid Construction Inc. 1 List 1 row 3 was successfully compared against List 2 row 3 (i) Comparing List 1 row 4. Match key: (i) Matched List 1 row 4 to List 2 row 4., Match key: (i) Comparing column Id. List 1 value: null, List 2 value: null ① Comparing column Name. List 1 value: Dickenson plc, List 2 value: Dickenson plc i List 1 row 4 was successfully compared against List 2 row 4 ① Comparing List 1 row 5. Match key: (i) Matched List 1 row 5 to List 2 row 5., Match key: (i) Comparing column Id. List 1 value: null, List 2 value: null ① Comparing column Name. List 1 value: Grand Hotels & Resorts Ltd, List 2 value: Grand Hotels & Resorts Ltd ① List 1 row 5 was successfully compared against List 2 row 5 (i) Comparing List 1 row 6. Match key: (i) Matched List 1 row 6 to List 2 row 6., Match key: (i) Comparing column Id. List 1 value: null, List 2 value: null ① Comparing column Name. List 1 value: United Oil & Gas Corp., List 2 value: United Oil & Gas Corp. 1 List 1 row 6 was successfully compared against List 2 row 6 (i) Comparing List 1 row 7. Match key: (i) Matched List 1 row 7 to List 2 row 7., Match key:

- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Express Logistics and Transport, List 2 value: Express Logistics and Transport
- ① List 1 row 7 was successfully compared against List 2 row 7
- (i) Comparing List 1 row 8. Match key:
- (i) Matched List 1 row 8 to List 2 row 8., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: University of Arizona, List 2 value: University of Arizona
- (i) List 1 row 8 was successfully compared against List 2 row 8
- ① Comparing List 1 row 9. Match key:
- (i) Matched List 1 row 9 to List 2 row 9., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: United Oil & Gas, UK, List 2 value: United Oil & Gas, UK
- 1 List 1 row 9 was successfully compared against List 2 row 9
- (i) Comparing List 1 row 10. Match key:
- (i) Matched List 1 row 10 to List 2 row 10., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: United Oil & Gas, Singapore, List 2 value: United Oil & Gas, Singapore
- ① List 1 row 10 was successfully compared against List 2 row 10
- (i) Comparing List 1 row 11. Match key:
- (1) Matched List 1 row 11 to List 2 row 11., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- (1) Comparing column Name. List 1 value: GenePoint, List 2 value: GenePoint
- 1 List 1 row 11 was successfully compared against List 2 row 11
- ① Comparing List 1 row 12. Match key:
- ① Matched List 1 row 12 to List 2 row 12., Match key:
- ① Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: sForce, List 2 value: sForce
- 1 List 1 row 12 was successfully compared against List 2 row 12
- (i) Comparing List 1 row 13. Match key:
- (1) Matched List 1 row 13 to List 2 row 13., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- 1 Comparing column Name. List 1 value: Sample Account for Entitlements, List 2 value: Sample Account for Entitlements
- ① List 1 row 13 was successfully compared against List 2 row 13
- ① Comparing List 1 row 14. Match key:
- ① Matched List 1 row 14 to List 2 row 14., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: OM & co., List 2 value: OM & co.
- 1 List 1 row 14 was successfully compared against List 2 row 14
- ① Comparing List 1 row 15. Match key:
- 1 Matched List 1 row 15 to List 2 row 15., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Anubhav & co., List 2 value: Anubhav & co.
- 1 List 1 row 15 was successfully compared against List 2 row 15
- ① Comparing List 1 row 16. Match key:
- ① Matched List 1 row 16 to List 2 row 16., Match key:

- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Strider Bank (ref : LZ9OXXCUNAVX), List 2 value: Strider Bank (ref : LZ9OXXCUNAVX)
- 1 List 1 row 16 was successfully compared against List 2 row 16
- ① Comparing List 1 row 17. Match key:
- ① Matched List 1 row 17 to List 2 row 17., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 17 was successfully compared against List 2 row 17
- ① Comparing List 1 row 18. Match key:
- (i) Matched List 1 row 18 to List 2 row 18., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- (i) List 1 row 18 was successfully compared against List 2 row 18
- ① Comparing List 1 row 19. Match key:
- 1 Matched List 1 row 19 to List 2 row 19., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 19 was successfully compared against List 2 row 19
- (i) Comparing List 1 row 20. Match key:
- (i) Matched List 1 row 20 to List 2 row 20., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- (1) Comparing column Name. List 1 value: Anubhav, List 2 value: Anubhav
- (i) List 1 row 20 was successfully compared against List 2 row 20
- ① Comparing List 1 row 21. Match key:
- (i) Matched List 1 row 21 to List 2 row 21., Match key:
- ① Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 21 was successfully compared against List 2 row 21
- (i) Comparing List 1 row 22. Match key:
- (1) Matched List 1 row 22 to List 2 row 22., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 22 was successfully compared against List 2 row 22
- ① Comparing List 1 row 23. Match key:
- ① Matched List 1 row 23 to List 2 row 23., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- ① List 1 row 23 was successfully compared against List 2 row 23
- ① Comparing List 1 row 24. Match key:
- (i) Matched List 1 row 24 to List 2 row 24., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 24 was successfully compared against List 2 row 24
- ① Comparing List 1 row 25. Match key:
- ① Matched List 1 row 25 to List 2 row 25., Match key:

- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 25 was successfully compared against List 2 row 25
- (i) Comparing List 1 row 26. Match key:
- (i) Matched List 1 row 26 to List 2 row 26., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 26 was successfully compared against List 2 row 26
- For Each: {SourceData}=>Row
  - ① Start of iteration 1 of 2.
  - i) Start of iteration 2 of 2.
  - i Reached the end of the List.
  - Iteration 1

0 18:21:39(00:11.463)0 18:21:39(00:11.463)

0 18:21:39(00:11.448)

- Call CallableAccountCreation
  - (i) Handling managed resource. Name: SalesforceConnection
  - (1) Salesforce Connection handled successfully. Name: SalesforceConnection

# CallableAccountCreation

# **Summary**

Started 10 Sep 2024, 18:21:39 Ended 10 Sep 2024, 18:21:47

Duration (mm:ss) 00:07.609
Outcome successful

#### **Output**

Salesforce Connect: SalesforceConnection (Test)

0 18:21:39(00:11.463)

- (i) Connecting to Salesforce as SalesforceConnection
- ① Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Account=>AccountId

- 0 18:21:39(00:11.492)
- ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Account, field count: 4
- ⚠ Failed to connect to Master Lock Manager assuming dead. Host: localhost, port: 57085, cause: Connection refused: no further information
- (i) Setting fields:
- (i) =Field=> SLASerialNumber\_\_c = ABCDE
- (i) =Field=> Phone = 7078466107
- i =Field=> Rating = Cold
- i =Field=> Name = Anubhav & co.
- Account created successfully. Object Id: 001dL00000TmV8sQAF, Result Name: AccountId
- ① Logging Salesforce Object Id for clean up. Object Name: Account, id: 001dL00000TmV8sQAF
- Call CallableCreateContact

0 18:21:47(00:19.077)

- 1 Handling managed resource. Name: SalesforceConnection
- (i) Salesforce Connection handled successfully. Name: SalesforceConnection

# CallableCreateContact

## **Summary**

Started 10 Sep 2024, 18:21:47 Ended 10 Sep 2024, 18:21:47

Duration (mm:ss) 00:00.636
Outcome successful

#### **Output**

Salesforce Connect: SalesforceConnection (Test)

0 18:21:47(00:19.077)

- (i) Connecting to Salesforce as SalesforceConnection
- 1 Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Contact=>ContactId

0 18:21:47(00:19.101)

- ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Contact, field count: 6
- Setting fields:
- 1 =Field=> AccountId = 001dL00000TmV8sQAF
- i =Field=> Email = om\_11@gmail.com
- 1 =Field=> FirstName = Om
- (i) =Field=> Phone = 7078466107
- i =Field=> LastName = Gupta
- i =Field=> Salutation = Mr.
- Contact created successfully. Object Id: 003dL000008d5mUQAQ, Result Name: ContactId
- 1 Logging Salesforce Object Id for clean up. Object Name: Contact, id: 003dL000008d5mUQAQ
- Read Object: Contact = 003dL000008d5mUQAQ

0 18:21:47(00:19.727)

- ⑤ Reading a Salesforce object. Connection Name: SalesforceConnection, Name: Contact, Id: 003dL000008d5mUQAQ, field count: 3
- (i) Object read successfully. Result Name: ContactRead
- Result assertion 'Check Email' successful: 'om\_11@gmail.com' = 'om\_11@gmail.com'
- Result assertion 'Check AccountId' successful: '001dL00000TmV8sQAF' = '001dL00000TmV8sQAF'
- Result assertion 'Check Phone' successful: '7078466107' = '7078466107'
- Set Values: Var.SLA SerialNo

0 18:21:48(00:20.103)

- (i) Setting value Var.AccountID to 001dL00000TmV8sQAF
- Successfully set Var.AccountID to 001dL00000TmV8sQAF
- Setting value Var.ContactID to 003dL000008d5mUQAQ
- Successfully set Var.ContactID to 003dL000008d5mUQAQ
- Setting value Var.SLA\_SerialNo to ABCDE
- (i) Successfully set Var.SLA\_SerialNo to ABCDE
- Write: {Var}=>templates/DATA.xlsx

0 18:21:48(00:20.114)

- (i) Writing to URL templates/DATA.xlsx
- ① Start of Excel Write. WorkbookPath: templates/DATA.xlsx, excludeCols: [none]
- ① Workbook location: C:\Users\anubhav.gupta\Provar\Workspace\_2\LearningProvar\templates\DATA.xlsx
- ① Applying match locator Data Count: 2, Match Locator: {SLA\_SerialNo = "ABCDE"}
- i) The match locator matched 1 row(s).
- ① Updating data in excel sheet: Day-01
- Updated data in excel sheet: Day-01
- Delete Object: 003dL000008d5mUQAQ

0 18:21:51(00:23.441)

- 1 Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 003dL000008d5mUQAQ
- (i) Object deleted successfully. Object Id: 003dL000008d5mUQAQ

- Delete Object: 001dL00000TmV8sQAF
  - ① Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 001dL00000TmV8sQAF
  - (1) Object deleted successfully. Object Id: 001dL00000TmV8sQAF
- Iteration 2

18:21:52(00:24.309)18:21:52(00:24.309)

0 18:21:52(00:23.793)

- Call CallableAccountCreation
  - Handling managed resource. Name: SalesforceConnection
  - (1) Salesforce Connection handled successfully. Name: SalesforceConnection

# CallableAccountCreation

# **Summary**

Started 10 Sep 2024, 18:21:52 Ended 10 Sep 2024, 18:21:52

Duration (mm:ss) 00:00.435

Outcome successful

#### **Output**

Salesforce Connect: SalesforceConnection (Test)

0 18:21:52(00:24.309)

- (i) Connecting to Salesforce as SalesforceConnection
- ① Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Account=>AccountId

- 0 18:21:52(00:24.326)
- ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Account, field count: 4
- Setting fields:
- i =Field=> SLASerialNumber\_c = FGHIJ
- (i) =Field=> Phone = 7451046311
- i =Field=> Rating = Hot
- i =Field=> Name = OM & co.
- Account created successfully. Object Id: 001dL00000TmPmcQAF, Result Name: AccountId
- ① Logging Salesforce Object Id for clean up. Object Name: Account, id: 001dL00000TmPmcQAF
- Call CallableCreateContact

0 18:21:52(00:24.754)

- ① Handling managed resource. Name: SalesforceConnection
- (i) Salesforce Connection handled successfully. Name: SalesforceConnection

# CallableCreateContact

## **Summary**

Started 10 Sep 2024, 18:21:52 Ended 10 Sep 2024, 18:21:53

Duration (mm:ss) 00:00.493
Outcome successful

# Output

Salesforce Connect: SalesforceConnection (Test)

0 18:21:52(00:24.754)

- ① Connecting to Salesforce as SalesforceConnection
- 1 Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection

# Create Object: Contact=>ContactId 0 18:21:52(00:24.777) ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Contact, field count: 6 Setting fields: i =Field=> AccountId = 001dL00000TmPmcQAF 1 =Field=> Email = anubhav\_12@gmail.com i =Field=> FirstName = Om 1 =Field=> Phone = 7451046311 i =Field=> LastName = Gupta i =Field=> Salutation = Mr. Contact created successfully. Object Id: 003dL000008d7Q1QAI, Result Name: ContactId ① Logging Salesforce Object Id for clean up. Object Name: Contact, id: 003dL000008d7Q1QAI 0 18:21:53(00:25.252) Read Object: Contact = 003dL000008d7Q1QAI 1 Reading a Salesforce object. Connection Name: SalesforceConnection, Name: Contact, Id: 003dL000008d7Q1QAI, field count: 3 (i) Object read successfully. Result Name: ContactRead Result assertion 'Check Email' successful: 'anubhav 12@gmail.com' = 'anubhav 12@gmail.com' Result assertion 'Check AccountId' successful: '001dL00000TmPmcQAF' = '001dL00000TmPmcQAF' Result assertion 'Check Phone' successful: '7451046311' = '7451046311' @ 18:21:53(00:25.526) Set Values: Var.SLA\_SerialNo (i) Setting value Var.AccountID to 001dL00000TmPmcQAF Successfully set Var.AccountID to 001dL00000TmPmcQAF Setting value Var.ContactID to 003dL000008d7Q1QAI Successfully set Var.ContactID to 003dL000008d7Q1QAI (i) Setting value Var.SLA\_SerialNo to FGHIJ (i) Successfully set Var.SLA\_SerialNo to FGHIJ Write: {Var}=>templates/DATA.xlsx 0 18:21:53(00:25.543) Writing to URL templates/DATA.xlsx Start of Excel Write. WorkbookPath: templates/DATA.xlsx, excludeCols: [none] Workbook location: C:\Users\anubhav.gupta\Provar\Workspace\_2\LearningProvar\templates\DATA.xlsx ① Applying match locator Data Count: 2, Match Locator: {SLA\_SerialNo = "FGHIJ"} 1 The match locator matched 1 row(s). Updating data in excel sheet: Day-01 ① Updated data in excel sheet: Day-01 Delete Object: 003dL000008d7Q1QAI 0 18:21:53(00:25.743) 1 Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 003dL000008d7Q1QAI (i) Object deleted successfully. Object Id: 003dL000008d7Q1QAI Delete Object: 001dL00000TmPmcQAF

0 18:21:54(00:25.978)

1 Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 001dL00000TmPmcQAF

Object deleted successfully. Object Id: 001dL00000TmPmcQAF

# TableTesting.testcase

#### Summary

Started 10 Sep 2024, 18:21:54 10 Sep 2024, 18:22:06 Ended

00:11.401 Duration (mm:ss) Outcome successful

## **Output**

UI Connect: HTML\_Tables 0 18:21:54(00:26.742) 1 Opening Selenium Connection. Connection Name: HTML\_Tables, Base URL: https://www.w3schools.com/html/html\_tables.asp, Private Browsing Mode: false ① Opening Chrome webdriver instance to https://www.w3schools.com/html/html\_tables.asp ① Successfully opened Chrome webdriver to https://www.w3schools.com/html/html\_tables.asp (i) Selenium Connection opened successfully. i) UI Connect step is success ① UI Connect step is success 0 18:21:57(00:29.723) Set Values: a ① Setting value a to 100 ① Successfully set a to 100 On HTMLTablePage page 0 18:21:57(00:29.738) 1 Start of With Screen. Connection Name: HTML\_Tables, target: ui:pageobject:target?pageId=pageobjects.HTMLTablePage ① Navigating to URL: https://www.w3schools.com/html/html\_tables.asp ① Opening Page context. Name: screen, data: pageobjects.HTMLTablePage@c35e737, frame: null (i) Going to update browser window handles. (i) Successfully updated browser window handles. All Sub-Test Steps were successful. (i) Closing Page context. Name: screen, data: null, frame: null i Main window reselected. Window: main (i) Going to update browser window handles. (i) Successfully updated browser window handles. Sub Steps 0 18:21:59(00:31.574) 0 18:21:59(00:31.577) With Company row 1 Start of With Row. Connection Name: HTML\_Tables, target: ui:pageobject:row?field=example&pageId=pageobjects.HTMLTablePage ① Switched focus to main window. URL: https://www.w3schools.com/html/html\_tables.asp (i) Applying row locator to rows. Row Count: 7, Row Locator: 1 Matched row number 1 Going to update browser window handles. Successfully updated browser window handles. i All Sub-Test Steps were successful. (i) Going to update browser window handles. Successfully updated browser window handles. Sub Steps 0 18:22:01(00:33.244) 0 18:22:01(00:33.244) Ul Assert i Start of UiAssert. Connection: HTML\_Tables (i) Resolving field Company ① Switched focus to main window. URL: https://www.w3schools.com/html/html\_tables.asp i Doing before wait. waitUrl: default i End of <default&gt; wait. ① Switched focus to main window. URL: https://www.w3schools.com/html/html\_tables.asp (i) Asserting field attributes: Company (i) Reading Attribute: value

(i) Object read successfully. Result Name: Data

- (i) Going to update browser window handles.
- Successfully updated browser window handles.

#### With Contact row

0 18:22:04(00:36.432)

- 1 Start of With Row. Connection Name: HTML\_Tables, target: ui:pageobject:row?field=example&pageId=pageobjects.HTMLTablePage
- ① Switched focus to main window. URL: https://www.w3schools.com/html/html\_tables.asp
- ① Applying row locator to rows. Row Count: 7, Row Locator: 1
- (i) Matched row number 1
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.

Sub Steps
© 18:22:05(00:37.133)

#### With Country row

18:22:05(00:37.176)

- ① Start of With Row. Connection Name: HTML\_Tables, target: ui:pageobject:row?field=example&pageId=pageobjects.HTMLTablePage
- ① Switched focus to main window. URL: https://www.w3schools.com/html/html\_tables.asp
- (i) Applying row locator to rows. Row Count: 7, Row Locator: 1
- Matched row number 1
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- Sub Steps
  © 18:22:06(00:38.066)