Test Run Report



Test Run Overview

Started 28 Aug 2024, 15:06:44 Ended 28 Aug 2024, 15:07:07


Duration (mm:ss) 00:23.481

Test Results Summary

Passed 1 Failed 0 Skipped 0



Test Case Summary



Main_Task.testcase

Summary

Started 28 Aug 2024, 15:06:44 Ended 28 Aug 2024, 15:07:07

Duration (mm:ss) 00:23.481
Outcome successful

- (i) Loading data from Parameter Value Source ...
- (i) Loading Parameter Value Source row 1:
- 1 ==Column=> Name = PrimitiveValueImpl [value: Anubhav & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Rating = PrimitiveValueImpl [value: Cold, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Phone = PrimitiveValueImpl [value: 7078466107, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> SLA_SerialNo = PrimitiveValueImpl [value: ABCDE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 🗓 ==Column=> Email = PrimitiveValueImpl [value: om_11@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> AccountID = PrimitiveValueImpl [value: 001dL00000RwvQFQAZ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> ContactID = PrimitiveValueImpl [value: 003dL0000083GjZQAU, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- (i) Loading Parameter Value Source row 2:
- 1 ==Column=> Name = PrimitiveValueImpl [value: OM & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> Rating = PrimitiveValueImpl [value: Hot, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> Phone = PrimitiveValueImpl [value: 7451046311, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> SLA_SerialNo = PrimitiveValueImpl [value: FGHIJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> Email = PrimitiveValueImpl [value: anubhav_12@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- ① ==Column=> AccountID = PrimitiveValueImpl [value: 001dL00000RyL6rQAF, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 ==Column=> ContactID = PrimitiveValueImpl [value: 003dL0000083Gq1QAE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
- 1 Loaded 2 rows from Parameter Value Source.

Output

- Salesforce Connect: SalesforceConnection (Test)
 - AutoRetry overrides:
 - -Provar global variable, provar_autoretry_timeout : 30
 - -Provar global variable, provar_autoretry_override : ENABLE_ALL
 - ① AutoRetry overrides:
 - (i) Connecting to Salesforce as SalesforceConnection
 - **Connection details. Connection name: SalesforceConnection, result name: SalesforceConnection, result scope: Test, urlString: sf:user=anubhav.gupta@sandbox.com;password={password};securityToken={securityToken};environment=PROD_DEV;lightningMode=true, environment: <default>, userName: anubhav.gupta@sandbox.com, password: [supplied] securityToken: [supplied]
 - Create object id log file.
 - Opening Partner connection
 - Opening SOAP connection
 - Opening Metadata connection
 - (i) Successfully connected to Salesforce as SalesforceConnection
- Read Excel

0 15:06:52(00:08.666)

0 15:06:44(00:00.021)

- (i) Loading data from Parameter Value Source ...
- (i) Loading Parameter Value Source row 1:
- 🗓 ==Column=> Name = PrimitiveValueImpl [value: Anubhav & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]

```
1 ==Column=> Rating = PrimitiveValueImpl [ value: Cold, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> Phone = PrimitiveValueImpl [ value: 7078466107, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1] ==Column=> SLA_SerialNo = PrimitiveValueImpl [ value: ABCDE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> Email = PrimitiveValueImpl [ value: om_11@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1
   1 ==Column=> AccountID = PrimitiveValueImpl [ value: 001dL00000RwvQFQAZ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   🗓 ==Column=> ContactID = PrimitiveValueImpl [ value: 003dL0000083GjZQAU, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   (i) Loading Parameter Value Source row 2:
    1 ==Column=> Name = PrimitiveValueImpl [ value: OM & co., valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> Rating = PrimitiveValueImpl [ value: Hot, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> Phone = PrimitiveValueImpl [ value: 7451046311, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   ① ==Column=> SLA_SerialNo = PrimitiveValueImpl [ value: FGHIJ, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> Email = PrimitiveValueImpl [ value: anubhav_12@gmail.com, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1] ==Column=> AccountID = PrimitiveValueImpl [ value: 001dL00000RyL6rQAF, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 ==Column=> ContactID = PrimitiveValueImpl [ value: 003dL0000083Gq1QAE, valueId=null, createdUpdateSeq=-1, updatedUpdateSeq=-1]
   1 Loaded 2 rows from Parameter Value Source.
                                                                                                                               0 15:06:53(00:08.715)
    Steps
                                                                                                                               0 15:06:53(00:08.715)
  SOQL Query: select Name from Account=>AccountRows
   1 Reading a Salesforce object. Connection Name: SalesforceConnection, Query: select Name from Account
   (i) Query successful. Row Count: 17.
Set Values: AccountNames
                                                                                                                               0 15:06:53(00:09.280)

    Setting value AccountNames to 17

    Configuration: ValueScope:Test

    Successfully set AccountNames to 17

                                                                                                                               0 15:06:53(00:09.296)
  Compare: {AccountRows}=>{AccountRows}
   (i) Comparing List 1 row 1. Match key:
    1 Matched List 1 row 1 to List 2 row 1., Match key:
   (i) Comparing column Id. List 1 value: null, List 2 value: null
   ① Comparing column Name. List 1 value: Edge Communications, List 2 value: Edge Communications
   1 List 1 row 1 was successfully compared against List 2 row 1
   (i) Comparing List 1 row 2. Match key:
    (i) Matched List 1 row 2 to List 2 row 2., Match key:
   (i) Comparing column Id. List 1 value: null, List 2 value: null
    🗓 Comparing column Name. List 1 value: Burlington Textiles Corp of America, List 2 value: Burlington Textiles Corp of America
   i List 1 row 2 was successfully compared against List 2 row 2
   (i) Comparing List 1 row 3. Match key:
   (i) Matched List 1 row 3 to List 2 row 3., Match key:
    (1) Comparing column Id. List 1 value: null, List 2 value: null
   (i) Comparing column Name. List 1 value: Pyramid Construction Inc., List 2 value: Pyramid Construction Inc.
   i List 1 row 3 was successfully compared against List 2 row 3
    (i) Comparing List 1 row 4. Match key:
   (i) Matched List 1 row 4 to List 2 row 4., Match key:
   (i) Comparing column Id. List 1 value: null, List 2 value: null
   (1) Comparing column Name. List 1 value: Dickenson plc, List 2 value: Dickenson plc
   1 List 1 row 4 was successfully compared against List 2 row 4
   (i) Comparing List 1 row 5. Match key:
    (i) Matched List 1 row 5 to List 2 row 5., Match key:
```

- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Grand Hotels & Resorts Ltd, List 2 value: Grand Hotels & Resorts Ltd
- ① List 1 row 5 was successfully compared against List 2 row 5
- (i) Comparing List 1 row 6. Match key:
- (i) Matched List 1 row 6 to List 2 row 6., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: United Oil & Gas Corp., List 2 value: United Oil & Gas Corp.
- (i) List 1 row 6 was successfully compared against List 2 row 6
- ① Comparing List 1 row 7. Match key:
- 1 Matched List 1 row 7 to List 2 row 7., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- 1 Comparing column Name. List 1 value: Express Logistics and Transport, List 2 value: Express Logistics and Transport
- 1 List 1 row 7 was successfully compared against List 2 row 7
- (i) Comparing List 1 row 8. Match key:
- 1 Matched List 1 row 8 to List 2 row 8., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- 1 Comparing column Name. List 1 value: University of Arizona, List 2 value: University of Arizona
- ① List 1 row 8 was successfully compared against List 2 row 8
- (i) Comparing List 1 row 9. Match key:
- (i) Matched List 1 row 9 to List 2 row 9., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: United Oil & Gas, UK, List 2 value: United Oil & Gas, UK
- 1 List 1 row 9 was successfully compared against List 2 row 9
- ① Comparing List 1 row 10. Match key:
- ① Matched List 1 row 10 to List 2 row 10., Match key:
- ① Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: United Oil & Gas, Singapore, List 2 value: United Oil & Gas, Singapore
- 1 List 1 row 10 was successfully compared against List 2 row 10
- (i) Comparing List 1 row 11. Match key:
- (1) Matched List 1 row 11 to List 2 row 11., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: GenePoint, List 2 value: GenePoint
- 1 List 1 row 11 was successfully compared against List 2 row 11
- ① Comparing List 1 row 12. Match key:
- ① Matched List 1 row 12 to List 2 row 12., Match key:
- (1) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: sForce, List 2 value: sForce
- 1 List 1 row 12 was successfully compared against List 2 row 12
- (i) Comparing List 1 row 13. Match key:
- (i) Matched List 1 row 13 to List 2 row 13., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Sample Account for Entitlements, List 2 value: Sample Account for Entitlements
- 1 List 1 row 13 was successfully compared against List 2 row 13
- ① Comparing List 1 row 14. Match key:
- (i) Matched List 1 row 14 to List 2 row 14., Match key:

- (1) Comparing column Id. List 1 value: null, List 2 value: null ① Comparing column Name. List 1 value: OM & co., List 2 value: OM & co. 1 List 1 row 14 was successfully compared against List 2 row 14
- (i) Comparing List 1 row 15. Match key:
- (i) Matched List 1 row 15 to List 2 row 15., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Anubhav & co., List 2 value: Anubhav & co.
- 1 List 1 row 15 was successfully compared against List 2 row 15
- ① Comparing List 1 row 16. Match key:
- (i) Matched List 1 row 16 to List 2 row 16., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: Strider Bank (ref : LZ9OXXCUNAVX), List 2 value: Strider Bank (ref : LZ9OXXCUNAVX)
- (i) List 1 row 16 was successfully compared against List 2 row 16
- (i) Comparing List 1 row 17. Match key:
- 1 Matched List 1 row 17 to List 2 row 17., Match key:
- (i) Comparing column Id. List 1 value: null, List 2 value: null
- ① Comparing column Name. List 1 value: A & D Company, List 2 value: A & D Company
- 1 List 1 row 17 was successfully compared against List 2 row 17
- For Each: {SourceData}=>Row
 - ① Start of iteration 1 of 2.
 - (i) Start of iteration 2 of 2.
 - (i) Reached the end of the List.
 - Iteration 1
- 0 15:06:53(00:09.312) 0 15:06:53(00:09.312)
- Call CallableAccountCreation (i) Handling managed resource. Name: SalesforceConnection
 - *Not closing Salesforce Connection because it is still being used. Name: SalesforceConnection
 - (i) Salesforce Connection handled successfully. Name: SalesforceConnection

CallableAccountCreation

Summary

Started 28 Aug 2024, 15:06:53 Ended 28 Aug 2024, 15:06:58

Duration 00:04.966 (mm:ss)

Outcome successful

Output

Salesforce Connect: SalesforceConnection (Test)

0 15:06:53(00:09.312)

0 15:06:53(00:09.312)

- (i) Connecting to Salesforce as SalesforceConnection
- 1 Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Account=>AccountId

0 15:06:53(00:09.328)

- ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Account, field count: 4
- A Failed to connect to Master Lock Manager assuming dead. Host: localhost, port: 53507, cause: Connection refused: no further information
- Setting fields:
- i =Field=> SLASerialNumber__c = ABCDE

- (i) =Field=> Phone = 7078466107
- i =Field=> Rating = Cold
- i =Field=> Name = Anubhav & co.
- Account created successfully. Object Id: 001dL00000RxbfAQAR, Result Name: AccountId
- Logging Salesforce Object Id for clean up. Object Name: Account, id: 001dL00000RxbfAQAR

Call CallableCreateContact

0 15:06:58(00:14.278)

- (i) Handling managed resource. Name: SalesforceConnection
- *Not closing Salesforce Connection because it is still being used. Name: SalesforceConnection
- (i) Salesforce Connection handled successfully. Name: SalesforceConnection

CallableCreateContact

Summary

Started 28 Aug 2024, 15:06:58 Ended 28 Aug 2024, 15:06:59

Duration (mm:ss) 00:00.522
Outcome successful

Output

Salesforce Connect: SalesforceConnection (Test)

0 15:06:58(00:14.278)

- (i) Connecting to Salesforce as SalesforceConnection
- 1 Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Contact=>ContactId

- 0 15:06:58(00:14.293)
- ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Contact, field count: 6
- Setting fields:
- i =Field=> AccountId = 001dL00000RxbfAQAR
- i =Field=> Email = om_11@gmail.com
- i =Field=> FirstName = Om
- (i) =Field=> Phone = 7078466107
- i =Field=> LastName = Gupta
- i =Field=> Salutation = Mr.
- Contact created successfully. Object Id: 003dL0000082xiYQAQ, Result Name: ContactId
- ① Logging Salesforce Object Id for clean up. Object Name: Contact, id: 003dL0000082xiYQAQ
- Read Object: Contact = 003dL0000082xiYQAQ

0 15:06:59(00:14.817)

- 1 Reading a Salesforce object. Connection Name: SalesforceConnection, Name: Contact, Id: 003dL0000082xiYQAQ, field count: 3
- Executing SOQL query: select Email, AccountId, Phone from Contact where id = '003dL0000082xiYQAQ'
- (i) Object read successfully. Result Name: ContactRead
- Result assertion 'Check Email' successful: 'om_11@gmail.com' = 'om_11@gmail.com'
- Result assertion 'Check AccountId' successful: '001dL00000RxbfAQAR' = '001dL00000RxbfAQAR'
- Result assertion 'Check Phone' successful: '7078466107' = '7078466107'
- Set Values: Var.SLA_SerialNo

0 15:06:59(00:15.177)

- ① Setting value Var.AccountID to 001dL00000RxbfAQAR
- Configuration: ValueScope:Test
- ① Successfully set Var.AccountID to 001dL00000RxbfAQAR
- (i) Setting value Var.ContactID to 003dL0000082xiYQAQ

- * Configuration: ValueScope:Test
- Successfully set Var.ContactID to 003dL0000082xiYQAQ
- (i) Setting value Var.SLA_SerialNo to ABCDE
- Configuration: ValueScope:Test
- (i) Successfully set Var.SLA_SerialNo to ABCDE
- Write: {Var}=>templates/DATA.xlsx

0 15:06:59(00:15.193)

- ① Writing to URL templates/DATA.xlsx
- ① Start of Excel Write. WorkbookPath: templates/DATA.xlsx, excludeCols: [none]
- ① Workbook location: C:\Users\anubhav.gupta\Provar_Workspaces\Workspace_2\LearningProvar\templates\DATA.xlsx
- ① Applying match locator Data Count: 2, Match Locator: {SLA_SerialNo = "ABCDE"}
- 1 The match locator matched 1 row(s).
- (i) Updating data in excel sheet: Day-01
- ① Updated data in excel sheet: Day-01
- Delete Obiect: 003dL0000082xiYQAQ

0 15:07:03(00:19.621)

- ① Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 003dL0000082xiYQAQ
- (i) Object deleted successfully. Object Id: 003dL0000082xiYQAQ
- Delete Object: 001dL00000RxbfAQAR

0 15:07:04(00:19.985)

0 15:07:04(00:20.597)

- ① Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 001dL00000RxbfAQAR
- ① Object deleted successfully. Object Id: 001dL00000RxbfAQAR
- Iteration 20 15:07:04(00:20.597)
 - Call CallableAccountCreation
 - (i) Handling managed resource. Name: SalesforceConnection
 - *Not closing Salesforce Connection because it is still being used. Name: SalesforceConnection
 - (i) Salesforce Connection handled successfully. Name: SalesforceConnection

CallableAccountCreation

Summary

Started 28 Aug 2024, 15:07:04 Ended 28 Aug 2024, 15:07:05

Duration (mm:ss) 00:00.442
Outcome successful

Output

Salesforce Connect: SalesforceConnection (Test)

0 15:07:04(00:20.597)

- (i) Connecting to Salesforce as SalesforceConnection
- 1 Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Account=>AccountId

- 0 15:07:04(00:20.607)
- ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Account, field count: 4
- Setting fields:
- i =Field=> SLASerialNumber_c = FGHIJ
- i =Field=> Phone = 7451046311
- i =Field=> Rating = Hot
- (i) =Field=> Name = OM & co.
- Account created successfully. Object Id: 001dL00000Ry2PDQAZ, Result Name: AccountId
- ① Logging Salesforce Object Id for clean up. Object Name: Account, id: 001dL00000Ry2PDQAZ

- Call CallableCreateContact
 - 1 Handling managed resource. Name: SalesforceConnection
 - *Not closing Salesforce Connection because it is still being used. Name: SalesforceConnection
 - (i) Salesforce Connection handled successfully. Name: SalesforceConnection

CallableCreateContact

Summary

Started 28 Aug 2024, 15:07:05 Ended 28 Aug 2024, 15:07:05

Duration (mm:ss) 00:00.562
Outcome successful

Output

- Salesforce Connect: SalesforceConnection (Test)
 - (1) Connecting to Salesforce as SalesforceConnection
 - 1 Re-using existing connection. Connection: SalesforceConnection, Result Name: SalesforceConnection
- Create Object: Contact=>ContactId

0 15:07:05(00:21.055)

0 15:07:05(00:21.046)

0 15:07:05(00:21.046)

- ① Creating a new Salesforce object. Connection Name: SalesforceConnection, Name: Contact, field count: 6
- Setting fields:
- i =Field=> AccountId = 001dL00000Ry2PDQAZ
- 1 = Field => Email = anubhav_12@gmail.com
- i =Field=> FirstName = Om
- 1 = Field => Phone = 7451046311
- i =Field=> LastName = Gupta
- i =Field=> Salutation = Mr.
- Contact created successfully. Object Id: 003dL0000083H69QAE, Result Name: ContactId
- ① Logging Salesforce Object Id for clean up. Object Name: Contact, id: 003dL0000083H69QAE
- Read Object: Contact = 003dL0000083H69QAE

0 15:07:05(00:21.618)

0 15:07:06(00:21.998)

- ① Reading a Salesforce object. Connection Name: SalesforceConnection, Name: Contact, Id: 003dL0000083H69QAE, field count: 3
- Executing SOQL query: select Email, AccountId, Phone from Contact where id = '003dL0000083H69QAE'
- (i) Object read successfully. Result Name: ContactRead
- Result assertion 'Check Email' successful: 'anubhav_12@gmail.com' = 'anubhav_12@gmail.com'
- Result assertion 'Check AccountId' successful: '001dL00000Ry2PDQAZ' = '001dL00000Ry2PDQAZ'
- Result assertion 'Check Phone' successful: '7451046311' = '7451046311'
- Set Values: Var.SLA SerialNo
 - Setting value Var.AccountID to 001dL00000Ry2PDQAZ
 - Configuration: ValueScope:Test
 - (i) Successfully set Var.AccountID to 001dL00000Ry2PDQAZ
 - Setting value Var.ContactID to 003dL0000083H69QAE
 - Configuration: ValueScope:Test
 - (i) Successfully set Var.ContactID to 003dL0000083H69QAE
 - (1) Setting value Var.SLA_SerialNo to FGHIJ
 - Configuration: ValueScope:Test
 - (i) Successfully set Var.SLA_SerialNo to FGHIJ
- Write: {Var}=>templates/DATA.xlsx

- ① Writing to URL templates/DATA.xlsx
- ① Start of Excel Write. WorkbookPath: templates/DATA.xlsx, excludeCols: [none]
- ① Workbook location: C:\Users\anubhav.gupta\Provar_Workspaces\Workspace_2\LearningProvar\templates\DATA.xlsx
- ① Applying match locator Data Count: 2, Match Locator: {SLA_SerialNo = "FGHIJ"}
- ① The match locator matched 1 row(s).
- ① Updating data in excel sheet: Day-01
- ① Updated data in excel sheet: Day-01
- Delete Object: 003dL0000083H69QAE

- 0 15:07:06(00:22.587)
- ① Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 003dL0000083H69QAE
- ① Object deleted successfully. Object Id: 003dL0000083H69QAE
- Delete Object: 001dL00000Ry2PDQAZ

- **(**) 15:07:07(00:23.070)
- ① Deleting an existing Salesforce object. Connection Name: SalesforceConnection, Id: 001dL00000Ry2PDQAZ
- ① Object deleted successfully. Object Id: 001dL00000Ry2PDQAZ